

TPC2105-1-106

- → See all Eaton Basic ePDU models→ See All Eaton Basic ePDUs Documentation
- → View ePDU success stories
- → View Spiceworks reviews
- → View StorageReview.com review
 → Spiceworks video testimonial
- → PDF Download page as PDF




General

ВА Function





Drawing



Style Number	TPC2105-1-106
Part Number	TPC2105-1-106
Assembly	2787
Product Series	TPC215
Product Code	50006
Availability	Build to Order 3 weeks
U Height	1
MIB	N/A

Physical

Dimensions (H x W x D, inches) Box: 23 x 11.5 x 6 Unit: 1.7 x 19 x 7 Mounting Style Horizontal

Form factor 1U

Input

Max kW 2.88

(1) NEMA L5-30P Plug



9 Cable Length (ft)

Voltage 1-Phase 110-125

Current 24A **Current Monitoring** None Single Phase 50-60 HZ Frequency

Output

(16) IEC-320-C13 Outlets



Circuit Breakers	(2) 2P 15A	
Protection & Filtering		
Spike/Surge Suppression	Yes	
EMI/RFI Filter	(2) Yes [1-3]	
Standards		
Approvals	UL Listed File # E94081	

Privacy Policy
Terms & Conditions
Copyright

© 2016 Eaton All Rights Reserved

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for eaton manufacturer:

Other Similar products are found below:

BK1-S506-500-R BK1-S506-6-3-R BK1-S506-2-R BK-MDL-3-R MPI4040R4-1R5-R 89096-015 8946K153 8961K155 M22-DL-W-X0 M22-L-R/R 630NHG3B 63ET 6422 6580 CTX20-16-52LP-R CWL530FI CXM/CO/GP/R/BB 6HD36 6NZ01 714125 MBO-2 ESR5-NO-41-24VAC-DC 7314K36 F02A-1-1/2A F02A-1-1/2AS F02A-1AS F02A-2AS F02A-3/4A F03A250V12A MCR-4 MDA-2-8/10-R MDA-30A MDA-V-1/16 F60C500V10AS F60C500V15AS 7563K84 MDQ-3/16 MDQ-7/10 MDQ-V-1/16 MDQ-V-1/2 MDQ-V-1/4 MDQ-V-3/8 MDV-1-1/2 MDV-3/8 MDV-4 MDV-6/10 FAZ-C2 MIC-2 MIC-30