

## HIGH POWER TYPE TERMINAL BLOCK

TÜV R50002918  
E133988(R)

ETB71 SERIES

WIRE PROTECTOR TYPE

PITCH=7.5 / 15.0mm

### FEATURES


- Designed for high power application
- Easy to assemble for any number of positions
- End stackable without any loss of P.C.B. space
- Special wire protector design to ensure reliable wire clamping
- UL 94V-0 grade fire retardant engineering plastic used for the housing
- Be capable of clamping a wide range of wire diameters
- Compact size for P.C.B.

### SPECIFICATIONS


- Pitch 7.5mm, 15.0mm
- Wire range 24~14 AWG (2.5mm<sup>2</sup>)
- No. of pole per block 2P or 3P
- Rating 16 Amp, 300 VAC
- Housing PA66
- Terminals Tin plated over Brass
- Screws M3.0x0.5P, Zinc plated over Steel
- Wire protector Stainless Steel
- Stripping length 7mm
- Torque 0.58N-m (5.2 lb-in) (tested by manual torque screwdriver)
- Operating temperature -30°C ~+110°C (includes temperature rise limit)
- UL Approval 300V, 16A, 24~14 AWG
- TUV Approval 450V, T100, 0.2 to 12.5 mm<sup>2</sup>



### PART NUMBERING SYSTEM



## DRAWING



mm(inch)

POLE DIM.	2	3	4	5	6	7	8	9	10	11	12	13
A	15.0 (0.591)	22.5 (0.886)	30.0 (1.181)	37.5 (1.476)	45.0 (1.772)	52.5 (2.067)	60.0 (2.362)	67.5 (2.657)	75.0 (2.953)	82.5 (3.248)	90.0 (3.543)	97.5 (3.839)
B	22.5 (0.886)	37.5 (1.476)	52.5 (2.067)	67.5 (2.657)	82.5 (3.248)	97.5 (3.839)	112.5 (4.429)	127.5 (5.020)	142.5 (5.610)	157.5 (6.201)	172.5 (6.791)	
POLE DIM.	14	15	16	17	18	19	20	21	22	23	24	
A	105.0 (4.134)	112.5 (4.429)	120.0 (4.724)	127.5 (5.020)	135.0 (5.315)	142.5 (5.610)	150.0 (5.906)	157.5 (6.201)	165.0 (6.496)	172.5 (6.791)	180.0 (7.087)	

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Pluggable Terminal Blocks](#) category:*

*Click to view products by [ECC manufacturer](#):*

Other Similar products are found below :

[57.404.7553](#) [57.504.0053.7](#) [57.510.0053](#) [57.910.6153](#) [01.112.1453](#) [CTB932VE/6](#) [MC 1.5/ 6-ST-3.5 GY AU](#) [ET02015000J0G](#) [734-104](#) [734-302](#) [734-304](#) [8-141-P](#) [FKCT 2.5/ 3-ST KMGY](#) [860505](#) [860508](#) [860516](#) [860810](#) [861908](#) [GBPACX-12](#) [93.731.4953.0](#) [PV05-5,08-K](#) [PVP02-5,00](#) [PVP04-3,50](#) [PVS02-5,00](#) [1-1986160-3](#) [H-10](#) [1546228-5](#) [ELFH09150](#) [ELFH16150](#) [ELFP03110](#) [ELFT06250](#) [ELFT07250](#) [ELVF09400](#) [ELVP03100](#) [ELXH03100](#) [ELXH071G0E](#) [ELXP041G0](#) [ELXT046G0](#) [1700101](#) [1700410](#) [1700425](#) [1703176](#) [1705229](#) [1710175](#) [1714537](#) [1717806](#) [1719600](#) [1729386](#) [1734692](#) [1734795](#)