

Terminal Block

SCREWLESS TYPE TERMINAL BLOCK

TÜV R50257486 **FL** E133988(R)

ETBF60 SERIES

SCREWLESS TYPE

PRODUCTS PITCH=6.9mm P.C.B.

PITCH=7.5mm

■ FEATURES

Easy to assemble for any number of positions

• End stackable without any loss of P.C.B. space

• UL 94V-0 grade fire retardant engineering plastic used for the housing

• Be capable of clamping a wide range of wire diameters

Screwless design can reduce time for connecting wire

SPECIFICATIONS

 Products pitch 6.9mm • P.C.B. pitch 7.5mm

Wire range Ø0.8~Ø2.0mm (Solid)

 No. of pole per block 2P

Rating 10 Amp, 300 VAC

Housing **PBT**

Terminals Tin plated over Copper Alloy

Springs Stainless Steel

PBT Push button

Operating temperature -30°C ~+110°C


(includes temperature rise limit)

 Stripping length 12mm

UL Approval 300V, 10A, 12~20 AWG TUV Approval 300V, 10A, 12~20 AWG




■ PART NUMBERING SYSTEM





Terminal Block

DRAWING



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Terminal Blocks - Unspecified category:

Click to view products by ECC manufacturer:

Other Similar products are found below:

RST-20P TB200-15L1L2QC7 11368 TB100-08BSL10J4 5606874 LZW-B4.2 A12-4160 LZW-B4.6 A12-4660 FCR7900 FCR79001 88486403 ESKW 1/5 ST E3 88486708 ESKW 1/5 KU 88545276 ESKL 0E PA ST TRA 88838208 ESKW 1/2 KU 88838304 ESKW 1/2 ST 264-373 LZW-B4.3 A12-4260 HDFK 25 0707743 HDFKV 50 0708522 E.4203 TSCB4-02P-15-01AH TSCB4-01P-15-01AH TSCB4-03P-15-01AH 294-4002 E.4204 5604707 SLK3/2/D1-D2 88167524 231-127 262-142 264-112 294-4003 FCR7901 FCR79011 CMDB4/4/BG HH-REC NSE3-WH ETBF60020H2FLZ GP+WP A12-6302 4721-P4 4721-P8 2727608 SLK3/3/N-E-L 88167527 294-5012