

TWN4 SLIM MOUNTING FRAME



TWN4 Slim Mounting Frame
Front View


Installation illustration
TWN4 Slim not included

Installation illustration
TWN4 Slim not included

The TWN4 Slim Mounting Frame is specially designed to mount the TWN4 Slim on machines, devices and on to various surfaces. Fixation can be done either with adhesive pads or screws. The TWN4 Slim Mounting frame is durable due to the use of robust materials.

Special features:


- + Securely fixes for TWN4 Slim
- + Specially designed for the TWN4 Slim together with original Elatec Slim USB cables
- + Prevents unauthorized removal of TWN4 Slim and cable
- + The construction emphasizes the thin design language of the TWN4 Slim
- + Customizable, different form factors and colors on request



TECHNICAL DATA

DIMENSIONS (L X W X H)	85.7 mm x 49.2 mm x 6.65 mm (3.37 inch x 1.94 inch x 0.26 inch)
MATERIAL	ABS+PC blend, UL94-V0
COLOR	Black
TEMPERATURE RANGE	-30 °C up to +70 °C (-22 °F up to +158 °F)
WEIGHT	Approx. 3 g (0.11 oz)
ORDER CODE(S)	HFQC-B TWN4 Slim Mounting Frame black
CONTENTS	TWN4 Slim Mounting Frame black, 4x Adhesive pads
CABLES	The TWN4 Slim Mounting Frame is only compatible with the following Elatec cables:
	CAB-BS1 Cable, TWN4 Slim, Mini USB male bent, 10cm (3,9 inches)
	CAB-BS2 Cable, TWN4 Slim, Mini USB female, 10cm (3,9 inches)
	CAB-BS3 Cable, TWN4 Slim, USB A male, 12cm (4,7 inches)
	CAB-BS4 Cable, TWN4 Slim, USB A male, 45cm (17,7 inches)
	CAB-BS5 Cable, TWN4 Slim, USB A male, 120cm (47,2 inches)
	CAB-BS6 Cable, TWN4 Slim, USB A male, 200cm (78,7 inches)
CAB-BS7 Cable, TWN4 Slim, Mini USB male, 60cm (23,6 inches)	

DRAWING



ELATEC GmbH
 Zeppelinstr. 1
 82178 Puchheim • Germany
 P +49 89 552 9961 0 • F +49 89 552 9961 129
 E-Mail: info-rfid@elatec.com

ELATEC USA Inc.
 4203 SW High Meadows Ave
 Palm City • FL 34990 • USA
 P +1 772 210 2263 • F +1 772 382 3749
 E-Mail: americas-info@elatec.com

ELATEC Technology (Shenzhen) LLC
 No. 716 Industrial Bank Tower
 Futian District • Shenzhen • China
 P/F +86 755 2394 6014
 E-Mail: apac-info@elatec.com

ELATEC reserves the right to change any information or data in this document without prior notice. ELATEC declines all responsibility for the use of this product with any other specification but the one mentioned above. Any additional requirement for a specific customer application has to be validated by the customer himself at his own responsibility. Where application information is given, it is only advisory and does not form part of the specification. Disclaimer: All names used in this document are registered trademarks of their respective owners.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Elatec manufacturer](#):

Other Similar products are found below :

[CAB-B2](#) [CAB-B3](#) [CAB-B4](#) [CAB-BS1 \(10CM FOR TWN4 SLIM\)](#) [CAB-BS3 \(12CM FOR TWN4 SLIM\)](#) [CAB-BS4 \(45CM FOR TWN4 SLIM\)](#) [CAB-BS5 \(120CM FOR TWN4 SLIM\)](#) [CAB-R2](#) [DEVKIT MULTITECH HF MINI READER](#) [DEVKIT TWN4 MULTITECH NANO LEGIC](#) [HHRM-NB2B00](#) [HOPK-B2AEL](#) [MIFARE 1K 13,56MHZ RFID TAG](#) [PWA-EU3](#) [SNAP IN HOLDER, BLACK](#) [SNAP IN HOLDER, WHITE](#) [T43O-B7C0](#) [T43O-B7C0-P](#) [T43O-F4C0](#) [T43O-F6C0](#) [T43O-F6C0-P](#) [T4BO-F2-I](#) [T4BO-F4-P](#) [T4BT-FB2BEL6-P](#) [T4DK-FB7BLZ-PI](#) [T4DO-F-PI](#) [T4DT-FB3WEL](#) [T4DT-FB3WEL-PI](#) [T4DT-FR2BEL-P](#) [T4NM-FDA0](#) [T4NM-FDB0](#) [T4PK-B01TR7](#) [T4PK-B02TR6](#) [T4PK-B02TR6-P](#) [T4PK-B02TR7-P](#) [T4PK-F01TR7](#) [T4W2-B01C7](#) [T4W2-B01C7-P](#) [T4W2-F01C7](#) [T4W2-F01C7-P](#) [T4W2-F01C7-PI](#) [T4W2-F02B6](#) [T4W2-F02B6-P](#) [T4W2-F02B6-PI](#) [T4WK-B01EU6](#) [T4WK-B01EU7](#) [T4WK-F01EU6](#) [T4WK-F01EU7](#) [TCP3 KIT EU](#) [TCPCONV 2 KIT EU](#)