

SAFETY DATA SHEET

Air Duster

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	Air Duster	
Product number	EAD, EEAD200D, EEAD400D, ZE	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Cleaning agent.	
Uses advised against	No specific uses advised against are identified.	
1.3. Details of the supplier of the safety data sheet		
Supplier	ELECTROLUBE. A division of HK WENTWORTH LTD ASHBY PARK, COALFIELD WAY, ASHBY DE LA ZOUCH, LEICESTERSHIRE LE65 1JR UNITED KINGDOM +44 (0)1530 419600 +44 (0)1530 416640 info@hkw.co.uk	
1.4. Emergency telephone nu	mber	
Emergency telephone	+44 1865 407333	
SECTION 2: Hazards identification		
2.1. Classification of the subs	tance or mixture	
Classification (EC 1272/2008	$\underline{\mathbf{D}}$	
Physical hazards	Aerosol 3 - H229	
Health hazards	Not Classified	
Environmental hazards	Not Classified	
2.2. Label elements		
Signal word	Warning	
Hazard statements	H229 Pressurised container: may burst if heated	
Precautionary statements	 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251 Do not pierce or burn, even after use. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P102 Keep out of reach of children. 	
2.3. Other hazards		

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

1,1,1,2-Tetrafluoroethane (H	IFC 134a)	60-100%
CAS number: 811-97-2	EC number: 212-377-0	REACH registration number: 01- 2119459374-33-XXXX
Classification Press. Gas, Liquefied - H280	0	
Dimethylether		5-10%
CAS number: 115-10-6	EC number: 204-065-8	REACH registration number: 01- 2119472128-37-XXXX
Classification Flam. Gas 1 - H220 Press. Gas, Liquefied - H280	0	
The full text for all hazard sta	tements is displayed in Section 16.	
SECTION 4: First aid measur	res	
4.1. Description of first aid me	easures	
General information	Get medical attention immediately. Show the	is Safety Data Sheet to the medical personnel.
Inhalation	keep warm and at rest in a position comforta Loosen tight clothing such as collar, tie or be	elt. When breathing is difficult, properly trained ministering oxygen. Place unconscious person on
Ingestion	or milk to drink. Stop if the affected person for induce vomiting unless under the direction of should be kept low so that vomit does not en unconscious person. Move affected person position comfortable for breathing. Place un	e any dentures. Give a few small glasses of water eels sick as vomiting may be dangerous. Do not of medical personnel. If vomiting occurs, the head neter the lungs. Never give anything by mouth to an to fresh air and keep warm and at rest in a conscious person on their side in the recovery e. Maintain an open airway. Loosen tight clothing
Skin contact	Rinse with water.	
Eye contact	Rinse immediately with plenty of water. Ren apart. Continue to rinse for at least 10 minut	nove any contact lenses and open eyelids wide tes.
Protection of first aiders	First aid personnel should wear appropriate	protective equipment during any rescue.
4.2. Most important symptom	s and effects, both acute and delayed	
General information	See Section 11 for additional information on described will vary dependent on the concer	health hazards. The severity of the symptoms ntration and the length of exposure.
Inhalation	Spray/mists may cause respiratory tract irrit	ation.
Ingestion	Due to the physical nature of this product, it	is unlikely that ingestion will occur.
Skin contact	Repeated exposure may cause skin dryness	s or cracking.
Eye contact	May be slightly irritating to eyes. May cause	discomfort.
4.3. Indication of any immedia	ate medical attention and special treatment neo	eded
Notes for the doctor	Treat symptomatically.	

SECTION 5: Firefighting measures

5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from	om the substance or mixture
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
5.3. Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No action shall be taken without appropriate training or involving any personal risk. Keep
unnecessary and unprotected personnel away from the spillage. Wear protective clothing as
described in Section 8 of this safety data sheet. Follow precautions for safe handling
described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure
procedures and training for emergency decontamination and disposal are in place. Do not
touch or walk into spilled material. Evacuate area. Risk of explosion.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning upWear protective clothing as described in Section 8 of this safety data sheet. Clear up spills
immediately and dispose of waste safely. Flush contaminated area with plenty of water. Wash
thoroughly after dealing with a spillage. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	Keep out of the reach of children. Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Avoid exposing aerosol containers to high temperatures or direct sunlight. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Spray will evaporate and cool rapidly and may cause frostbite or cold burns if in contact with skin. Avoid contact with eyes. Avoid inhalation of vapours and spray/mists.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.
7.2. Conditions for safe storage	ge, including any incompatibilities
Storage precautions	Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Protect from sunlight. Do not store near heat sources or expose to high temperatures. Do not expose to temperatures exceeding 50°C/122°F. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.
Storage class	Chemical storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure Controls/personal protection	

8.1. Control parameters

Occupational exposure limits

1,1,1,2-Tetrafluoroethane (HFC 134a)

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 4240 mg/m³

Dimethylether

Long-term exposure limit (8-hour TWA): WEL 400 ppm 766 mg/m³ Short-term exposure limit (15-minute): WEL 500 ppm 958 mg/m³ WEL = Workplace Exposure Limit

8.2. Exposure controls

Protective equipment

Appropriate engineering



controls



Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN136.
Environmental exposure controls	Keep container tightly sealed when not in use.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

<u></u>	
Appearance	Aerosol.
Colour	Colourless.
Odour	Characteristic.
Odour threshold	Not available.
рН	Not available.
Melting point	Not available.
Initial boiling point and range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Evaporation factor	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	Not available.
Other flammability	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	1.13

Bulk density	Not available.	
Solubility(ies)	Not available.	
Partition coefficient	Not available.	
Auto-ignition temperature	Not available.	
Decomposition Temperature	Not available.	
Viscosity	Not available.	
Explosive properties	Not available.	
Oxidising properties	Not available.	
9.2. Other information		
SECTION 10: Stability and read	ctivity	
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	No potentially hazardous reactions known.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid exposing aerosol containers to high temperatures or direct sunlight. Pressurised container: may burst if heated	
10.5. Incompatible materials		
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
10.6. Hazardous decomposition	n products	
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.	
SECTION 11: Toxicological info	ormation	
11.1. Information on toxicologic	cal effects	
Acute toxicity - oral Notes (oral LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.	
Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met.	
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.	

Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Spray/mists may cause respiratory tract irritation.
Ingestion	Due to the physical nature of this product, it is unlikely that ingestion will occur.
Skin contact	Repeated exposure may cause skin dryness or cracking.
Eye contact	May be slightly irritating to eyes. May cause discomfort.
Route of entry	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.
— • • • • • • • • • •	

Toxicological information on ingredients.

Dimethylether

Acute toxicity - oral		
Notes (oral LD₅₀)	Not applicable.	
Acute toxicity - dermal		
Notes (dermal LD₅₀)	Not applicable.	
Skin corrosion/irritation		
Skin corrosion/irritation	Not irritating.	
Serious eye damage/irritation		
Serious eye damage/irritation	No testing is needed.	

	Skin sensitisation	
	Skin sensitisation	Not sensitising.
SECTION 12	: Ecological Inform	nation
Ecotoxicity		Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
12.1. Toxicity		
Toxicity		Based on available data the classification criteria are not met.
Ecological inf	ormation on ingre	edients.
		Dimethylether
	Acute toxicity - fis	h LC₅₀, 96 hours: > 4000 mg/l, Poecilia reticulata (Guppy)
	Acute toxicity - aq invertebrates	uatic LC₅₀, 48 hours: 755,549 mg/l, Daphnia magna
12.2. Persiste	ence and degrada	bility
Persistence a	and degradability	The degradability of the product is not known.
Ecological inf	ormation on ingre	adients.
		Dimethylether
	Persistence and degradability	Not expected to be readily biodegradable.
12.3. Bioaccu	imulative potentia	<u>1</u>
Bioaccumulat	tive potential	No data available on bioaccumulation.
Partition coef	ficient	Not available.
12.4. Mobility	in soil	
Mobility		The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.
12.5. Results	of PBT and vPvB	assessment
Ecological inf	ormation on ingre	edients.
		Dimethylether
Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB. assessment		
12.6. Other a	dverse effects	
Other adverse	e effects	None known.
SECTION 13	: Disposal conside	erations
13.1. Waste t	reatment methods	<u>5</u>

General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.
Disposal methods	Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible.
SECTION 14: Transport inform	nation
General	For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.
14.1. UN number	
UN No. (ADR/RID)	1950
UN No. (IMDG)	1950
UN No. (ICAO)	1950
UN No. (ADN)	1950
14.2. UN proper shipping name	e
Proper shipping name (ADR/RID)	AEROSOLS
Proper shipping name (IMDG)	AEROSOLS
Proper shipping name (ICAO)	AEROSOLS
Proper shipping name (ADN)	AEROSOLS
14.3. Transport hazard class(e	<u>us)</u>
ADR/RID class	2.2
ADR/RID classification code	5A,5O
ADR/RID label	2.2
IMDG class	2.2
ICAO class/division	2.2
ADN class	2.2
Transport labels	



14.4. Packing groupADR/RID packing groupNoneIMDG packing groupNone

ADN packing group	None

ICAO packing group None

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

EmS	F-D, S-U
ADR transport category	3
Tunnel restriction code	(E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended).
	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009
	No. 716).
	The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment
	Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
	EH40/2005 Workplace exposure limits.
	The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18
	December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
	Chemicals (REACH) (as amended).
	Commission Regulation (EU) No 453/2010 of 20 May 2010.
	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
	December 2008 on classification, labelling and packaging of substances and mixtures (as
	amended).
	Dangerous Preparations Directive 1999/45/EC.
	Dangerous Substances Directive 67/548/EEC.
	Council Directive of 20 May 1975 on the approximation of the laws of the Member States
	relating to aerosol dispensers (75/324/EEC) (as amended).
	o

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Classification procedures according to Regulation (EC) 1272/2008	Aerosol 3 - H229: : Expert judgement.
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.

Issued by	Bethan Massey
Revision date	24/05/2016
Revision	1
SDS number	450
Hazard statements in full	H220 Extremely flammable gas. H229 Pressurised container: may burst if heated H280 Contains gas under pressure; may explode if heated.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for electrolube manufacturer:

Other Similar products are found below :

TCRGUNBER2220RP250GGP300SGP500SHTCX35SLEAD200DPRS400DTPM350SCP26G2K300KITDCT01LSWAJ05LARW300DCE0.75LGP300SLSSS500MLSYR20MLGP500SLER2218RP250GER2224UR5638CCRG01LSPG900GDEI05LER221935SLHTS100TASA250MLHTC700GULL200DEADI200DAFAG35SLECW025EADPI200HTSP100TCM0200DFSC05LHTC100TOSL400UR5637RP250GSYR02MLURC200DER2223RST250SOB200DUR5118RP250GUR5528RP250GDDF400 MLNSCP400HAFC400D/12SYR10MLKKKKKKKK