

# 6 DIGIT MICRO COUNTER

Issue 4.2018

## 6mm DIGIT HEIGHT



Outline dimensions: 28x18x6.5mm




with bezel EA 021


## FEATURES

- \* LCD 6 DIGIT (MULTIPLEX)
- \* 6mm DIGIT HEIGHT
- \* POWER SUPPLY 2.6V TO 3.4V / TYP. 5 $\mu$ A (QUIESCENT CURRENT)
- \* MAX. INPUT 10KHz
- \* COUNTING AT FALLING EDGE, PULSE WIDTH MIN. 50 $\mu$ s
- \* THRESHOLD 0.7V
- \* RESET INPUT AT LOW, PULS WIDTH MIN. 15ms
- \* CLEAR POLYCARBONATE CASE IP40
- \* OPERATING TEMPERATURE RANGE -10 TO +60 °C
- \* STORAGE TEMPERATURE RANGE -10 TO +60 °C
- \* CONNECTION: 5 PINS (2.54mm PITCH), 1 CENTER PIN (DO NOT CONNECT)
- \* ACCESSORY: SNAP-IN BEZEL **EA 021**, CUTOUT 29.4x22mm


## DIMENSION



mit Rahmen EA 021



ohne Rahmen



Ansicht von hinten

## ORDERING INFORMATION

MICRO COUNTER, 6 DIGIT, INCL. SNAP-IN CASE  
SNAP-IN BEZEL, 2 PARTS

**EA 2021-N**  
**EA 021**

# 6 DIGIT UP/DOWN LCD COUNTER



Outline dimensions: 28x18x6.5mm




with bezel EA 021


## FEATURES

- \* LCD 6 DIGIT (MULTIPLEX)
- \* 6mm DIGIT HEIGHT
- \* POWER SUPPLY 2.6V TO 3.4V / TYP. 5µA (QUIESCENT CURRENT)
- \* MAX. INPUT 10KHz
- \* COUNTING AT FALLING EDGE, PULSE WIDTH MIN. 50µs
- \* THRESHOLD 0.7V
- \* RESET INPUT AT LOW, PULS WIDTH MIN. 15ms
- \* CLEAR POLYCARBONATE CASE IP40
- \* OPERATING TEMPERATURE RANGE -10 TO +60 °C
- \* STORAGE TEMPERATURE RANGE -10 TO +60 °C
- \* CONNECTION: 5 PINS (2.54mm PITCH)
- \* DIRECTION PIN HIGH: UP-COUNTING, LOW: DOWN-COUNTING
- \* ACCESSORY: SNAP-IN BEZEL **EA 021**, CUTOUT 29.4x22mm

## DIMENSION



mit Rahmen EA 021



ohne Rahmen



Ansicht von hinten

## ORDERING INFORMATION

UP/DOWN COUNTER, 6 DIGIT, LCD, INCL. SNAP-IN BEZEL  
SNAP-IN BEZEL, 2 PARTS

EA 2022-N  
EA 021

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Digital Panel Meters](#) category:*

*Click to view products by [ELECTRONIC ASSEMBLY](#) manufacturer:*

Other Similar products are found below :

[M00558-00](#) [01.098.1658.1](#) [70.360.4828.0](#) [72331-00](#) [85310-25](#) [86642-00](#) [87268-13](#) [87316-00](#) [87719-26](#) [98107-56](#) [HB8260-R36-90](#) [DMS-20ACV-3-R-C](#) [EM11DINAV81XR1X](#) [25.325.3253.1](#) [25.325.4253.1](#) [25.330.0453.1](#) [20046-20](#) [20182-23](#) [AP1021](#) [25.320.5053.0](#)  
[25.350.3453.1](#) [25.394.3653.1](#) [25.521.3253.0](#) [28006-01](#) [04.630.1080.0](#) [20078-20](#) [EM11DINAV81XO1X](#) [85874-26](#) [87166-00](#) [87895-00](#)  
[28000-03](#) [K3GN-NDT1-FLK 24VDC](#) [82322K-11](#) [86641-00](#) [87004-00](#) [HB8280R2490](#) [HB8260R4890](#) [SCE016MD3MV0W10](#) [20125-21](#)  
[86640-00](#) [PG-100-103GP](#) [PG-100-102RP](#) [PG-100B-102R-H](#) [PG-100B-103R](#) [PG-100B-102R](#) [PG-100N-103R-W](#) [PG-100N-103R](#) [PG-100N-102R](#) [PG-100-102GH](#) [PG-100-103RP](#)