


PRODUCT INFORMATION

EPIC® MH 17

High flexibility by the use of any combination of inserts in one connector

Info

Stamped gold plated contacts with 0.8mm diameter for D-Sub inserts Universal module for 17 contacts in smallest space



${}_{\rm S}V_{\rm s}$



Wind Energy

Rail



Mechanical and plant engineering



Automation & amp; fältinstallation



Flame-retardant

Benefits

Universal module for 17 contacts in smallest space Crimp connection for permanent vibration proof contact EPIC® MH system is mateable with the market standard The mix of different functions in one plug guarantees high flexibility Railway applications - Fire protection on railway vehicles: Test according EN 45545-2 Ber

- Fire protection on railway vehicles: Test according EN 45545-2. Requirement sets R22 and R23. Hazard level HL1, HL2 and HL4



EPIC® MH 17

Application range

Mechanical engineering Robotics industry Plant engineering Renewable energy Railway applications / vehicle construction

Technical Data

ETIM 5.0 Class-ID: EC002641 ETIM 5.0 Class-Description: Modular connector (industrial connector)
160 V
2.5 kV
10 A
3
UL94 V-0
< 5 mOhm
17
Crimp termination: 0.14 - 2.5 mm ²
Polyamide, glass fibre-reinforced
500
UL-tested: UL File Number: E75770
-40°C +125°C

Note

Photographs are not to scale and do not represent detailed images of the respective products. Prices are net prices without VAT and surcharges. Sale to business customers only.

Last Update	Article number	Article description	Contact type	Number of operating contacts
	44423224	EPIC® MHS 17 CM	male	17
	44423225	EPIC® MHB 17 CM	female	17

Last Update (04.11.2017) ©2017 Lapp Group - Technical changes reserved Product Management www.lappkabel.de You can find the current technical data in the corresponding data sheet. PN 0456 / 02_03.16

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for epic manufacturer:

Other Similar products are found below :

<u>44420040 + 73002716</u> <u>19426500</u> <u>72004000 + 73018000</u> <u>13.1623</u> <u>11161000</u> <u>11.1610</u> <u>9198+00022030</u> <u>72004000 + 73002756</u> <u>7200010</u> <u>10.5310</u> <u>10.4264+10.4310</u> <u>72040010</u> <u>HA4-FK-TE-SM-M-M20</u> <u>10.4310</u> <u>10.1270+10.1970+12.9545</u> <u>10.4220+10.4320</u> <u>10.4265+10.4235+10.4200+10.4210</u> <u>10121000+10196000+12954500</u> <u>10.0720</u> <u>44420037 + 73002752</u> <u>10102000</u> <u>10.4264</u> <u>8990+00022030</u> <u>72004000 + 73002716</u> <u>10.4861</u> <u>44420037 + 73018000</u> <u>10.1210+10.1960+12.9545</u> <u>10.4881</u> <u>10.0220+10.0030+10.1900+10.1910+12.9544</u> <u>10431000</u> 10.1920 <u>44420037 + 73028500</u> <u>13.1622</u> <u>44420037 + 73002716</u> 10.1900