

REAL TIME CLOCK MODULE (I²C-Bus) For Automotive Built-in 32.768 kHz-DTCXO, High Stability

RA8803SA

•Built in frequency adjusted 32.768 kHz crystal unit and DTCXO.

- •1/100s resolution Time register Interface Type
 - : I²C-Bus interface (400kHz)
- Interface voltage range

: 1.6 V to 5.5 V : 2.2 V to 5.5 V

- •Temp. compensated voltage range
- •Timekeeping voltage range : 1.6 V to 5.5 V
- •Selectable clock output (32.768 kHz, 1024 Hz, 1 Hz) •The various functions include full calendar, alarm, timer, EVIN input.
- •Applications : Car audio, Car navigation system, Clock

AEC-Q200 compliant

Block diagram

┨미┝ 32.768 kHz 32kHz DTCXO CLOCK CALENDAR Ø FOF FOUT TIMER FOUT CONTROLLER REGISTER \mathcal{D} EVIN ALARM REGISTER INTERRUPT CONTROLLER / INT CONTROL REGISTER SDA and SYSTEM INTERFACE CIRCUIT SCL CONTROLLER

Pin Function

Signal Name	1/0	Function				
T1(CE)	input	Use by the manufacture for testing.				
		(Do not connect externally.)				
SCL	input	Serial clock input pin.				
FOUT	Output	The pin outputs the reference clock signal. (CMOS output)				
TEST	input	Use by the manufacture for testing.				
Vdd	-	Connected to a positive power supply				
FOE	input	The input pin for the FOUT output control.				
EVIN	input	External event input. Open is Prohibited.				
/ INT	Output	Interrupt output (N-ch. open drain).				
GND	-	Connected to a ground				
T2(Vpp)	-	Use by the manufacture for testing.				
		(Do not connect externally.)				
SDA	I/O	Data input and output pin.				

Specifications (characteristics)

Item	Symbol	Symbol Condition		IS	Min.	Тур.	Max.	Unit
Operating voltage	Vdd	Interface voltage		1.6	3.0	5.5	V	
Temp. compensated Voltage	VTEM	Temp. compensated voltage		2.2	3.0	5.5	V	
Clock supply voltage	Vclk		-		1.6	3.0	5.5	V
Operating temperature	TOPR	-		-40	+25	+85	°C	
	∆f/f	UA	Ta = -40 °C to +85 °C		±3.4 ^{*1}			× 10 ⁻⁶
Stability		UB	Ta = -40 °C to +85 °C		±5.0 ^{*2}			
Stability		UC	Ta = -30 °C to +70 °C					
		AA Ta = +25 °C		5 ±5.0 ^{*3}				
Current consumption (1)	lod1	Backup Mode FOE = GND, /INT = V _{DD} FOUT output : OFF		Vdd = 5V	-	0.75	3.4	۵
Current consumption (2)	lod2			Vdd = 3V	-	0.75	2.1	μA

 $^{\rm *3}$) Equivalent to ±13 seconds of month deviation. (excluding offset



Product Number RA8803SA UA: X1B000262A00100 RA8803SA UB: X1B000262A00200 RA8803SA UC: X1B000262A00300 RA8803SA AA: X1B000262A00600



Overview High Stability

- ± 3.4 x 10⁻⁶ / -40 °C to +85 °C •UA
- (Equivalent to ±9 seconds of month deviation)
- ± 5.0 x 10⁻⁶ / -40 °C to +85 °C •UB
- (Equivalent to ±13 seconds of month deviation)
- ± 5.0 x 10⁻⁶ / -30 °C to +70 °C (+5 ± 5.0) x 10⁻⁶ / +25 °C •UC •AA
- High Resolution: 1/100s Time register with capture buffer


• 32.768 kHz frequency output function

- FOUT pin output (C-MOS output), CL=30 pF
- Output selectable: 32.768 kHz, 1024 Hz, 1 Hz

• The various interrupt

- Timer Function can be set between 1/ 4096 second and 4095 minutes.
- Alarm Function can be set to day of week, day, hour, or minute. • EVIN input.
- Time synchronize function with 1PPS signal input
- Register compatibility: upper compatible with RX-8801.
- *It is possible to use it by the terminal connection as 32.768 kHz-DTCXC


Terminal connection / External dimensions



The metal case inside of the molding compound may be exposed on the top or bottom of this product. This purely cosmetic and does not have any effect on quality, reliability or electrical specs.

* Refer to application manual for details.

(Unit:mm)



SEIKO EPSON CORPORATION

PROMOTION OF ENVIRONMENTAL MANAGEMENT SYSTEM CONFORMING TO INTERNATIONAL STANDARDS

At Seiko Epson, all environmental initiatives operate under the Plan-Do-Check-Action (PDCA) cycle designed to achieve continuous improvements. The environmental management system (EMS) operates under the ISO 14001 environmental management standard.

All of our major manufacturing and non-manufacturing sites, in Japan and overseas, completed the acquisition of ISO 14001 certification.

WORKING FOR HIGH QUALITY

In order provide high quality and reliable products and services than meet customer needs, Seiko Epson made early efforts towards obtaining ISO9000 series certification and has acquired ISO9001 for all business establishments in Japan and abroad. We have also acquired IATF 16949 certification that is requested strongly by major automotive manufacturers as standard.

Explanation of the mark that are using it for the catalog

ISO 14000 is an international standard for environmental management that was established by the International Standards Organization in 1996 against the background of growing concern regarding global warming, destruction of the ozone layer, and global deforestation.

IATF 16949 is the international standard that added the sector-specific supplemental requirements for automotive industry based on ISO9001.

Pb Free	► Pb free.
RoHS	 Complies with EU RoHS directive. *About the products without the Pb-free mark. Contains Pb in products exempted by EU RoHS directive. (Contains Pb in sealing glass, high melting temperature type solder or other.)
For Automotive	► Designed for automotive applications such as Car Multimedia, Body Electronics, Remote Keyless Entry etc.
Automotive Safety	► Designed for automotive applications related to driving safety (Engine Control Unit, Air Bag, ESC etc).

NOTICE : PLEASE READ CAREFULLY BELOW BEFORE THE USE OF THIS DOCUMENT ©Seiko Epson Corporation 2020

- 1. The content of this document is subject to change without notice. Before purchasing or using Epson products, please contact with sales representative of Seiko Epson Corporation ("Epson") for the latest information and be always sure to check the latest information published on Epson's official web sites and resources.
- 2. This document may not be copied, reproduced, or used for any other purposes, in whole or in part, without Epson's prior consent.
- 3. Information provided in this document including, but not limited to application circuits, programs and usage, is for reference purpose only. Epson makes no guarantees against any infringements or damages to any third parties' intellectual property rights or any other rights resulting from the information. This document does not grant you any licenses, any intellectual property rights or any other rights with respect to Epson products owned by Epson or any third parties.
- 4. Using Epson products, you shall be responsible for safe design in your products; that is, your hardware, software, and/or systems shall be designed enough to prevent any critical harm or damages to life, health or property, even if any malfunction or failure might be caused by Epson products. In designing your products with Epson products, please be sure to check and comply with the latest information regarding Epson products (including, but not limited to this document, specifications, data sheets, manuals, and Epson's web site). Using technical contents such as product data, graphic and chart, and technical information, including programs, algorithms and application circuit examples under this document, you shall evaluate your products thoroughly both in stand-alone basis and within your overall systems. You shall be solely responsible for deciding whether to adopt/use Epson products with your products.
- 5. Epson has prepared this document carefully to be accurate and dependable, but Epson does not guarantee that the information is always accurate and complete. Epson assumes no responsibility for any damages you incurred due to any misinformation in this document.
- 6. No dismantling, analysis, reverse engineering, modification, alteration, adaptation, reproduction, etc., of Epson products is allowed.
 7. Epson products have been designed, developed and manufactured to be used in general electronic applications and specifically designated applications ("Anticipated Purpose"). Epson products are NOT intended for any use beyond the Anticipated Purpose that requires particular quality or extremely high reliability in order to refrain from causing any malfunction or failure leading to critical harm to life and health, serious property damage, or severe impact on society, including, but not limited to listed below ("Specific Purpose"). Therefore, you are strongly advised to use Epson products only for the Anticipated Purpose. Should you desire to purchase and use Epson products for Specific Purpose, Epson makes no warranty and disclaims with respect to Epson products, whether express or implied, including without limitation any implied warranty of merchantability or fitness for any Specific Purpose. Please be sure to contact our sales representative in advance, if you desire Epson products for Specific Purpose:

Space equipment (artificial satellites, rockets, etc.)/ Transportation vehicles and their control equipment (automobiles, aircraft, trains, ships, etc.) / Medical equipment/ Relay equipment to be placed on sea floor/ Power station control equipment / Disaster or crime prevention equipment/Traffic control equipment/ Financial equipment

Other applications requiring similar levels of reliability as the above

- 8. Epson products listed in this document and our associated technologies shall not be used in any equipment or systems that laws and regulations in Japan or any other countries prohibit to manufacture, use or sell. Furthermore, Epson products and our associated technologies shall not be used for the purposes of military weapons development (e.g. mass destruction weapons), military use, or any other military applications. If exporting Epson products or our associated technologies, please be sure to comply with the Foreign Exchange and Foreign Trade Control Act in Japan, Export Administration Regulations in the U.S.A (EAR) and other export-related laws and regulations in Japan and any other countries and to follow their required procedures.
- 9. Epson assumes no responsibility for any damages (whether direct or indirect) caused by or in relation with your non-compliance with the terms and conditions in this document or for any damages (whether direct or indirect) incurred by any third party that you give, transfer or assign Epson products.
- 10. For more details or other concerns about this document, please contact our sales representative.
- 11. Company names and product names listed in this document are trademarks or registered trademarks of their respective companies.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Real Time Clock category:

Click to view products by Epson manufacturer:

Other Similar products are found below :

DS1302Z-LF CDP68HC68T1M DS1306 RX8900SA UA3 PURE SN RX8900SA UB3 PURE SN RX8130CE B0 PT7C4563UEX RX8900SA UC3 PURE SN RX8130CE BX PCF85263AUKZ RX6110SA:B3 PURE SN RX-8564LC:B PURE SN RX-8803LCUB PURE SN BULK RX6110SA:B0 PURE SN RX-8025SA:AC0 RX-8571SA:B0 PURE SN RTC-8564JE:BB ROHS RX-4045SAAA0 PURE SN RX8804CE XB0 RX8111CE A0 RX8111CE B0 ISL12022MIBZ-TR5421 PT7C4363WEX PT7C4563LEX HT1302ARSZ PCF8563 BM85163ESA DS1302MM/TR DS1302ZMM/TR BL5372 SOP8 HG1381M/TR PCF8563MM/TR HT1381M/TR HT4338ARZ HT1302ANZ HT4339ARZ HT1307ANZ PCF8563-HXY JHT8563ARZ RV-4162-C7-32.768KHZ-20PPM-TA-QA RV-3129-C3-32.768KHZ-6PPM-OPTION-A-TA-QC RV-8803-C7-32.768KHZ-7PPM-TA105-QA RX8130CE:BB X1B000301000200 SL1307ZN+T SL8563T-G DS1302Z HT12885ARWZ HT4337ARDZ HT8512BRZ