


FERRITE MATERIAL:K5B (RMS-303)						
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK
				25MHz	100MHz	
				RRH-25-8-40	2.50	
RRH-25-8-70	7.00	55	85			
RRH-30-10-30	3.00	3.00	1.00	25	47	
RRH-30-12-30			1.20	23	44	
RRH-30-10-40		4.00	1.00	32	51	
RRH-30-10-60	6.00	46		74		
RRH-35-8-35	3.50	3.50	0.80	37	62	
RRH-35-12-35			1.20	26	45	
RRH-35-18-35			1.80	19	37	
RRH-35-10-40	4.00	4.00	1.00	32	55	
RRH-35-12-40			1.20	31	46	
RRH-35-13-40			1.30	29	48	
RRH-35-15-40	4.50	4.50	0.80	25	43	
RRH-35-8-45				46	86	
RRH-35-8-47				4.70	77	
RRH-35-8-50	5.00	5.00	0.80	50	85	
RRH-35-12-50				1.20	37	55
RRH-35-13-50				1.30	61	
RRH-35-15-50	5.50	5.50	1.50	33	51	
RRH-35-18-50				1.80	27	48
RRH-35-8-60				0.80	57	92
RRH-35-10-60	6.00	6.00	1.00	53	75	
RRH-35-12-60				1.20	45	73
RRH-35-13-60				1.30	43	64
RRH-35-15-60	6.50	6.50	1.50	35	60	
RRH-35-18-60				1.80	28	54
RRH-35-12-70				7.00	1.20	54
RRH-35-8-75	7.50	7.50	0.80	69	114	
RRH-35-8-80				77	134	
RRH-35-10-80				8.00	1.00	78
RRH-35-8-90	9.00	9.00	0.80	93	158	
RRH-35-13-90				1.30	62	80
RRH-35-8-95				9.50	0.80	84
RRH-35-8-140	14.00	0.80	144	212		
RRH-40-15-40	4.00	4.00	1.50	26	51	
RRH-40-20-40				2.00	24	48
RRH-40-15-50				5.00	1.50	35
RRH-40-20-50	6.00	6.00	2.00	28	51	
RRH-40-20-60				30	49	
RRH-40-20-70				7.00	40	64
RRH-40-20-80	8.00	8.00	0.05	39	58	
RRH-40-15-100				65	91	
RRH-40-20-100				10.00	53	80
RRH-40-20-120	12.00	12.00	2.00	52	76	
RRH-40-20-150				15.00	70	97
RRH-40-20-170				17.00	79	116

FERRITE MATERIAL:K5B (RMS-303)							
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK	
				25MHz	100MHz		
				RRH-45-25-48	4.50		4.80
RRH-45-25-70	7.00	32	55				
RRH-45-26-120	4.60	11.00	2.00	12.00	2.60	49	72
RRH-46-20-110				65	104		
RRH-48-23-64				4.83	6.35	2.29	43
RRH-50-23-50	5.00	5.00	2.30	30	55		
RRH-50-16-62				6.20	1.60	56	91
RRH-50-24-64				6.35	2.36	32	50
RRH-50-23-100	5.00	11.00	1.50	10.00	2.30	51	72
RRH-50-15-110				84	119		
RRH-50-22-120				12.00	2.15	69	108
RRH-50-22-180	5.70	8.00	1.50	18.00	2.15	128	147
RRH-50-15-200				20.00	158	221	
RRH-57-15-80				76	111		
RRH-60-30-100	6.00	10.00	3.00	52	90		
RRH-60-40-100				27	48		
RRH-60-40-128				12.80	4.00	34	54
RRH-60-32-180	6.35	18.00	3.15	100	155		
RRH-60-30-250				25.00	3.00	120	175
RRH-64-33-127				12.70	3.30	55	80
RRH-64-33-158	6.50	15.80	4.30	76	101		
RRH65-43-100				10.00	34	62	
RRH-65-43-110				11.00	38	63	
RRH-75-24-75	7.50	7.50	2.40	60	102		
RRH-79-30-100				10.00	3.00	68	108
RRH-79-40-128				12.80	4.00	66	107
RRH-79-30-190	8.00	19.00	3.00	130	190		
RRH-80-60-90				9.00	6.00	23	47
RRH-80-60-98				9.80	22	41	
RRH-80-40-100	8.00	10.00	4.00	48	71		
RRH-80-32-101				10.06	3.18	67	115
RRH-80-60-120				12.00	6.00	25	45
RRH-80-50-160	9.30	16.00	5.00	59	104		
RRH93-45-95				9.50	4.50	53	98
RRH-93-58-110				11.00	5.80	37	62
RRH-95-48-95	9.50	9.50	4.80	50	86		
RRH-95-52-95				5.20	45	76	
RRH-95-52-100				10.00	48	74	
RRH-95-58-100	9.50	10.40	5.00	5.80	38	68	
RRH-95-50-104				53	81		
RRH-95-48-127				12.70	4.80	56	80
RRH-95-50-145	9.50	14.50	5.00	75	121		
RRH-95-50-160				72	114		
RRH-95-50-190				19.00	95	135	
RRH-95-50-195	9.52	15.88	5.08	98	153		
RRH-96-51-159				74	103		

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	30/05/06	NJB
02	CO2010989	09/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF




- NOTES.**
- See drawing 06-055 sheets 3 to 13 of 13 for Impedance graphs.
 - Impedance figures are typical values.
 - Other sizes available by special order.
 - Packaging information is only a guide & subject to variation.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.			
RICHCO, INC. WWW.RICHCO-INC.COM		ALL DIMENSIONS IN MM GENERAL TOLERANCES ±0.25 UNLESS OTHERWISE STATED 1 DECIMAL PLACE ± 2 DECIMAL PLACES ± ANGULAR ±1°	THIRD ANGLE
MATERIAL: See Table		COLOUR: See Table	
DESCRIPTION: RRH Solid Ferrite Cores		PART No: See Table	
DRG No: 06-055	NPR No:	Mass:(g)	SHEET SIZE A3
DRN NJB	DATE 30/05/06	CHKD AS	DATE 30/05/06
SCALE NTS		SHEET No. 1 OF 13	

FERRITE MATERIAL:K5B (RMS-303)							
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK	
				25MHZ	100MHZ		
RRH-98-8-114	9.80	11.40	0.80	167	256	200	
RRH-98-67-135		13.50	6.70	43	91	500	
RRH-98-67-191		19.05		51	88	300	
RRH-100-50-100	10.00	10.00	5.00	54	85	500	
RRH-100-60-100		10.00	6.00	38	66		
RRH-100-70-100			7.00	31	57		
RRH-100-60-140	14.00	6.00	45	73	200		
RRH-105-55-200	10.50	20.00	5.50	95	138	150	
RRH-105-55-250		25.00		106	173		
RRH-110-50-160	11.00	16.00	5.00	87	138	200	
RRH-110-50-185		18.50		113	178		
RRH-110-50-200		20.00		106	154		
RRH-110-50-250		25.00		145	230		400
RRH-115-50-185	11.50	18.50	4.30	101	146	100	
RRH-115-43-200		20.00		148	210		
RRH-115-43-260		26.00		190	270		
RRH-118-73-150	11.80	15.00	7.30	61	109	200	
RRH-120-70-120	12.00	12.00	7.00	46	76	300	
RRH-120-85-120		12.00	8.50	39	75	200	
RRH-120-56-150			5.60	79	124		
RRH-120-70-150		15.00	7.00	60	92	100	
RRH-120-85-150			8.50	45	85		
RRH-120-56-200		20.00	5.60	119	175	165	
RRH-120-73-200			7.30	69	108		
RRH-120-35-230		23.00	3.50	207	326	110	
RRH-120-56-300			30.00	5.60	180	260	
RRH-122-79-203		12.20	23.00	7.90	67	108	100
RRH-123-70-200	12.30	20.00	7.00	72	137	165	
RRH-123-49-254	12.32	25.40	4.88	172	264	100	
RRH-125-80-125	12.50	12.50	8.00	42	72	200	
RRH-125-52-150		15.00	5.20	95	145		
RRH-127-79-127	12.70	12.70	7.90	43	60	200	
RRH-140-90-150	14.00	15.00	9.00	48	82	200	
RRH-142-64-150	14.20	15.00	6.35	92	146	100	
RRH-142-70-150			7.00	78	116		
RRH-142-80-150		8.00	63	107			
RRH-142-64-180		18.00	6.35	99	141	110	
RRH-142-70-235		23.50	7.00	127	204		
RRH-142-64-285		28.50	6.35	164	255	110	
RRH-142-70-285			7.00	143	243		
RRH-142-80-285			8.00	128	195		
RRH-149-70-190		14.99	19.00	6.99	107	171	128
RRH-149-70-279			27.94		151	237	110

FERRITE MATERIAL:K5B (RMS-303)						
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK
				25MHZ	100MHZ	
RRH-153-102-285	15.20	28.50	10.20	81	128	99
RRH-153-90-170	15.25	17.00	9.00	53	103	120
RRH-153-80-280		28.00	8.00	122	180	99
RRH-157-70-286	15.65	28.57	6.99	164	258	
RRH-158-79-160	15.80	16.00	7.90	84	132	100
RRH-159-79-286	15.88	28.57	7.87	148	241	99
RRH-160-90-200	16.00	2.00	9.00	98	124	112
RRH-160-80-160		16.00	8.00	77	116	100
RRH-160-90-170		17.00	9.00	61	115	120
RRH-160-43-175		17.50	4.30	92	213	126
RRH-160-70-200		20.00	7.00	111	163	96
RRH-160-70-280				174	247	
RRH-160-90-280		28.00	9.00	104	178	99
RRH-160-100-280		10.00	91	156		
RRH-160-90-285		28.50	9.00	105	195	88
RRH-171-88-254		17.07	25.40	8.76	122	
RRH-175-80-285	17.50	28.50	8.00	139	203	
RRH-175-83-285			8.30	143	242	
RRH-175-95-285			9.50	115	170	
RRH-175-107-285	17.50	28.50	10.70	90	150	
RRH-175-95-350			35.00	9.50	152	253
RRH-180-100-180	18.00	18.00		80	135	100
RRH-180-100-280		28.00		124	209	
RRH-180-100-290	29.00		128	210	88	
RRH-186-102-250	18.67	25.00	10.16	115		178
RRH-186-102-286		28.57		117	171	
RRH-190-130-290	19.00	29.00	13.00	60	105	77
RRH-190-58-315		31.50	5.80	243	323	
RRH-190-58-350		35.00	272	340		
RRH-190-63-350	19.00	28.57	6.30	242	324	
RRH-259-128-286			25.91	28.57	12.83	127
RRH-280-160-280	28.00	28.00	16.00	110	169	32
RRH-285-138-286	28.50	28.57	13.77	158	250	24

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	30/05/06	NJB
02	CO2010989	09/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



- NOTES.**
- See drawing 06-055 sheets 3 to 13 of 13 for Impedance graphs.
 - Impedance figures are typical values.
 - Other sizes available by special order.
 - Packaging information is only a guide & subject to variation.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

ALL DIMENSIONS IN MM
GENERAL TOLERANCES ±0.25
UNLESS OTHERWISE STATED
1 DECIMAL PLACE ±
2 DECIMAL PLACES ±
ANGULAR ±1°

THIRD ANGLE















MATERIAL: See Table
COLOUR: See Table

DESCRIPTION: RRH Solid Ferrite Cores
PART No: See Table

DRG No: 06-055
NPR No:
Mass:(g) SHEET SIZE A3

DRN NJB
DATE 30/05/06
CHKD AS
DATE 30/05/06
SCALE SHEET No. 2 OF 13

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	12/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.


RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.


DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE 3 OF 13		SHEET No. 3 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF


RRH-35-15-40




RRH-35-15-50




RRH-35-15-60




RRH-35-18-35




RRH-35-18-50




RRH-35-18-60




RRH-40-15-40




RRH-40-15-50




RRH-40-15-100




RRH-40-20-40




RRH-40-20-50




RRH-40-20-60



RRH-40-20-70



RRH-40-20-80



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 4 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/10	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 5 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 6 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 7 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 8 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 9 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055	SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS
DATE 19/06/06	SCALE NTS	SHEET No. 10 OF 13

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 11 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.












INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 12 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011268	12/06/12	SF



NOTES.
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055					SHEET SIZE A3
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06	SCALE NTS	SHEET No. 13 OF 13

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [ESSENTRA](#) manufacturer:

Other Similar products are found below :

[005246059905](#) [005280000005](#) [005371200014](#) [005420559914](#) [005453000014](#) [010080PW018](#) [010256B039](#) [010256CD025](#) [010256CD037](#)
[010256P025](#) [010256P050](#) [010256P062](#) [010440B025](#) [010440B028](#) [010440B075](#) [010440F018](#) [010440H125](#) [010440P025](#) [010440P037](#)
[010440P150](#) [010440R012](#) [010440R018](#) [010440W025PC](#) [010440WF025](#) [010440WF125](#) [010440WF150](#) [010632PW025](#) [010632PW043](#)
[010632R050](#) [010632R075](#) [010632W025PC](#) [010832B025](#) [010832P025PC](#) [010832P050](#) [011024P062](#) [011024R100](#) [011024WF150](#)
[011032F050](#) [011032R100](#) [012520H100](#) [012520P025](#) [012528H075](#) [020256A018PC](#) [020256A050PC](#) [020440A031](#) [020440A037](#) [020440A050](#)
[020440B050](#) [021032B025](#) [022520A100](#)