

ECH-4G



Specifications

ETI Code	001101060
Description	ECH-4G
Weight	.46
Level	Wall-mounted plastic boards IP65
Rows	1
Mounting type	Surface mounted
Type of door	Transparent door
Frame size	4
IP rating	IP65
Catalogue Group	ECH wall mounted plastic distribution boxes IP65

Online product page [🔗](#)

Other documentation



Technical data catalogue
EU declaration



ETIM international classification

Mounting method	
Colour	Grey
Width	128mm
Height	201mm
Depth	120mm
RAL-number	
With mounting plate	
Built-in depth	mm
Number of rows	1
Type of cover	
EMC-version	true
Extension possible	
Internal depth	mm
DIN-rail	true
Material housing	Plastic
Width in number of modular spacings	4
Degree of protection (IP), front side	IP65
Type of door	Transparent door
Degree of protection (IP)	IP65
Transparent cover/door	

With lock


Cover model

Frame size acc. to IEC

Dimension drawing

Dimensions

type	Dimensions						Max. allowed power losses when Max. number of devices are installed
	A	B	C	D	E	F	Pde
ECH-4G	201 mm	128 mm	120 mm	-	78 mm	111 mm	10W
ECH-8G	201 mm	202 mm	120 mm	-	100 mm	140 mm	13W
ECH-12PT	259 mm	319 mm	144 mm	-	210 mm	130 mm	16W
ECH-24PT	384 mm	319 mm	144 mm	125 mm	210 mm	255 mm	24W
ECH-36PT	508 mm	319 mm	144 mm	125 mm	210 mm	380 mm	26W



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Electrical Enclosures](#) category:

Click to view products by [ETI Polam](#) manufacturer:

Other Similar products are found below :

[120-902](#) [120-905](#) [120-403](#) [120-475](#) [120-901](#) [127-410](#) [130-007](#) [130-504](#) [130-506](#) [MR-25L+](#) [30-8739](#) [PIP-11774SCREW](#) [30-9715](#) [MR-25LW+](#) [110-407](#) [111-004](#) [111-008](#) [110-402](#) [110-901](#) [110-907](#) [111-002](#) [110-406](#) [110-910](#) [110-404](#) [110-409](#) [110-410](#) [120-405](#) [106-009](#) [106-505](#) [105-401](#) [106-006](#) [104-406](#) [137-002](#) [105-405](#) [111-005](#) [127-909](#) [106-502](#) [130-475](#) [130-503](#) [127-401](#) [106-010](#) [127-455](#) [127-475](#) [110-903](#) [R260-180-300](#) [9511020](#) [9822029](#) [9820014](#) [P61603000P](#) [9823009](#)