


URVE Board A18i



Single-Board Computer



Designed for special tasks in
transport and **industry**



Public transport



Vehicles



Industry



IoT



POS devices



Vending




Multiple platform

URVE

Compatibility

24/7/365

Reliability



Modularity

URVE

Expand your URVE Board A18i with **additional modules**,
to gain **unique possibilities**.



Wi-Fi



GPS



Modem HSPA+



Battery or solar panel

Specifications

CPU	CPU Clock speed Operating system	Rockchip Industrial RK3288-K 4x1.8 Ghz (4-core) Android™ 6.0.1/Linux Kernel 4.4.154
MEMORY	RAM SSD	2GB DDR3 8GB eMMC 5.1
I/O	I/O	1 x HDMI [®] 1 x Analog Audio 1 x 1000 Mbit/s Ethernet RJ-45 1 x SIM card slot 1 x microSD Card slot 2 x USB 2.0 1 x USB 2.0 OTG 4 x GPIO pinout 1 x dual LVDS 2 x UART 1 x Debug UART 1 x HSPA+ modem slot 2 x 12V power supply
ACCESSORIES	Watchdog	1 x Kernel Watchdog
ADAPTATION TO WORK CONDITIONS	Operating temperature range Relative humidity range Cooling system Vibration resistance	-40 °C ~ 80 °C (no condensation) 5% ~ 95% (no condensation) Passive Yes, no moving elements
DEVICE DIMENSIONS	Dimensions Weight	155 x 108,6 x 16,2 mm 114 g
CONTROL SOFTWARE	Content display	URVE multimedia software*
EXPANSION CAPABILITY	Additional modules	HSPA+ modem Wi-Fi GPS Motion sensor 3.6V 120mA backup battery

* Additionally charged

All other trademarks are the property of their respective owners. Eveo sp. z o. o. reserves a right to change or update information provided herein.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Single Board Computers](#) category:

Click to view products by [EVEO](#) manufacturer:

Other Similar products are found below :

[MANO882VPGGA-H81](#) [SSD3200W-S-SLC-INN 20-101-0738](#) [MVME61006E-2173R](#) [SHB230DGGA-RC](#) [IMB210VGGA](#) [MI958F-16C](#)
[S2600STB](#) [BBS2600BPS](#) [BLKNUC7I3DNHNC1978015](#) [IOT-LS1012A-OXALIS](#) [NITX-300-ET-DVI 102110548](#) [BEAGLEBOARD](#)
[POCKET BPI-M5](#) [GENE-APL5-A12-F002](#) [UPN-EHLCN2-A10-0232](#) [UPN-EHLPJ4-A10-0432](#) [MICROSOM I2 + WIFI/BT](#)
[HUMMINGBOARD-I2EX BASE + WIFI/BT](#) [HUMMINGBOARD-I4 PRO + WIFI/BT](#) [VAB-600-B](#) [RT5350F-OLINUXINO-EVB](#) [MITX-](#)
[440-DVI-2E](#) [ATCA-7365-D-24GB](#) [NITX-315-DEVKIT](#) [A13-SOM-512](#) [NITX-315](#) [BANANA PI BPI-M1+](#) [A13-SOM-WIFI-4GB](#) [AM3359-](#)
[SOM-EVB-IND](#) [UPS-APLC2-A10-0432](#) [DFR0419](#) [UPS-APLP4-A10-0864](#) [UPS-APLP4-A10-0432](#) [UPS-APLP4-A10-08128](#) [MI977F-Q27](#)
[BBBLUE](#) [IB811F-I30](#) [DFR0546](#) [DFR0470-ENT](#) [M2M \(TELIT\)](#) [RELAY PROFESSIONAL](#) [GCS22.2.080.2.2.I](#) [GCS22.8.100.4.2.I](#)
[GLS11.2.053.2.2.E](#) [SLS16Y2_792C_512R_SD_1WB_C_B](#) [A20-OLINUXINO-LIME-E16GS16M](#) [A20-OLINUXINO-LIME-S16M](#)