

## SDL470 UVA/UVC Light Meter/Datalogger



Extech's compact UV Light Meter includes two types of probes: one to measure UVA (long wave 365nm) and the other to measure UVC (short wave 254nm) light sources up to 20mW/cm². The SDL470 date/time stamps and stores files onto an SD card in MS Excel® format to make transferring, storing, and analyzing the data on your PC easier. The unit also has a Type K/J thermocouple input to capture temperature readings (temperature probes not included).



## **Features**

- UVA probe captures long-wave 365nm UV irradiance measurements under a UVA (black light) source
- UVC probe captures short-wave 254nm UV irradiance measurements under a UVC light source
- · Cosine correction filter and metal housing
- Offset adjustment used for zero function or to make relative measurements
- Adjustable data sampling rate: 1 to 3600 seconds
- Memory stores 99 readings manually
- Datalogging feature records readings with date and time stamp on an SD card (included) in Excel® format

- Type K/J Thermocouple input for temperature measurements (probes sold separately)
- Large backlit LCD display
- Record/Recall MIN, MAX readings
- Data Hold plus Auto power off with disable function
- Complete with built-in tilt stand, SD memory card, UVA light sensor with protective cover, UVC light sensor, hard case, Universal AC adaptor, and 6 x AA batteries

Specifications	Range	Max Resolution	Basic Accuracy
UVA Range	2mW/cm <sup>2</sup> , 20mW/cm <sup>2</sup>	0.001mW/cm <sup>2</sup>	±4% FS
UVC Range	2mW/cm <sup>2</sup> , 20mW/cm <sup>2</sup>	0.001mW/cm <sup>2</sup>	±4% FS
Frequency Bandwidth	365nm (UVA); 254nm (UVC)		
Type K Temperature	-148 to 2372°F (-100 to 1300°C)	0.1°F/°C	±(0.4%±1.8°F/1°C)
Type J Temperature	-148 to 2192°F (-100 to 1200°C)	0.1°F/°C	±(0.4%±1.8°F/1°C)
Memory	Datalog readings on SD card (included)		
Dimensions/ Weight	7.2 x 2.9 x 1.9" (182 x 73 x 47.5mm)/ 16.2oz (475g)		

## Ordering

SDL470......UVA/UVC Light Meter/Datalogger

TP875......Type K Thermocouple Bead Wire Temperature Probe -58 to 1000°F (-50 to 538°C)

 $\epsilon$ 

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Environmental Test Equipment category:

Click to view products by Extech manufacturer:

Other Similar products are found below:

CW40 F150C10E3DRT F150LTC20 F150CD10E2 F150L75 F150LRS S-11 FLUKE-LDG 382153 FM100 RH210 UT353 382253

MO290-P GEO-CABLE-REEL-50M T197914 RD300-L RD300-S IR11BD IR11GM IR12GM IR21BD IR31CE IR32BC IR33BC

MP7217TC NGM-1 UT381 VQ21TSB F150-SLC50 AW-CO-1000 AW-NmHc-100 3.000.401 AX-7535 CS-9S6SS-A P 2800 A P 2801

P 2802 P 5039 P 5055 P 5060 P 5065 P 5086 P 5090 P 5110 P 5115 P 5135 P 5140 P 5145 P 5150