Miscellaneous Suppression Cores (2677102402)



Part Number: 2677102402

77 ROUND CABLE CORE

Explanation of Part Numbers:

- Digits 1 & 2 = Product Class
- Digits 3 & 4 = Material Grade

Fair- Rite has tooled several special core geometries in the 43 & 77 material for suppression of conducted EMI.

For any non- catalog suppression core design feel free to contact our customer service or application group for feasibility and availability.

Catalog Drawing 3D Model

The "C" dimension, the core length, can be modified to suit specific applications.

Weight: (g)

Dim	mm	mm tol	nominal inch	inch misc.
A	25.9	_	1.02	
В	12.8		0.504	
С	21.3		0.839	




Chart Legend


- + Test frequency
- •Figures 3 & 4 tested in pairs

Typical Impedance	$e(\Omega)$
1 MHz	63
10 MHz ⁺	29.5
25 MHz ⁺	23

These suppression cores are controlled for impedance only. The minimum impedance is listed on our catalog drawing.

Catalog Drawing

Single turns tests are performed on the E49990A Impedance Analyzer with the shortest practical wire length.



CSV Download

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Ferrite Cable Cores category:

Click to view products by Fair-Rite manufacturer:

Other Similar products are found below:

FB73-422 FX28R0984-0 FX28R0984-2 AB 3X2X3SM 2643164251 2643665709 2661626402 LB 2.8X4.5U 28R1127 28R1260 28R1575 SM28R0760 2631006302 2643165451 2643178351 28R0760 4327 030 11761 SS7X4X3W 4327 030 16141 2643103102 2643164151 2943666671 2643163851 AB4X2X6SM 28B1101 SM28R1575 2643625902 2643626102 28B0268-000 28B0375-100 28B0375-300 28B0500-100 28B0562-000 28B0562-200 28B0625-100 28B1020-100 28B1417-200 28R1101-000 28R1102-100 28R1127-500 28R0453-200 28R0669-000 28R0898-200 28R0756-200 28R0480-000 28R1127-000 28R0984-200 28R0592-010 28R0756-000