

## Data sheet Product FK 278 MI 247 O




Board Level heatsinks>Attachable heatsink

- universal clip-on heatsinks for design TO 218, TO 247, TO 248, SIP-Multiwatt and similar
- integrated clamp geometry for a secure fixing of the device
- angled designs with enlarged surface
- modifications and special designs according to customer's specifications

## Features

| material:           | copper (Cu)   |
|---------------------|---|
| for transistor:     | <ul> <li>TO 220</li> <li>TO 248</li> <li>SIP-Multiwatt</li> <li>TO 247</li> <li>TO 218</li> </ul> |
| width:              | 23 mm   |
| height:             | 9 mm  |
| length:             | 31 mm   |
| thermal resistance: | 18.6 K/W  |
| surface:            | solderable surface  |
| version:            | without solder lug  |
| material thickness: | 0.6 mm  |

## **Technical Drawing**



Nottebohmstraße 28 58511 Lüdenscheid Telefon +49 2351 435-0 Telefax +49 2351 45754

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Heat Sinks category:

Click to view products by Fisher manufacturer:

Other Similar products are found below :

 581102B00000G
 656-15ABPE
 657-20ABPNE
 7020B-TC12-MTG
 73452PPBA
 7G0011A
 PF720G
 A22-4026
 120-1873-007
 HAH10L

 1542616-1
 218-40CTE3
 25-7520
 231-75PAB-13V
 231-75PAB-15V
 253-122ABE-22
 PSC22CB
 CLP212SG
 HAF10L
 HAQ10T
 D10100 

 28
 BDN183CBA01
 3-21053-4
 32438
 TX0506-1B
 TX1806B
 LAE66A3CB
 WA-DT2-101E
 511-3U
 73381PPBA
 73403PPBA
 7G0047C

 COMX-440-HSP
 510-12M
 D10650-40T5
 V8511 Y
 APF40-40-13CB/A01
 780653U04500G
 ATS-54310K-C2-R0
 FK 216 CB SA
 648-51AB

 657-20ABPESC
 2341BG
 679-25AG
 FK 212 CB SA
 FK225 SA L1
 680-5K
 7106DG/TR
 7109DG/TR
 S14K35G3S5