


Data sheet Product LAM 3 75 12






Cooling aggregates > Miniature cooling aggregates
30 x 30 mm, with axial fan

- compact design
- homogeneous heat dissipation
- mounting possible on any side
- powerful axial-fan motor
- other lengths, special designs and processing according to customer's requirements
- other surfaces treatment, fan types and fan voltages on request

Features

| | |
|-------------------------------------|---|
| width: | 30 mm |
| height: | 30 mm |
| length: | 75 mm |
| thermal resistance: | 1.94 - 1.52 K/W |
| operating voltage of the fan motor: | <ul style="list-style-type: none"> • 5 V DC • 12 V DC |
| surface: | natural colour anodised |

Technical Drawing



Fan**Kugellagert, 5 V DC**

| | |
|----------------------------------|--|
| type: | Sepa, ball bearing |
| dimensions: | 30x30x10 mm |
| tension: | 5 V DC |
| max. air volume: | 6.8 m ³ /h |
| cur. consumpt.: | 130 mA |
| temperature range: | -10°C... +70°C |
| speed: | 8,500 min ⁻¹ |
| noise level: | 21 dB(A) |
| weight: | 8 g |
| failure rate (L ₁₀): | L ₁₀ < 95,000 h (20°C) MTBF < 280,000 h (20°C) |

Kugellagert, 12 V DC

| | |
|----------------------------------|---|
| type: | Sepa, ball bearing |
| dimensions: | 30x30x10 mm |
| tension: | 12 V DC |
| max. air volume: | 7.7 m ³ /h |
| cur. consumpt.: | 60 mA |
| temperature range: | -10°C ... +85°C |
| speed: | 9,100 min ⁻¹ |
| noise level: | 27 dB(A) |
| weight: | 8 g |
| failure rate (L ₁₀): | L ₁₀ > 100,000 h (20°C) MTBF > 400,000 h (20°C) |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Heat Sinks](#) category:

Click to view products by [Fisher](#) manufacturer:

Other Similar products are found below :

[581102B00000G](#) [656-15ABPE](#) [657-20ABPNE](#) [7020B-TC12-MTG](#) [73452PPBA](#) [7G0011A](#) [PF720G](#) [A22-4026](#) [120-1873-007](#) [HAH10L](#)
[1542616-1](#) [218-40CTE3](#) [25-7520](#) [231-75PAB-13V](#) [231-75PAB-15V](#) [253-122ABE-22](#) [PSC22CB](#) [CLP212SG](#) [HAF10L](#) [HAQ10T](#) [D10100-](#)
[28](#) [BDN183CBA01](#) [3-21053-4](#) [32438](#) [TX0506-1B](#) [TX1806B](#) [LAE66A3CB](#) [WA-DT2-101E](#) [511-3U](#) [73381PPBA](#) [73403PPBA](#) [7G0047C](#)
[COMX-440-HSP](#) [510-12M](#) [D10650-40T5](#) [V8511 Y](#) [APF40-40-13CB/A01](#) [780653U04500G](#) [ATS-54310K-C2-R0](#) [FK 216 CB SA](#) [648-51AB](#)
[657-20ABPESC](#) [2341BG](#) [679-25AG](#) [FK 212 CB SA](#) [FK225 SA L1](#) [680-5K](#) [7106DG/TR](#) [7109DG/TR](#) [S14K35G3S5](#)