

Home - Fischerelektronik - SK 448 40 2 x M3 L

fischerelektronik.de/web_fischer/en_GB/VA/SK448402XM3L/datasheet.xhtml



Data sheet Product SK 448 40 2 x M3 L

- [Print data sheet](#)
- [Recommend page](#)



Profile heatsinks and liquid coolers>Extruded heatsinks for PCB mounting

27.95 x 12.5 mm, for transistor-design TO 218, TO 220. TO 247. TO 3 P

Features

way of fixation: transistor screw mounting

width: 12.5 mm

height: 27.95 mm

plate thickness: 3.5 mm

length: 40 mm

thermal resistance: 9.8 K/W


drilling pattern:

- TO 218
- TO 220
- TO 247
- TO 248
- TO 3 P

surface: black anodised

Technical Drawing

SK 448 40 2 x M 3 L



Fischer Elektronik GmbH & Co. KG
DEUTSCHLAND • GERMANY • ALLEMAGNE

Nottebohmstraße 28
58511 Lüdenscheid

Telefon +49 2351 435-0
Telefax +49 2351 45754

info@fischerelektronik.de
www.fischerelektronik.de

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Heat Sinks](#) category:

Click to view products by [Fisher](#) manufacturer:

Other Similar products are found below :

[657-20ABPNE](#) [73452PPBA](#) [A22-4026](#) [120-1873-007](#) [218-40CTE3](#) [253-122ABE-22](#) [PSC22CB](#) [295-2](#) [CLP212SG](#) [D10100-28](#)
[BDN183CBA01](#) [3-21053-4](#) [32438](#) [LAE66A3CB](#) [511-3U](#) [73381PPBA](#) [73403PPBA](#) [7G0047C](#) [8191-E40](#) [510-12M](#) [D10650-40T5](#) [6225B-](#)
[MT6G](#) [ATS-54310K-C2-R0](#) [648-51AB](#) [657-20ABPESC](#) [679-25AG](#) [FK 212 CB SA](#) [FK225 SA L1](#) [6801G](#) [680-5K](#) [SK145 37 5STSTO220](#)
[TS-11042-CY](#) [S14K35G3S5](#) [8924G](#) [7717-133DAP](#) [7717-26DAP](#) [4509](#) [SW25-4G](#) [CLP-215](#) [CLP-207](#) [SK409 25 4STS](#) [SK104 50 8STS](#)
[SK129 25 4STS](#) [SK129 50 8STS](#) [D20850-40-T2](#) [APF30-30-10CB/A01](#) [V8508E](#) [268-85CTE](#) [43808-04](#) [BDN123CBA01](#)