ignion<sup>™</sup>

Your innovation. Accelerated.

# Media+<sup>TM</sup> UWB Chip Antenna (NN01-107)

DATASHEET



## Media+<sup>™</sup> UWB Chip Antenna (NN01-107) Ultra Wideband (UWB) (3.1 – 5 GHz)

Ignion specializes in enabling effective mobile communications. Using Ignion technology, we design and manufacture optimized antennas to make your wireless devices more competitive. Our mission is to help our clients develop innovative products and accelerate their time to market through our expertise in antenna design, testing and manufacturing.

The Media+<sup>TM</sup> UWB chip antenna is a highperformance, cost-effective antenna designed to meet the requirements of reference designers, OEMs and ODMs considering the Multiband OFDM alliance (MBOA) recommendations for Ultra-Wideband devices.

The electrical and mechanical characteristics of this small SMD monopole chip antenna ensures design flexibility and optimal performance in devices such as – but not limited to – Wireless USB (W-USB) and W-USB enabled devices like digital cameras, video recorders, PC Peripherals, beamers, PDAs, mobile phones, wireless compact flash and secure digital cards, and other consumer electronic devices.

The Media+<sup>™</sup> UWB antenna is built on glass epoxy substrate.

### **Product Benefits**

- High efficiency and large bandwidth Ensures robust performance within a wide range of constrained mechanical environments.
- Small size

Allows easy and efficient integration into space-limited areas with minimum antenna clearance.


Cost effective

Brings the best solution to optimize the cost/performance equation in your UWB device.


Broad application use

Enables Wireless-USB, digital cameras, PDAs, mobile phones, PC peripherals, home cinema equipment and other UWB devices.

10.0 mm x 10.0 mm x 0.8 mm (image larger than real size)



PAT US 7,148,850, US 7,202,822



### VSWR and Total Efficiency (%) vs. Frequency (GHz)

Technical Features	3.1 – 5 GHz
Average Efficiency	84.0 %
Peak Gain	3.5 dBi
VSWR	< 2:1
Radiation Pattern	Omnidirectional
Polarization	Linear
Flatness	2 dB gain variation
Weight (approx.)	0.2 g
Temperature	-40 to +125° C
Impedance	50 Ω
Dimensions (L x W x H)	10.0 mm x 10.0 mm x 0.8 mm

Measures from the evaluation board (36.5 mm x 20.0 mm x 0.8 mm)

See pictures of the evaluation boards and graphs of the specs in the User Manual.

For additional information, please visit <u>www.ignion.io</u> or contact <u>info@ignion.io</u>.

If you need assistance to design your matching network, please contact <u>support@ignion.io</u>, or try our free-of-charge<sup>1</sup> **NN Wireless Fast-Track** design service, you will get your chip antenna design including a custom matching network for your device in 24h<sup>1</sup>. Other related to NN's range of R&D services is available at: <u>https://www.ignion.io/rdservices/</u>

<sup>&</sup>lt;sup>1</sup> See terms and conditions for a free NN Wireless Fast-Track service in 24h at: <u>https://www.ignion.io/fast-track-project/</u>

## ignion<sup>™</sup>

## Your innovation. Accelerated.

## Contact: support@ignion.io +34 935 660 710

#### Barcelona

Av. Alcalde Barnils, 64-68 Modul C, 3a pl. Sant Cugat del Vallés 08174 Barcelona Spain

### Shanghai

Shanghai Bund Centre 18/F Bund Centre, 222 Yan'an Road East, Huangpu District Shanghai, 200002 China

#### **New Dehli**

New Delhi, Red Fort Capital Parsvnath Towers Bhai Veer Singh Marg, Gole Market, New Delhi, 110001 India

#### Tampa

8875 Hidden River Parkway Suite 300 Tampa, FL 33637 USA

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Fractus Antennas manufacturer:

Other Similar products are found below :

 GAN30084EU
 930-033-R
 GW17.07.0250E
 1513563-1
 EXE902SM
 APAMPG-117
 MAF94383
 W3908B0100
 W6102B0100
 YE572113 

 30RSMM
 108-00014-50
 66089-2406
 A09-F8NF-M
 A09-F5NF-M
 RGFRA1903041A1T
 W3593B0100
 W3921B0100
 SIMNA-868
 SIMNA 

 915
 SIMNA-433
 W1044
 W1049B090
 WTL2449CQ1-FRSMM
 CPL9C
 EXB148BN
 0600-00060
 TRA9020S3PBN-001
 GD5W-28P-NF

 MA9-7N
 GD53-25
 GD5W-21P-NF
 EXB144SM
 C37
 MAF94051
 GD35-17P-NF
 P1744
 MA9-5N
 EXD420PL
 B1322NR
 QWFTB120

 MAF94271
 MAF94300
 GPSMB301
 FG4403
 AO-AGSM-OM54
 5200232
 MIKROE-2349
 WCM.01.0111
 MIKROE-2393
 MIKROE-2352