ignion<sup>w</sup>

Your innovation. Accelerated.

# Micro Reach Xtend<sup>TM</sup> (NN01-110)



## Micro Reach Xtend<sup>TM</sup> (NN01-110) – Bluetooth®, Zigbee®, 802.11 b/g/n WLAN (2.4 – 2.5 GHz)

Ignion specializes in enabling effective mobile communications. Using Ignion technology, we design and manufacture optimized antennas to make your wireless devices more competitive. Our mission is to help our clients develop innovative products and accelerate their time to market through our expertise in antenna design, testing and manufacturing.

The Micro Reach Xtend™ chip antenna is a very small size and low-cost antenna that combines reduced clearance area required within the customer PCB with its high performance and integration flexibility. The Micro Reach Xtend™ antenna is built on glass epoxy substrate. This makes it ideal for small consumer electronics devices such as small wireless headsets and highly integrated multifunction mobile handsets.

Taking advantage of the space-filling properties, this small monopole antenna is perfect to use within indoor (highly scattered) environment.

#### **Product Benefits**

## Small form factor

Allows integration into space limited areas easily and efficiently with minimum clearance area.

#### Low cost

Enables product developers to reduce BoM cost increasing device competitiveness.

## Omnidirectional pattern


Optimizes device usage due to a uniform radiation pattern.

## • Broad bandwidth

Ensures robust performance when considering different plastic housing and close body proximity.

2

**4.1 mm x 2.0 mm x 1.0 mm** (image larger than real size)




PAT US 7,148,850, US 7,202,822

Last Update: January 2021



## VSWR and Total Efficiency (%) vs. Frequency (GHz)



Technical Features	
Frequency range	2.4 GHz – 2.5 GHz
Average Efficiency	> 55 %
Peak Gain	0.2 dBi
Radiation Pattern	Omnidirectional
VSWR	< 2.5:1
Polarization	Linear
Weight (approx.)	0.02 g
Temperature	-40 to + 125° C
Impedance	50 Ω
Dimensions (L x W x H)	4.1 mm x 2.0 mm x 1.0 mm

Measures from the evaluation board (40.0 mm x 20.0 mm x 1.0 mm)

See pictures of the evaluation boards, matching network configuration and graphs of the specs in the <u>user manual</u>.

For additional information, please visit www.ignion.io or contact info@ignion.io.

If you need assistance to design your matching network, please contact <a href="mailto:support@ignion.io">support@ignion.io</a>, or try our free-of-charge<sup>1</sup> NN Wireless Fast-Track design service, you will get your chip antenna design including a custom matching network for your device in 24h<sup>1</sup>. Other related to NN's range of R&D services is available at: <a href="mailto:https://www.ignion.io/rdservices/">https://www.ignion.io/rdservices/</a>

•

<sup>1</sup> See terms and conditions for a free NN Wireless Fast-Track service in 24h at: https://www.ignion.io/fast-track-project/

## ignion<sup>w</sup>

Contact: <a href="mailto:support@ignion.io">support@ignion.io</a> +34 935 660 710

## **Barcelona**

Av. Alcalde Barnils, 64-68 Modul C, 3a pl. Sant Cugat del Vallés 08174 Barcelona Spain

## Shanghai

Shanghai Bund Centre 18/F Bund Centre, 222 Yan'an Road East, Huangpu District Shanghai, 200002 China

## **New Dehli**

New Delhi, Red Fort Capital Parsvnath Towers Bhai Veer Singh Marg, Gole Market, New Delhi, 110001 India

## **Tampa**

8875 Hidden River Parkway Suite 300 Tampa, FL 33637 USA

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Fractus Antennas manufacturer:

Other Similar products are found below:

GAN30084EU 930-033-R GW17.07.0250E 1513563-1 EXE902SM APAMPG-117 MAF94383 W3908B0100 W6102B0100 YE572113-30RSMM 108-00014-50 66089-2406 A09-F8NF-M A09-F5NF-M RGFRA1903041A1T W3593B0100 W3921B0100 SIMNA-868 SIMNA-915 SIMNA-433 W1044 W1049B090 WTL2449CQ1-FRSMM CPL9C EXB148BN 0600-00060 TRA9020S3PBN-001 GD5W-28P-NF MA9-7N GD53-25 GD5W-21P-NF EXB144SM C37 MAF94051 GD35-17P-NF P1744 MA9-5N EXD420PL B1322NR QWFTB120 MAF94271 MAF94300 GPSMB301 FG4403 AO-AGSM-OM54 5200232 MIKROE-2349 WCM.01.0111 MIKROE-2393 MIKROE-2352