
TUNGSRAM

Innovation is our heritage EST. 1896







GE LED Filament Heliax Dimmable

LED Fil Heliax Candle 3.5W Dim 822 E14 93078637

Product information

The LED Filament Heliax is the brand new product range of GE Lighting that is developed using the new LED filament technology: the flexible filament. Designed with a spiral and installed in nice decorative shapes, this new range offers high quality, high value and high aesthetic of light and creates a designed atmosphere for your customized application. You will enjoy seeing it in the restaurants, at the hotel reception desks, at design shops as well as in your living room.

Application areas









GE LED Filament Heliax Dimmable

LED Fil Heliax Candle 3.5W Dim 822 E14 93078637

Product data

Product Code	93078637
Bulb Shape	C35
Bulb Finish	Clear
Bulb maximum overall diameter [mm]	35
Nominal Length [mm]	97
Net weight per piece [g]	15
RoHS compliant	Yes
Brand	GE Lighting
Cap/Base	B22d

Performance data

Nominal/ Rated Beam Angle [°]	310
Rated Lumens [lm]	125
Weighted energy consumption [kWh/1000h]	3.5
Rated efficacy [lm/W]	35.7
Energy efficiency class (EEC)	A
Rated life L70/B50 [h]	15000
Nominal correlated colour temperature (CCT) [K]]	2200
Nominal lumens [lm]	125
Colour Rendering Index (CRI) [Ra]	80



GE LED Filament Heliax Dimmable

LED Fil Heliax Candle 3.5W Dim 822 E14 93078637


Electrical data

Nominal lamp power factor	0.7
Rated power [W]	3.5
Operating Temperature (MIN) [°C]	-20°C
Operating Temperature (MAX) [°C]	+40°C
Starting time (sec)	<0.5s
Warm up time up to 60% of full light output	Instant full light
Number of switching cycles	15000
Dimming Capability	Yes
Nominal lamp voltage range [V]	220-240V
Nominal power [W]	3.5

Logistic data

Product status	Available
Pack Quantity	10
EAN Code	0064894585067
DUN Code	10064894585163

Photometric Data





GE LED Filament Heliax Dimmable

LED Fil Heliax Candle 3.5W Dim 822 E14 93078637

Downloads & Links

Go to the catalog site (HTTP)

Photometry (IES)

Datasheet (PDF)

Images (HTTP)

Dialux offline Plugin (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for LED Backlighting category:

Click to view products by General Electric manufacturer:

Other Similar products are found below:

HBL0218 SSB-COB7540GW SSB-DL6528SRW 3G3DV130B4294 SSB-CEL8040UWW 49131 0025 INT CLASSIC GLACIER WHITE 0025 INT NATURAL BLUE 0100 INT CLASSIC GLACIER WHITE 0100 INT EXTREME ORANGE 0100 INT NATURAL BLUE 0200 INT EXTREME BLUE GREEN 30531 30586 30588 30589 30590 30637 4052899149281 4052899326453 44892WFL JDR20W38 E14 JDR50W38 GU10 KB-2600ID KB-2855SGW 4052899913615 L-875/4IDT L-875/4SRDT 44860WFL 44870WFL MR16 60ST 20W MR16 60ST 50W 64465 64695 ECO 64698 ECO 64701 ECO 64702 ECO 64760 30597 SL2CD SKU 165 SKU 167 SKU 193 SKU 194 SKU 203 4052899973428 8718696537015 8718696728352 8718696598375 8718291787051