



4

kWh/1000h

A

energy class

36

lumens/watt

Tungram LED Filament Heliax Dimmable

LED Fil Heliax Candle 3.5W Dim 822
E14TU

93096495

Product information

The LED Filament Heliax is the brand new product range of Tungram that is developed using the new LED filament technology: the flexible filament. Designed with a spiral and installed in nice decorative shapes, this new range offers high quality, high value and high aesthetic of light and creates a designed atmosphere for your customized application. You will enjoy seeing it in the restaurants, at the hotel reception desks, at design shops as well as in your living room.

Application areas



Hospitality



Home

Product data

Product Code	93096495
Bulb Shape	B35
Bulb Finish	Clear
Bulb maximum overall diameter [mm]	35
Nominal Length [mm]	97
Net weight per piece [g]	15
Dimmability	Yes
RoHS compliant	Yes
Brand	Tungsrám
Cap/Base	E14

Performance data

Nominal/ Rated Beam Angle [°]	310
Rated Lumens [lm]	125
Weighted energy consumption [kWh/1000h]	3.5
Rated efficacy [lm/W]	35.7142857142857
Energy efficiency class (EEC)	A
Rated life L70/B50 [h]	15000
Nominal correlated colour temperature (CCT) [K]	2200
Nominal lumens [lm]	125
Colour Rendering Index (CRI) [Ra]	80

Electrical data

Nominal lamp power factor...	0.7
Operating Temperature (MIN) [°C]	-20°C
Operating Temperature (MAX) [°C]	+40°C
Starting time (sec)	<0,5 s
Warm up time up to 60% of full light output	Instant on
Number of switching cycles	15000
Nominal lamp voltage range [V]	220-240V
Nominal power [W]	3.5

Logistic data

Shipment	Standard
DUN Code	15994100013539
EAN Code	5994100013532
Pack Quantity	10
Product status	Phased-out

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Images \(HTTP\)](#)

[DoC document \(PDF\)](#)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [LED Replacement Lamps - Based LEDs](#) category:

Click to view products by [General Electric](#) manufacturer:

Other Similar products are found below :

[LAPD-1A](#) [LAPD-1R](#) [LAPD-2R](#) [LAPD-6W](#) [LSTD-M4S](#) [SSP-1156B153S12](#) [SSP-1157B156U12](#) [SSP-LXS110818BA](#) [560-0101F](#) [560-0103F](#)
[LAPD-1W](#) [LAPD-6R](#) [560-0104F](#) [585-1113](#) [SSP-LXC1283S24](#) [SSP-3MB96U12G](#) [SLL-05EY](#) [1.90.690.684/0000](#) [560-0203F](#) [586-2206-](#)
[205F](#) [SSP-LXS1826U16A](#) [LATD-2JW](#) [24LS4-G1](#) [24LS4-R1](#) [MF200-NFW5H](#) [MB403-W60-CW-BP](#) [1819LS2-G-CG](#) [387LP-B](#) [387LP-W](#)
[6S6LS155-CWR](#) [130MBLS-G-CG](#) [5000404LAMP](#) [E10SB12A](#) [E10SB130A](#) [E10SB24A](#) [E10SG12A](#) [E10SG130A](#) [E10SR12A](#) [E10SR130A](#)
[E10SW12A](#) [E10SY12A](#) [E10SY130A](#) [6S6LS130-CWW](#) [MF200-BCG12H](#) [MF200-NFR5H](#) [24L4-B1](#) [120PSBL-NWW](#) [MF200-NKG120](#)
[5SB-NFG24H](#) [MF200C-NFW28H](#)