

440-063
EMI/RFI Crimp Ring Adapter
Rotatable Coupling - Split Shell



440

See inside back cover fold-out or pages 13 and 14 for Tables I and II.

TABLE III: ELBOW DIMENSIONS

| Shell Size | D Max | E Max | F Max | G Max | H Ref | J Max | K Max | Function C Max Wire Bundle |
|------------|-------------|--------------|--------------|--------------|-------------|--------------|--------------|----------------------------|
| 08/09 | .440 (11.2) | 1.402 (35.6) | .680 (17.3) | 1.342 (34.1) | .340 (8.6) | 1.682 (42.7) | .681 (17.3) | .250 (6.4) |
| 10/11 | .500 (12.7) | 1.462 (37.1) | .750 (19.1) | 1.402 (35.6) | .270 (6.9) | 1.842 (46.8) | .731 (18.6) | .375 (9.5) |
| 12/13 | .560 (14.2) | 1.820 (46.2) | .810 (20.6) | 1.760 (44.7) | .270 (6.9) | 2.130 (54.1) | .731 (18.6) | .375 (9.5) |
| 14/15 | .620 (15.7) | 1.850 (47.0) | .870 (22.1) | 1.790 (45.5) | .280 (7.1) | 2.200 (55.9) | .831 (21.1) | .500 (12.7) |
| 16/17 | .680 (17.3) | 1.950 (49.5) | .930 (23.6) | 1.890 (48.0) | .420 (10.7) | 2.250 (57.2) | .981 (24.9) | .625 (15.9) |
| 18/19 | .750 (19.1) | 2.010 (51.1) | 1.000 (25.4) | 1.950 (49.5) | .640 (16.3) | 2.280 (57.9) | 1.181 (30.0) | .625 (15.9) |
| 20/21 | .820 (20.8) | 2.070 (52.6) | 1.060 (26.9) | 2.010 (51.1) | .640 (16.3) | 2.280 (57.9) | 1.181 (30.0) | .625 (15.9) |
| 22/23 | .880 (22.4) | 2.130 (54.1) | 1.120 (28.4) | 2.070 (52.6) | .540 (13.7) | 2.430 (61.7) | 1.181 (30.0) | .750 (19.1) |
| 24/25 | .940 (23.9) | 2.190 (55.6) | 1.180 (30.0) | 2.130 (54.1) | .540 (13.7) | 2.430 (61.7) | 1.181 (30.0) | .750 (19.1) |

TABLE IV: CABLE ENTRY

| Dash No. | L Nom | M Nom | N Nom | P Nom | R Nom | S Nom | Color Code (Ref.) | Inst. Tool Die No. (Note 2) |
|----------|-------------|--------------|--------------|-------------|--------------|--------------|-------------------|-----------------------------|
| 06 | .312 (7.9) | .090 (2.3) | .113 (2.9) | .250 (6.4) | .156 (4.0) | .194 (4.9) | Yellow | WT402 |
| 10 | .312 (7.9) | .124 (3.1) | .145 (3.7) | .250 (6.4) | .187 (4.7) | .227 (5.8) | Orange | WT406 |
| 13 | .312 (7.9) | .149 (3.8) | .179 (4.5) | .250 (6.4) | .225 (5.7) | .256 (6.5) | Purple | WT409 |
| 16 | .312 (7.9) | .175 (4.4) | .215 (5.5) | .250 (6.4) | .261 (6.6) | .297 (7.5) | Yellow | WT411 |
| 20 | .312 (7.9) | .219 (5.6) | .250 (6.4) | .250 (6.4) | .297 (7.5) | .335 (8.5) | Green | WT414 |
| 23 | .312 (7.9) | .250 (6.4) | .281 (7.1) | .250 (6.4) | .327 (8.3) | .372 (9.4) | Tin | WT416 |
| 26 | .312 (7.9) | .275 (7.0) | .306 (7.8) | .250 (6.4) | .375 (9.5) | .406 (10.3) | Yellow | WT440/5451 |
| 29 | .312 (7.9) | .297 (7.5) | .335 (8.5) | .250 (6.4) | .405 (10.3) | .453 (11.5) | Red | WT440/5452 |
| 30 | .312 (7.9) | .312 (7.9) | .365 (9.3) | .250 (6.4) | .425 (10.8) | .473 (12.0) | Tin | WT440/5454 |
| 31 | .312 (7.9) | .375 (9.5) | .406 (10.3) | .250 (6.4) | .500 (12.7) | .560 (14.2) | Green | WT440/5457 |
| 32 | .600 (15.2) | .430 (10.9) | .500 (12.7) | .440 (11.2) | .590 (15.0) | .670 (17.0) | Red | GS590 |
| 33 | .600 (15.2) | .550 (14.0) | .620 (15.7) | .440 (11.2) | .710 (18.0) | .790 (20.1) | Blue | GS710 |
| 34 | .600 (15.2) | .670 (17.0) | .750 (19.1) | .440 (11.2) | .840 (21.3) | .920 (23.4) | Gray | GS840 |
| 35 | .600 (15.2) | .810 (20.6) | .880 (22.4) | .440 (11.2) | 1.010 (25.7) | 1.090 (27.7) | Brown | GS1010 |
| 36 | .600 (15.2) | .920 (23.4) | 1.000 (25.4) | .440 (11.2) | 1.130 (28.7) | 1.210 (30.7) | Green | GS1130 |
| 38 | .600 (15.2) | 1.040 (26.4) | 1.120 (28.4) | .440 (11.2) | 1.250 (31.8) | 1.330 (33.8) | Pink | GS1250 |
| 39 | .600 (15.2) | 1.122 (28.5) | 1.192 (30.3) | .440 (11.2) | 1.332 (33.8) | 1.412 (35.9) | Orange | GS1332 |
| 40 | .600 (15.2) | 1.224 (31.1) | 1.294 (32.9) | .440 (11.2) | 1.440 (36.6) | 1.520 (38.6) | Purple | GS1440 |
| 41 | .600 (15.2) | 1.353 (34.4) | 1.423 (36.1) | .440 (11.2) | 1.562 (39.7) | 1.643 (41.7) | Yellow | GS1563 |
| 42 | .600 (15.2) | 1.425 (36.2) | 1.545 (39.2) | .440 (11.2) | 1.670 (42.4) | 1.750 (44.5) | Red | GS1670 |
| 43 | .600 (15.2) | 1.550 (39.4) | 1.670 (42.4) | .440 (11.2) | 1.795 (45.6) | 1.875 (47.6) | Blue | GS1795 |
| 44 | .600 (15.2) | 1.675 (42.5) | 1.795 (45.6) | .440 (11.2) | 1.920 (48.8) | 2.000 (50.8) | Gray | GS1920 |
| 45 | .600 (15.2) | 1.800 (45.7) | 1.920 (48.8) | .440 (11.2) | 2.045 (51.9) | 2.125 (54.0) | Brown | GS2045 |
| 46 | .600 (15.2) | 1.925 (48.9) | 2.045 (51.9) | .440 (11.2) | 2.170 (55.1) | 2.250 (57.2) | Green | GS2170 |
| 47 | .600 (15.2) | 2.050 (52.1) | 2.170 (55.1) | .440 (11.2) | 2.295 (58.3) | 2.375 (60.3) | Pink | GS2295 |
| 48 | .600 (15.2) | 2.175 (55.2) | 2.295 (58.3) | .440 (11.2) | 2.420 (61.5) | 2.500 (63.5) | Orange | GS2420 |
| 49 | .600 (15.2) | 2.300 (58.4) | 2.420 (61.5) | .440 (11.2) | 2.545 (64.6) | 2.625 (66.7) | Purple | GS2545 |
| 50 | .600 (15.2) | 2.425 (61.6) | 2.545 (64.6) | .440 (11.2) | 2.670 (67.8) | 2.750 (69.9) | Yellow | GS2670 |
| 51 | .600 (15.2) | 2.530 (64.3) | 2.670 (67.8) | .440 (11.2) | 2.795 (71.0) | 2.875 (73.0) | Red | GS2795 |
| 52 | .600 (15.2) | 2.655 (67.4) | 2.795 (71.0) | .440 (11.2) | 2.920 (74.2) | 3.000 (76.2) | Blue | GS2920 |
| 53 | .600 (15.2) | 2.780 (70.6) | 2.920 (74.2) | .440 (11.2) | 3.045 (77.3) | 3.125 (79.4) | Gray | GS3045 |
| 54 | .600 (15.2) | 2.905 (73.8) | 3.045 (77.3) | .440 (11.2) | 3.170 (80.5) | 3.250 (82.6) | Brown | GS3170 |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Circular MIL Spec Backshells](#) category:

Click to view products by [Glenair](#) manufacturer:

Other Similar products are found below :

[60-036152-022](#) [610HS012M15](#) [M28840/504WA](#) [M28840/805WB](#) [M28840/809WA](#) [M28840/815WA](#) [M28840/816WA](#) [627AS017M14](#)
[627MA124M14S](#) [655HS002NF11](#) [CW3899-000](#) [M85049/10-134S](#) [M85049/10-17S](#) [M85049/10-33S](#) [M85049/10-94W](#) [M85049/11-28N](#)
[M85049/11-37N](#) [M85049/11-53N](#) [M85049/11-63N](#) [M85049/124-23W](#) [M85049/1720N04B](#) [M85049/1821W05C](#) [M85049/1825W06C](#)
[M85049/1919N05](#) [M85049/23-74W](#) [M85049/24-71N](#) [M85049/25-47N](#) [M85049/25-94W](#) [M85049/27S12N](#) [M85049/39-11S](#) [M85049/39-17S](#)
[M85049/39-9S](#) [M85049/6-10B](#) [M85049/6-19N](#) [M85049/6-20B](#) [M85049/77-20W04](#) [M85049/78-11N03](#) [M85049/78-15W02](#) [M85049/78-](#)
[17N04](#) [M85049/78-19N05](#) [M85049/79-19N07](#) [M85049/79-25N04](#) [M85049/82-18N02](#) [M85049/82-22P02](#) [M85049/83-10W03](#) [M85049/84-](#)
[20N03](#) [M85049/8-48N](#) [M85049/85-24N01](#) [M85049/85-24P01](#) [M85049/86-16P03](#)