



# 557-080 D-Subminiature Dual-Entry Solid Banding Backshell





## 557-080 D-Subminiature Dual-Entry Solid Banding Backshell



TABI	LE I: SHELL	SIZE & BAC	KSHELL DI	MENSIONS
Shell				D
Size	A Max	В	С	±.005 (.1)
1	1.25 (31.8)	.53 (13.5)	.75 (19.1)	.984 (25.0)
2	1.58 (40.1)	.53 (13.5)	.75 (19.1)	1.312 (33.3)
3	2.13 (54.1)	.53 (13.5)	1.00 (25.4)	1.852 (47.0)
4	2.77 (70.4)	.53 (13.5)	1.00 (25.4)	2.500 (63.5)
5	2.68 (68.1)	.66 (16.8)	1.25 (31.8)	2.406 (61.1)
6	2.77 (70.4)	.73 (18.5)	1.25 (31.8)	2.500 (63.5)

TABLE I (Continued): CABLE ENTRY								
Shell Size	E	Dia	F	Dia	G	Dia		Н
1	.125	(3.2)	.250	(6.4)	.312	(7.9)	.76	(19.3)
2	.250	(6.4)	.375	(9.5)	.437	(11.1)	1.09	(27.7)
3	.250	(6.4)	.375	(9.5)	.437	(11.1)	1.62	(41.1)
4	.250	(6.4)	.375	(9.5)	.437	(11.1)	2.28	(57.9)
5	.375	(9.5)	.500	(12.7)	.562	(14.3)	2.18	(55.4)
6	.500	(12.7)	.625	(15.9)	.688	(17.5)	2.28	(57.9)

- 1. Metric dimensions (mm) are indicated in parentheses.
- 2. DO NOT USE CONNECTORS WITH FLOAT MOUNTINGS.

## Standard Materials and Finishes



The following are Glenair's standard finishes. Individual product pages within this catalog list their most common finishes. Additional finishes are listed within the table below.

TABLE II - STANDARD FINISHES					
	85049 SYMBOL FERENCE ONLY	FINISH	SPECIFICATION(S)		
В		Cadmium Plate, Olive Drab	AMS-QQ-P-416, Type II, Class 3		
C*	Α	Anodize, Black	AMS-A-8625, Type II, Class 2		
G*		Hard Coat, Anodic	AMS-A-8625, Type III, Class 1		
J		Iridite, Gold Over Cadmium Plate Over Electroless Nickel	MIL-C-5541, Class 3 AMS-QQ-P-416, Type II, Class 3 over AMS-C-26074, Class 3 or 4, Grade B		
LF		Cadmium Plate, Bright Over Electroless Nickel	1000 Hour Corrosion Resistance		
М	N	Electroless Nickel	AMS-C-26074, Class 4, Grade B; & ASTM B733-90, SC2, Type 1, Class 4		
N		Cadmium Plate, Olive Drab Over Electroless Nickel	AMS-QQ-P-416, Type II, Class 3 over Electroless Nickel AMS-C-26074		
NC		Zinc Cobalt, Dark Olive Drab	96 Hour Corrosion Resistance		
NF	W	Cadmium Plate, Olive Drab Over Electroless Nickel	1000 Hour Corrosion Resistance		
Т		Cadmium Plate, Bright Over Electroless Nickel	AMS-QQ-P-416, Type II, Class 3 over Electroless Nickel, AMS-C-26074, Class 3 or 4, Grade B		
U**		Cadmium Plate, Black	AMS-QQ-P-416, Type II, Class 3		
ZN		Zinc-Nickel Alloy, Olive Drab	ASTMB 841-91, Over Electroless Nickel 1000 Hour Salt Spray		
		for EMI Shielding or grounding app isting steel backshells and accessor	lications. ies. Consult factory for other available finishes.		

STANDARD MATERIALS - BACKSHELLS AND ACCESSORIES						
COMPONENT	MATERIAL	SPECIFICATION				
Machined components: such as backshell bodies, fabricated elbows, protective covers, rotatable couplers, dummy stowage receptacles, lock nuts, G-spring support rings, EMI ground rings, grommet followers, etc.	Aluminum	AMS-QQ-A-200 ASTMB221, 209				
Die cast components: such as angular backshells, strain relief backshells, strain relief bodies, strain relief saddles, special EMI ground rings, etc.	Aluminum	QQ-A-591 ASTMB85, 26				
Backshells or strain reliefs: available in optional corrosion resisting steel; and hardware: such as screws, washers, rivets, wire rope, sash chain, band straps, etc.	Corrosion Resisting Steel	ASTMA582 (300 Series) AMS-QQ-S-763				
Elastomeric seals: such as O-rings, cable jacket seals, grommets, etc.	Silicone	ZZ-R-765, MIL-R-25988				
Anti-friction and thrust washers	Teflon	TFE				
Anti-rotation device	Corrosion Resistant Material	N/A				

#### **NOTES**

Unless otherwise specified, the following dimensional tolerances will apply:

$$.xx = \pm .03 (0.8)$$
  
 $.xxx = \pm .015 (0.4)$   
Lengths =  $\pm .060 (1.52)$   
Angles =  $\pm .5^{\circ}$ 

Metric dimensions (mm) are indicated in parentheses

### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for D-Sub Backshells category:

Click to view products by Glenair manufacturer:

Other Similar products are found below:

173114-0084 173112-1658 600X51137X 600X54009X 66241-12A M85049/48-1-2 M85049/48-3-5F M85049/6-38N M85049/86-12N03
70.350.0636.4 70.350.2435.1 72.350.1035.2 72.352.2435.1 73.359.4035.3 799-015TMH07M 799-015TMH08N FKH1RE 829472-1 FPHG-1E F-PHG-3E F-PHG-4E F-PHR-4E PCS-E20W 8655MHRA0901KLF 8655MHRA2501KLF 958-009-010R011 970-015-040R011
970-025-030R121 970-025-040R011 971-009-030R121 971-009-040R011 971-015-040R011 971-025-040R011 GS85049/38-25M 975T009020R121 975T015-020R121 1-21986-2 1-21986-5 DB-20962 DE-C8-J9-F4-1R DE-C8-J9-F5-1R DPH-B-003 1437013-9 1484402-8
MS3057-10A 156-3025-EX MS3417-16C 16-500800 165X02659X 165X03329A