




780-510 "Marshal Bean" Protective Rubber Cover Universal Rectangular for All Rectangularly Shaped Connectors



*"To Protect
and to Serve"*



| TABLE II: ATTACHMENT TYPE | |
|---------------------------------|----------------------|
| Dash No. | E Dia ±.010 (0.3) |
| 00 | No Terminal |
| 01 | .140 (3.6) |
| 02 | .182 (4.6) |
| 03 | .191 (4.9) |
| 04 | .197 (5.0) |
| 05 | .167 (4.2) |
| 06 | .125 (3.2) |
| 07 | .218 (5.5) |
| 09 | .156 (4.0) |
| WS | With Strap |
| SK | Slip Knot |



NOTES:

- Cover identified in area shown.
- Metric dimensions (mm) are indicated in parentheses.
- This series of covers is similar to Bean Rubber Mfg. Co. BP302 Series, Same Dash Number, i.e.: BP302-92-WS-L6 equivalent to 780-510-92G6-WS.
- Standard material contains trace amounts of sulfur (a vulcanizing agent) which is known to contribute to degradation/corrosion of silver plated components such as braid, etc. Specify MOD Code suffix -675 for sulfur-free material.

780-510
“Marshal Bean” Protective Rubber Cover
Universal Rectangular
for All Rectangularly Shaped Connectors



Miscellaneous
Rectangular
Backshells

TABLE I: SHELL SIZE

| Shell Size | A Dim | B Dim | C Dim | D Dim |
|------------|---------------|------------|-----------|------------|
| -10 | .80 (20.3) | .38 (9.7) | .18 (4.6) | .22 (5.6) |
| -10014 | 3.02 (76.7) | .30 (7.6) | N/A | .98 (24.9) |
| -1128-2 | 2.50 (63.5) | .20 (5.1) | N/A | .22 (5.6) |
| -126 | 5.00 (127.0) | .50 (12.7) | N/A | .22 (5.6) |
| -1261 | 3.26 (82.8) | .18 (4.6) | N/A | .16 (4.1) |
| -1262 | 3.83 (97.3) | .18 (4.6) | N/A | .22 (5.6) |
| -128N | 3.90 (99.1) | .46 (11.7) | N/A | .25 (6.4) |
| -128P | 3.78 (96.0) | .25 (6.4) | N/A | .29 (7.4) |
| -128R | 3.65 (92.7) | .25 (6.4) | N/A | .20 (5.08) |
| -14 | 1.00 (25.4) | .38 (9.7) | .18 (4.6) | .22 (5.6) |
| -1802-7 | 5.80 (147.3) | .40 (10.2) | N/A | .25 (6.4) |
| -1828 | 1.68 (42.7) | .40 (10.2) | N/A | .44 (11.2) |
| -20 | 1.30 (33.0) | .38 (9.7) | .18 (4.6) | .22 (5.6) |
| -24 | 1.50 (38.1) | .38 (9.7) | .18 (4.6) | .22 (5.6) |
| -2485RA1 | 3.19 (81.0) | .56 (14.2) | N/A | .91 (23.1) |
| -26 | 1.58 (40.1) | .38 (9.7) | .18 (4.6) | .20 (5.08) |
| -28 | 2.30 (58.4) | .26 (6.6) | .18 (4.6) | .25 (6.4) |
| -28-56 | 2.94 (74.7) | .38 (9.7) | N/A | .32 (8.1)* |
| -30 | 1.78 (45.2) | .38 (9.7) | .18 (4.6) | .20 (5.08) |
| -328P | 1.52 (38.6) | .37 (9.4) | N/A | .34 (8.6) |
| -34550 | 1.60 (40.6) | .60 (15.2) | N/A | .44 (11.2) |
| -347-36 | 2.05 (52.1) | .50 (12.7) | .20 (5.1) | .32 (8.1) |
| -347-50 | 2.75 (69.9) | .50 (12.7) | .20 (5.1) | .32 (8.1) |
| -35-70 | 3.63 (92.2) | .45 (11.4) | N/A | .32 (8.1)* |
| -36 | 2.08 (52.8) | .38 (9.7) | .18 (4.6) | .20 (5.08) |
| -3M60 | 3.10 (78.7) | .24 (6.1) | .18 (4.6) | .22 (5.6) |
| -40 | 2.28 (57.9) | .38 (9.7) | .18 (4.6) | .20 (5.08) |
| -44 | 2.52 (64.0) | .38 (9.7) | .18 (4.6) | .22 (5.6) |
| -44-208 | 1.24 (31.5) | .32 (8.1) | N/A | .33 (8.4) |
| -50 | 2.78 (70.6) | .38 (9.7) | .18 (4.6) | .20 (5.08) |
| -50-100 | 5.10 (129.5) | .40 (10.2) | N/A | .32 (8.1)* |
| -527-371 | 4.83 (122.68) | .50 (12.7) | N/A | .37 (9.4) |
| -58D10F | 1.32 (33.5) | .46 (11.7) | .23 (5.8) | .22 (5.6) |
| -58D14F | 1.52 (38.6) | .50 (12.7) | .25 (6.4) | .22 (5.6) |
| -58D20F | 1.80 (45.7) | .50 (12.7) | .25 (6.4) | .22 (5.6) |
| -58D24F | 2.02 (51.3) | .46 (11.7) | .25 (6.4) | .22 (5.6) |
| -58D26F | 2.12 (53.9) | .49 (12.5) | .23 (5.8) | .22 (5.6) |
| -58D30F | 2.30 (58.4) | .50 (12.7) | .25 (6.4) | .22 (5.6) |
| -58D36F | 2.60 (66.0) | .50 (12.7) | .25 (6.4) | .22 (5.6) |

TABLE I: (Continued)

| Shell Size | A Dim | B Dim | C Dim | D Dim |
|------------|--------------|-------------|------------|-------------|
| -58D54F | 3.52 (89.4) | .50 (12.7) | .25 (6.4) | .22 (5.6) |
| -60 | 3.28 (83.3) | .38 (9.7) | .18 (4.6) | .20 (5.08) |
| -7177 | 5.30 (134.6) | .45 (11.4) | N/A | .45 (11.4) |
| -733-5A | 2.05 (52.1) | .30 (7.6) | N/A | .97 (24.6) |
| -773AMP | 1.97 (50.0) | .30 (7.6) | N/A | 1.06 (26.9) |
| -733AP | 1.90 (48.3) | .40 (10.2) | N/A | .82 (20.8) |
| -733AR | 2.02 (51.3) | .30 (7.6) | N/A | 1.06 (26.9) |
| -74813C | .85 (21.6) | .50 (12.7) | .300 (7.6) | .29 (7.4) |
| -7482A | 1.28 (32.5) | .72 (18.3) | .160 (4.1) | .40 (10.2) |
| -7484A | 1.95 (49.5) | 1.00 (25.4) | .230 (5.8) | .82 (20.8) |
| -7487F | 1.19 (30.2) | .46 (11.7) | .260 (6.6) | .46 (11.7) |
| -78 | 2.34 (59.4) | .74 (18.8) | N/A | 1.34 (34.0) |
| -86038-36 | 1.77 (45.0) | .50 (12.7) | N/A | .18 (4.6) |
| -86038-44 | 2.17 (55.1) | .57 (14.5) | N/A | .18 (4.6) |
| -86038-50 | 2.47 (62.7) | .57 (14.5) | N/A | .18 (4.6) |
| -90362 | 3.53 (89.7) | 1.55 (39.4) | N/A | 2.53 (64.3) |
| -92 | 3.36 (85.3) | .38 (9.7) | .180 (4.6) | .29 (7.4) |
| -A36Y | 2.12 (53.8) | .38 (9.7) | .180 (4.6) | .22 (5.6) |
| -A392 | 5.14 (130.6) | .40 (10.2) | N/A | .34 (8.6) |
| -A452 | 5.74 (145.8) | .40 (10.2) | N/A | .34 (8.6) |
| -A70M | 3.80 (96.5) | .46 (11.7) | N/A | .22 (5.6) |
| -CMM5 | .67 (17.0) | .38 (9.7) | .160 (4.1) | .20 (5.08) |
| -HGM092 | 3.40 (86.4) | .53 (13.5) | .15 (3.8) | .31 (7.9) |
| -HGM092M | 3.40 (86.4) | .53 (13.5) | .20 (5.1) | .31 (7.9) |
| -HGM154F | 5.99 (152.1) | .32 (8.1) | N/A | .35 (8.9) |
| -KA126 | 5.06 (128.5) | .26 (6.6) | .180 (4.6) | .32 (8.1) |
| -ME24 | 1.98 (50.3) | .46 (11.7) | .280 (7.1) | .22 (5.6) |
| -ME44 | 2.98 (75.7) | .46 (11.7) | .280 (7.1) | .22 (5.6) |
| -ME56 | 3.58 (90.9) | .46 (11.7) | .280 (7.1) | .22 (5.6) |
| -MS24286 | 3.35 (85.1) | .59 (15.0) | N/A | .98 (24.9) |
| -REY8514 | 1.42 (36.1) | .40 (10.2) | .180 (4.6) | .39 (9.9) |
| -REY8516 | 1.90 (48.3) | .40 (10.2) | N/A | .50 (12.7) |
| -SME26 | 1.20 (30.5) | .46 (11.7) | N/A | .32 (8.1) |
| -SME26SO | 1.20 (30.5) | .46 (11.7) | .180 (4.6) | .32 (8.1) |
| -SRE14 | .83 (21.1) | .46 (11.7) | N/A | .32 (8.1) |
| -SRE20 | 1.00 (25.4) | .46 (11.7) | N/A | .32 (8.1) |
| -SRE34 | 1.19 (30.2) | .46 (11.7) | N/A | .43 (10.9) |
| -WB244 | 3.25 (82.6) | .18 (4.6) | N/A | .60 (15.2) |
| -WD244 | 3.34 (84.8) | .18 (4.6) | N/A | .70 (17.8) |

*Spacers have been added to adjust internal height to .250 (6.4).

Metric dimensions (mm) are indicated in parentheses.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [D-Sub Tools & Hardware](#) category:

Click to view products by [Glenair](#) manufacturer:

Other Similar products are found below :

[173112-0667](#) [173112-0759](#) [173112-0967](#) [173112-0291](#) [173112-0456](#) [000-01-09-132](#) [000-01-21-132](#) [000-01-31-162](#) [572019-00105-70](#)
[000-01-37-162](#) [621-250-113-115](#) [D20418-2R](#) [D20418-J3F](#) [70521CLF](#) [70524BLF](#) [70527BLF](#) [70527CLF](#) [F1042-1PLAH](#) [750643-1](#) [780-010-06G4-00C](#) [780-518-50SG6-WS](#) [863004ATLF](#) [86552009](#) [86553115TLF](#) [86553117TLF](#) [86553156LF](#) [FSGK1/5](#) [980-8554-000](#) [980-8555-000](#)
[980-8557-000](#) [980-8558-000](#) [1230032-1](#) [1-5021101-2](#) [15-000050](#) [1589283-4](#) [160-000-005R031](#) [16-000230](#) [160-020-109R000](#) [160-025-004R031](#) [160-015-003R031](#) [160-020-209R000](#) [160X10909X](#) [164C03939A](#) [177-505-A-2-2](#) [177-505-C-4-4](#) [179-013-1H](#) [1-966830-8](#) [21018-6](#)
[21028-3](#) [213622-5](#)