




REV.	LOCAS.	DESCRIPTION	DATE	DRAWN
01	NEW	INITIAL RELEASE.	2013.11.20	郭丙建



Recommended P.C.Board
Layout
(Tolerance: ± 0.05)



Specifications

Current Rating: 1.0Amp
Insulation Resistance: 1000M Ω Min.
Dielectric Withstanding: 300V AC
Contact Resistance: 20m Ω Max.
Operating Temperature: -40°C to +105°C

Materials

Contact Material: Phosphor Bronze
Insulator Material: Polyester UL94V-0
LCP Or Equivalent material

All materials must meet Greenconn
requirement for environment protection.

Ordering Information

G PCA101-XX XX A 001 C 1 A X

No. of Pins per Row: 02~40
Standard Plating: 02=Gold Flash, 01=Tin, 05=Gold Flash /Tin
Color: 1=Black
Standard Packing: A=Box, C=Tube
Selective Packing

格稜股份有限公司
Greenconn Corporation

GENERAL TOLERANCE	
X.* $\pm 5.0^*$	X. ± 0.30
.X* $\pm 3.0^*$.X ± 0.25
.XX* $\pm 2.0^*$.XX ± 0.15
.XXX* $\pm 1.0^*$.XXX ± 0.10

DESIGN: 郭丙建	DATE: 2013.11.20
CHECKED: 劉蟬	DATE: 2013.11.20
AUDITED: 吳柏昌	DATE: 2013.11.20
APPROVED: 陳義昌	DATE: 2013.11.20

DWG. NO.	GPCA101-CA1CA
PART NO.	GPCA101-XX XX A001C1AX

TITLE.
PITCH 1.00
HEADER SIGLE ROW
DIP TYPE

REV.	UNIT.	SCALE.	PAGE.	
01	mm	5:1	1/1	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [GREENCONN](#) manufacturer:

Other Similar products are found below :

[0015917161](#) [0022155065](#) [57102-F02-18ULF](#) [58102-G61-06LF](#) [582553-1](#) [01.001.5753.1](#) [0050291907](#) [02.125.8002.8](#) [609-3404](#) [61062-3](#)
[CSU011177004](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [65495-038](#) [65692-001LF](#) [65781-018](#)
[65781-047](#) [65817-010LF](#) [65817-015LF](#) [67095-007LF](#) [67601157](#) [68631-112](#) [68645-018](#) [699319-000](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-](#)
[4853B](#) [71.350.2428.0](#) [733-134](#) [733-162](#) [760-3052](#) [MHR-64-VUAL](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [801-43-002-10-013000](#)
[801-43-006-10-002000](#) [803-43-024-10-001000](#) [803-93-012-10-001000](#) [8-1437020-4](#) [819-22-004-30-001101](#) [820-22-006-30-001101](#)
[820-22-008-30-001101](#) [821-22-002-10-001101](#)