



HAHN - Elektrobau GmbH

Bellersheimer Strasse 45

35410 Hungen

Germany

phone: +49 (6402) 808-0

telefax: +49 (6402) 808-60

e-mail: info@hahn-trafo.de

data sheet: BV EI 382 1190

item height/packet height	power (ta70/B)	h 1 (mm)	h 2 (mm)	weight kg
EI 382 / 13.5 mm	4.5 VA	23.1	28.1	0.150

- capacity up to max. 4.5 VA

- temperature class ta 70/B, is not short-circuit proof.

- excellent function at thermal changes due to special vacuum casting

- maximum safety and durability

- high voltage stability


- self-extinguishing casting material

- individually tested with certificate


article no. BV	capacity VA	prim.V	connecting pins	operating point sec. +/- 5%	connecting pins	no-load voltage V +/- 5%
EI 382 1190	4.5	230	1-5	2x9 V 250 mA	6-7/9-10	13.0/13.0

fusing: by external secondary fuse according to IEC 127 or external secondary PTC-resistors, e. g. B599935-C120-A70.

certificate



Dimensions in drawing with no indication of tolerance ± 0.3 mm. Pins 0.6 x 0.8 mm. Drawing with standard screen and standard pin configuration.



Standard housing: version "0", without connections

We also supply other dimensions and performance data.

Ask us, we shall be glad to meet your special requirements!

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Current Transformers](#) category:

Click to view products by [Hahn](#) manufacturer:

Other Similar products are found below :

[MP3500](#) [BV UI 302 0156](#) [45029](#) [BV EI 302 2863](#) [BV EI 303 2809](#) [BV EI 303 3060](#) [BV EI 305 2309](#) [BV EI 306 3604](#) [BV EI 481 1295](#) [BV EI 481 1325](#) [BV UI 301 0133](#) [BV UI 302 0144](#) [BV UI 302 0161](#) [BV UI 304 0019](#) [BV UI 304 0129](#) [BV UI 304 0159](#) [BV UI 304 0173](#) [TI-EF16-2X4V-4W](#) [SPCT62/40150/5AVA3CL1](#) [SPCT62/30100/5AVA1CL1](#) [SPCT62/3075/5AVA1CL3](#) [SPCT62/40150/5AVA1.5CL1](#) [SPCT62/40200/5AVA2.5CL0.5](#) [SPCT62/40300/5AVA3CL0.5](#) [CTD-KIT](#) [44013](#) [44017](#) [44021](#) [44098](#) [44101](#) [44134](#) [44171](#) [44174](#) [44178](#) [44180](#) [44248](#) [44250](#) [44278](#) [44339](#) [44340](#) [44373](#) [44375](#) [44376](#) [44378](#) [44379](#) [44436](#) [44831](#) [B82801B0925A200](#) [PA3655NL](#) [PA3828NL](#)