# 30 Watt POE+ Power Transformers

HALO
ELECTRONICS, INC.

EFD20 Package for Akros Silicon AS1135












#### **Product Features:**

- Designed for PoE+ isolated flyback DC/DC converter applications using the Akros Silicon AS1135
- Utilizes industry standard style footprint
- UL/EN60950 recognized
- Fully compliant to IEEE802.3at standard
- Isolation Voltage (PRI-SEC) 1,500Vrms
- Operating Tempature Range -40 to +85C


Part Number	Turns Ratio N1:N2:N3:N4:N5:N6	DCR (mΩ max)	PRI/OCL (µH ±10%)	PRI LL (μΗ ±10%)	Output Voltage	Circuit
TGSP-P026EFD20LF	1:1:0.25:0.2:0.2:0.25	50,300,10,300	40	0.8	5V	Α
TGSP-P027EFD20LF	1:1:0.25:0.125:0.125:0.25	60,350,8,350	57	1.2	3.3V	Α
TGSP-P028EFD20LF	1:1:0.167:0.333:0.333	150,300,50	112	1.5	12V	В




Primary windings (N1 and N2) and Secondary windings (N4 and N5) must be connected in parallel on the customer PCB.

#### 30 Watt POE+ Power Transformers

### EFD20 Package



Dimensions: Inch [mm]
Tolerances: 0.006 Inch if not specified



Recommended Solder Pad Layout



HALO® Electronics is a leading supplier of high quality communication magnetics including signal transformers, filters, CMR chokes, PoE power transformers, DC/DC converters, and integrated Ethernet connectors. HALO's leading edge technology solutions are manufactured in ISO9001 and ISO14001 factories offering high quality products at a competitive price.

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Power Transformers category:

Click to view products by Hakko manufacturer:

Other Similar products are found below:

ET-030A F-102X F-120X F-14X-1 F-181U F-18A F-199U F-19X F-202U F-204U F-206U F-227X F-238U F-239U-1 F-23U F24-250-B
F-242U F-245U F-264U F-265U F-267U F-281U F-283U F-290X F-295Z F-296Z F-298Z F-3143P F-3298Z F-33U F-346X F-35U F364U F-392A F-395X F-397U F-412X F-47U F-55X-1 F-60U F-68U F-71U F-72Z F-74U F-83A F-84AC F-85U F-86U F-9U PCT-02