SIMPLEX soft-face mallets • TPE-mid / rubber composition; with cast iron housing and high-quality wooden handle

3023.040





Product Description

The SIMPLEX series 3023 is available with the insert combination of TPE-mid / rubber composition.

Ultra low-wear, impact cushioning and odourless, the medium hard rubber insert (series 3202) offers a much longer service life than a conventional rubber hammer.

The grey TPE-mid insert (series 3203) allows for an impact force that is comparable to the black rubber insert. The difference is that it will not leave any undesired black marring.

Made of cast iron, the housing comes with an integrated handle protection sleeve that provides for a high level of break resistance.

Damping vibrations and shaped ergonomically, the high-quality wooden handle has a double coat of varnish in the grip area and is thus resistant to dirt.

In line with the smart SIMPLEX principle, all components are replaceable and can be retrofitted. This translates to savings in both money and resources.

This version is available in sizes ranging from D30mm to D60mm and in size D80mm with rubber insert and "stand-up" (3023.260). The D80mm version is also available with an extra short handle (Art. 3023.282).

Product features:

- SIMPLEX soft-face mallet with the insert combination of TPE-mid (grey, medium hard, no marring) / rubber composition (black, medium hard, impact cushioning, odourless, low-wear).
- Cast iron housing with integrated handle protection sleeve and excellent break resistance.
- High-quality, vibration-damping, and ergonomically shaped wooden handle; grip area with double coat of varnish (resistant to dirt).
- · All parts can be replaced / retrofitted, resulting in great savings in cost and resources.
- Available in sizes ranging from D30mm to D80mm, in size D60mm and D80 mm with rubber insert and "stand-up".
- D80mm available with an extra short handle (Art. 3023.082)

Application Areas

Gardening and landscaping, paving, masonry and stairs setting, natural stone setting

Material

insert 1

- · TPE-mid, grey
- Non-marring
- Medium hard

insert 2

- Rubber composition, black
- · Medium hard
- · Impact cushioning
- Odorless
- Low-wear

Housing

Cast iron

Handle

Erwin Halder KG

Wood

Order information

	Dimensions		I	GTIN	proficl@ss	ecl@ss 10.1	Art. No.
Ø	 <u>-</u> <u>-</u> <u>-</u> <u>-</u> ‡	\dashv	_		5.0		
	[mm]		[g]				
40	115	325	630	4030618304531	AAA905c002	21-04-09-16	3023.040



www.halder.com Page 1 of 2

Published on: 23.12.2022

Compliance

RoHS compliant

Compliant according to Directive 2011/65/EU and Directive 2015/863

Does not contain SVHC substances

No SVHC substances with more than 0.1% w/w contained - SVHC list [REACH] as of 10.06.2022

Does not contain Proposition 65 substances

No Proposition 65 substances included https://www.P65Warnings.ca.gov/

Free from Conflict Minerals

This product does not contain any substances designated as "conflict minerals" such as tantalum, tin, gold or tungsten from the Democratic Republic of Congo or adjacent countries.



www.halder.com Page 2 of 2

Published on: 23.12.2022

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Halder manufacturer:

Other Similar products are found below:

3001.030	3002.081	3002.082	3003.030	3006.030	3009.040	3009.050	3012.040	3012.050	3013.040	3013.050	3017.040	3022.260
3023.040	3023.050	3023.060	3023.080	3027.050	3027.080	3027.082	3028.060	3107.050	3117.051	3202.060	3202.260	3202.280
3206.060	3208.030	3208.080	3244.060	3244.080	3366.020	3366.030	3366.040	3366.225	3377.050	3380.040	3380.140	3566.081
3666.005	3666.008	3701.030	3908.030	3968.030								