SIMPLEX soft-face mallets • Rubber composition / nylon; with cast iron housing and high-quality wooden handle

3028.080





Product Description

Available with the insert combination of rubber composition / nylon, the SIMPLEX series 3028 covers an extensive range of applications and is therefore widely used in the metal working industry.

Ultra low-wear, impact cushioning and odourless, the medium hard rubber insert (series 3202) offers a much longer service life than a conventional rubber hammer.

The nylon insert (series 3208) offers outstanding impact qualities and is guaranteed to combine maximum strength with unique durability. It is composed of extruded and extremely homogeneous material. Compared to injection moulded plastic inserts, it is therefore considerably more wear-resistant and durable and will never chip even in sub-zero temperatures. Moreover, it is also oil and grease resistant.

Made of cast iron, the housing comes with an integrated handle protection sleeve that provides for a high level of break resistance.

Damping vibrations and shaped ergonomically, the high-quality wooden handle has a double coat of varnish in the grip area and is thus resistant to dirt.

In line with the smart SIMPLEX principle, all components are replaceable and can be retrofitted. This translates to savings in both money and resources.

This version is available in sizes ranging from D30mm to D80mm, as a sledge hammer

(3028.081), and in size D60mm and D80mm also with rubber insert and "stand-up". The D80mm version is also available with an extra short handle (Art. 3028.282).

Product features:

- SIMPLEX soft-face mallet with the insert combination of rubber composition (black, medium hard, impact cushioning, odourless, low-wear) / nylon (white, hard, very wear-resistant, no chipping even in sub-zero temperatures, oil and grease resistant).
- Cast iron housing with integrated handle protection sleeve and excellent break resistance.
 High-quality, vibration-damping, and ergonomically shaped wooden handle; grip area with double coat of varnish (resistant to dirt).
- All parts can be replaced / retrofitted, resulting in great savings in cost and resources.
- Available in sizes ranging from D30mm to D80mm, as a sledge hammer, in size D60mm and D80mm with rubber insert and "stand-up".
- D80mm available with an extra short handle (Art. 3028.082).
- Halder top seller.

Application Areas

Assembly of sharp-edged workpieces, housing assembly, plant construction, hall construction, steel construction, exhibition stand construction, repair and maintenance work

Material

insert 1

- · Rubber composition, black
- Medium hard
- · Impact cushioning
- Odorless
- Low-wear

insert 2

- · Nylon, white
- hard
- Very wear-resistant
- no chipping (even at tempeatures below
- zero)
- Oil and grease resistant
- Housing
- Cast iron

Handle

Wood

Order information

	Dimensions		I	GTIN	proficl@ss	ecl@ss 10.1	Art. No.
Ø	i ‡	<u> </u>	-		5.0		
	[mm]		[9]				
80	175	490	2890	4030618300779	AAA905c002	21-04-09-16	3028.080

Compliance

RoHS compliant

Compliant according to Directive 2011/65/EU and Directive 2015/863

Does not contain SVHC substances

No SVHC substances with more than 0.1% w/w contained - SVHC list [REACH] as of 10.06.2022

Does not contain Proposition 65 substances

No Proposition 65 substances included https://www.P65Warnings.ca.gov/

Free from Conflict Minerals

This product does not contain any substances designated as "conflict minerals" such as tantalum, tin, gold or tungsten from the Democratic Republic of Congo or adjacent countries.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Halder manufacturer:

Other Similar products are found below :

3001.030	3001.040	3002.030	3002.050	3002.080	3002.081	3002.082	3003.030	3003.050	3006.030	3006.040	3009.030	3009.040
3009.050	3012.040	3012.050	3013.030	3013.040	3013.050	3017.040	3022.260	3023.040	3023.050	3023.060	3023.080	3027.050
3027.060	3027.080	3027.082	3028.060	3028.080	3107.050	3113.030	3117.051	3202.040	3202.050	3202.060	3202.080	3202.260
3202.280	3206.060	3207.040	3208.030	3208.080	3209.040	3244.060	3244.080	3366.020	3366.030	3366.040		