

Quality Products. Service Excellence.

Type 4X Stainless Steel Junction Box 1414 N4 SS Series

Lift-Off Cover with Clamps











CE



Application

- Designed for use as instrument enclosures, electric, hydraulic or pneumatic control housings, electrical junction boxes or terminal wiring enclosures.
- Provides protection where equipment may be hosed down or otherwise be very wet, or in specific applications where corrosion may be a problem.

Standards

- UL 508A Type 3R, 4, 4X, 12 and 13.
- CSA Type 3R, 4, 4X, 12 and 13.
- Complies with
 - NEMA Type 3R, 4, 4X, 12 and 13
 - IEC 60529, IP66

Construction

- Formed from 14 gauge 304 stainless steel.
- Smooth, continuously welded seams.
- · Welded brackets provide for enclosure mounting.
- Lift-Off cover is secured with stainless steel clamps and screws.
- Seamless poured-in place gasket.
- All models larger than 4" x 4" include a removable 14 gauge inner panel.
- Tapped studs are provided for mounting inner panels.
- A bonding stud is provided on the door and a grounding stud is provided in the enclosure

Finish

- Cover and enclosure are natural stainless steel with a smooth brushed finish.
- · Removable inner panel is finished in white powder coating.

Accessories

- Additional Inner Panels
- Terminal Kit Assemblies
- Climate Control

- Swing Panel Kit
- Door Clamping Hardware
- General Accessories

Part No.	Enclosure			Panel	
	н	W	D	н	W
1414N4SSA	4.00	4.00	3.00	-	-
1414N4SSC4	6.00	4.00	4.00	4.88	2.88
1414N4SSG	8.00	6.00	3.50	6.75	4.88
1414N4SSE	6.00	6.00	4.00	4.88	4.88
1414N4SSI	10.00	8.00	4.00	8.75	6.88
1414N4SSK	12.00	10.00	5.00	10.75	8.88
1414N4SSM6	14.00	12.00	6.00	12.75	10.88
1414N4SSO6	16.00	14.00	6.00	14.75	12.88

Data subject to change without notice

© 2022. Hammond Manufacturing Ltd. All rights reserved.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Electrical Enclosures category:

Click to view products by Hammond manufacturer:

Other Similar products are found below :

 120-401
 120-905
 120-909
 120-403
 130-004
 MR-25L+
 30-8739
 PIP-11774SCREW
 30-9715
 30-9777-BU
 105-905
 110-901
 A16N12BLP

 110-406
 110-401
 110-403
 110-404
 120-405
 34861601
 106-009
 106-505
 111-005
 127-909
 106-502
 130-503
 127-401
 127-455
 9511150

 9820011
 137-455
 130-001
 105-904
 120-404
 137-005
 130-505
 127-406
 AB 1,5.0
 AB2.0
 ABM.0
 73345601
 F-MP
 M-MP
 PAT 12040

 9121230
 79541301
 19001001
 19001101
 TM 1224
 79503401
 79506401