• Built to meet the rugged requirements of industrial and commercial use.

• Available with on/off switch or red pilot light to indicate power on.

• Heavy-duty power cord – 12/3 SJT for extreme temperature ranges.

• CSA certified, Standards C22.2 (No. 21-95 and No. 42-99).

• Includes 20A, 125VAC circuit breaker to prevent accidental line overload.

UL/cUL Listed Standard UL1363 file No. E166039 & CSA C22.2 No. 308-14

• All metal housing - tough extruded aluminum case with black powder-coated steel cover.

• Mounting feet (with keyhole slots) allow temporary work station mounting if desired.

Heavy-duty black receptacles rated for 20A, 125VAC service (NEMA 5-20R, Single T-

• Integral molded plug with straight blade (NEMA 5-20P) or locking (NEMA L5-20P)



Quality Products. Service Excellence.

## Heavy Duty Outlet Strip 1589 Series

**Features** 

**Specifications** 

Slot).


**Accessories** 

configuration.

Rack Cabinet Vertical Mount Adaptor

20A | 125V | 5-15/5-20R Outlets

# 











	Illuminated								
On/Off Switch	Light Only	Ove	rall Dimens	sions	Outlet	Outlet	Cord	Plug	Plug
Part No.	Part No.	Height	Width	Length	Qty	<b>NEMA</b> Туре	Length (ft)	Туре	<b>NEMA</b> Туре
1589H4C1	1589T4C1	2.33	2.13	10.18	4	5-20R	6	Locking	L5-20P
1589H4D1	1589T4D1	2.33	2.13	10.18	4	5-20R	15	Locking	L5-20P
1589H4F1	1589T4F1	2.33	2.13	10.18	4	5-20R	6	Straight	5-20P
1589H4G1	1589T4G1	2.33	2.13	10.18	4	5-20R	15	Straight	5-20P
1589H6C1	1589T6C1	2.33	2.13	13.36	6	5-20R	6	Locking	L5-20P
1589H6D1	1589T6D1	2.33	2.13	13.36	6	5-20R	15	Locking	L5-20P
1589H6F1	1589T6F1	2.33	2.13	13.36	6	5-20R	6	Straight	5-20P
1589H6G1	1589T6G1	2.33	2.13	13.36	6	5-20R	15	Straight	5-20P
1589H8C1	1589T8C1	2.33	2.13	16.51	8	5-20R	6	Locking	L5-20P
1589H8D1	1589T8D1	2.33	2.13	16.51	8	5-20R	15	Locking	L5-20P

2/6/2021

Heavy Duty Outlet Strip (1589 Series) - Hammond Mfg.

	Illuminated								
On/Off Switch	Light Only	Ove	rall Dimens	sions	Outlet	Outlet	Cord	Plug	Plug
Part No.	Part No.	Height	Width	Length	Qty	NEMA Type	Length (ft)	Туре	NEMA Type
1589H8F1	1589T8F1	2.33	2.13	16.51	8	5-20R	6	Straight	5-20P
1589H8G1	1589T8G1	2.33	2.13	16.51	8	5-20R	15	Straight	5-20P

### **Replacement Mounting Foot (One Foot)**

Part No.	1584MF

Data subject to change without notice

© 2021. Hammond Manufacturing Ltd. All rights reserved.

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Hammond manufacturer:

Other Similar products are found below :

 001151
 001150-10
 PCJ1084CCNLF
 PCJ12106NLF
 PCJ864CC
 PCJ864CCHF
 PCJ864LF
 60TYHW
 CS1084
 CSK0884

 CSP4936LG1
 CSP5636BK1
 CSP8531LG1
 CST374
 CST6604
 M268-5
 CWST1096NK
 CWTL2
 712
 718
 728
 ESP2416
 ESP4236

 ESP4824
 72WFWG
 72ZWFWG
 72ZWHW
 732A
 733A
 735
 FAN10A220
 MHK3SS
 FRCMCH128
 FT900TA1220BK
 PF32000T12BK24

 PF6500AT12LG
 PHW241210
 PHW30208
 PHW483616
 90BWHW
 90YFWG
 90YWFW
 PJ1086RHW
 PJ14126RLW

 PJ14126RTW
 PJ16148RLW
 PJ18168RW
 PJ18168RW
 PJ18168RW