







## Heavy Duty (Thick Wall)





- Rugged electronic instrument enclosures, ideally suited for mounting printed circuit boards.
- Heavy duty, thick wall design with an average wall thickness of .13" (3.3 mm).
- Standard versions from flame retardant ABS plastic (carries a UL flammability rating of 94V-0).
- On standard versions, countersunk lid is secured with four M3 x 0.5 0.71" (18 mm) long, Philips machine screws threaded into integral brass bushings. Perfect for applications with repetitive assembly and disassembly are required.
- Economy version is molded in general purpose ABS plastic.
- Economy version utilizes self tapping screws into plastic posts (no brass inserts).
- Designed to meet IP54 (see gasket kit accessory below to meet IP66).
- Stocked in black and grey with matte textured finish.
- For water-tight versions, try "1594W" on page 42
- For EMI/ RFI shielded versions, try "1594RFI" on page 46 or "1594R" on page 53



## Accessories



Machine Screws (100-pack)

1594MS100



Self Tapping Screws for Economy Versions (100-pack)

1594TS100



Water-Tight Screws with O-Rings (100-pack)

1594WMS100





(716) 630-7030








## Heavy Duty (Thick Wall)



Standard version features machine screws into brass busings.

Lid shown with gasket accessory kit





(716) 630-7030

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Screws & Fasteners category:

Click to view products by Hammond manufacturer:

Other Similar products are found below:

5721-1440-1/4-SS 593503FX 0098.0094 0098.9206 0098.9219 0098.9262 596-2114-013 59781-6 0098.0026 0098.9210 0098.9212 60227-01 60227-04 60227-08 60687-01 LOCK WASHER Black 62153-03 62153-11 M316-KSSTMCZ100 M3440-SS M3442-SS M3448-SS 6292-1 6-306105-9 6-306131-4 690432-1 699161-000 7230-3 7244 7248-1 7248-2 745564-1 F1209 751-00001 7680 809704-1 8700 8860220 9047 9521 992326-6 992763-3 1-18024-0 1-18028-2 A168P1 A495P1 1-24921-1 125416-1 1260 13-0036 1301810148