



Quality Products. Service Excellence.

## Swing-Out Sectional Wall Mount Rack Cabinet *HWC Series*

Heavy Duty UL Rated 350 lbs|158 kg Weight Capacity

### Features



- Available in three (3) heights, two (2) widths and two (2) depths.
- Optional locking doors are constructed in 16-gauge steel. The doors install in minutes and are available in vented, tinted window and solid.
- The main body is constructed in 16-gauge welded steel and includes four (4) vents for **optional fans** on the sides of the cabinet.
- Main body can be installed to swing from left-to-right or right-to-left.
- Includes one (1) pair of adjustable depth 10-32 tapped EIA compliant mounting rack rails.
  - Thirty (30) inch wide mounting rails include cutouts for optional 1U 19" accessories, such as cable management or power bars.
  - 10-32 tapped rails are easy to remove on-site and replace with square hole rails (sold separately) if needed.
- Includes starter pack of **SCREW1032-50** screws.

### Rear Section Features

- Heavy duty rear bracket is constructed in 14-gauge welded steel and features a spring-hinge pin for easy installation and removal.
- 2.50" and 2.00" conduit knockouts are located on the side.
- 3.00", 2.00", 1.38" and 1.12" conduit knockouts are located on the top and bottom.
- Fan knockouts/cable access located on the top and bottom.
- Numerous cable management mounting points included.
- Heavy duty keyhole for wall mounting.
- Large openings in rear for cable access.
- Dedicated bonding and grounding points that also provide drill-less mounting of electrical utility boxes. **Ground Cable Kit** sold separately.

### Specifications

- UL Listed 2416 load rated for up to 350 lbs (158 kg). Static Load tested to 1,400 lbs (635 kg).
- Rugged sand-textured black powder paint which reduces fingerprints and marks.
- Meets PCI DSS (Payment Card Industry Data Security Standard) compliance requirements, when door installed.
- TAA compliant for GSA Schedule purchases.
- RoHS Compliant.
- Manufactured in North America.



Upgrade the cabinet to be dust-resistant with the **HWCF** Cabinet Sealing and Filter Kit.



If you require UL and CSA Rated Type 12 or Type 4, consider the **EN4DH Series**.

### Gallery



### Accessories

- Cable Management
- Two Post Sliding Rack Shelf
- Fan Kits
- Grounding & Bonding
- Outlet Strips
- Universal Rack Shelf
- Rack Unit Label
- Wall Rack Cabinet Sealing and Filter Kit
- Rack Screws with Pilot Point



### 24" Wide (Door not included)

| Part No.     | Overall Dimensions |        |       | Rack<br>Units | Mounting (Usable) Dimensions |        |       |       |
|--------------|--------------------|--------|-------|---------------|------------------------------|--------|-------|-------|
|              | No Door            | Height | Width |               | Depth                        | Height | Width | Depth |
| HWC2412U27BK |                    | 27.81  | 24.68 | 26.78         | 12U                          | 21.00  | 19.00 | 24.50 |
| HWC2412U35BK |                    | 27.81  | 24.68 | 34.78         | 12U                          | 21.00  | 19.00 | 32.50 |
| HWC2418U27BK |                    | 38.31  | 24.68 | 26.78         | 18U                          | 31.50  | 19.00 | 24.50 |
| HWC2418U35BK |                    | 38.31  | 24.68 | 34.78         | 18U                          | 31.50  | 19.00 | 32.50 |
| HWC2427U27BK |                    | 54.06  | 24.68 | 26.78         | 27U                          | 47.25  | 19.00 | 24.50 |
| HWC2427U35BK |                    | 54.06  | 24.68 | 34.78         | 27U                          | 47.25  | 19.00 | 32.50 |

### 30" Wide (Door not included)

| Part No.     | Overall Dimensions |        |       | Rack<br>Units | Mounting (Usable) Dimensions |        |       |       |
|--------------|--------------------|--------|-------|---------------|------------------------------|--------|-------|-------|
|              | No Door            | Height | Width |               | Depth                        | Height | Width | Depth |
| HWC3012U27BK |                    | 27.81  | 30.68 | 26.78         | 12U + 2U                     | 21.00  | 19.00 | 24.50 |
| HWC3012U35BK |                    | 27.81  | 30.68 | 34.78         | 12U + 2U                     | 21.00  | 19.00 | 32.50 |
| HWC3018U27BK |                    | 38.31  | 30.68 | 26.78         | 18U + 2U                     | 31.50  | 19.00 | 24.50 |
| HWC3018U35BK |                    | 38.31  | 30.68 | 34.78         | 18U + 2U                     | 31.50  | 19.00 | 32.50 |
| HWC3027U27BK |                    | 54.06  | 30.68 | 26.78         | 27U + 4U                     | 47.25  | 19.00 | 24.50 |
| HWC3027U35BK |                    | 54.06  | 30.68 | 34.78         | 27U + 4U                     | 47.25  | 19.00 | 32.50 |

**Optional Doors**

| Compatible with Cabinet |       |              |              |               |
|-------------------------|-------|--------------|--------------|---------------|
| Height                  | Width | Solid        | 64% Vented   | Tinted Window |
| 12U                     | 24    | HWCSD2412UBK | HWCVD2412UBK | HWCWD2412UBK  |
| 18U                     | 24    | HWCSD2418UBK | HWCVD2418UBK | HWCWD2418UBK  |
| 27U                     | 24    | HWCSD2427UBK | HWCVD2427UBK | HWCWD2427UBK  |
| 12U                     | 30    | HWCSD3012UBK | HWCVD3012UBK | HWCWD3012UBK  |
| 18U                     | 30    | HWCSD3018UBK | HWCVD3018UBK | HWCWD3018UBK  |
| 27U                     | 30    | HWCSD3027UBK | HWCVD3027UBK | HWCWD3027UBK  |

**Optional Additional Mounting Rails**

| Compatible with Cabinet |       |              |             |  |
|-------------------------|-------|--------------|-------------|--|
| Height                  | Width | Tapped 10-32 | Square Hole |  |
| 12U                     | 24    | URR12U       | -           |  |
| 18U                     | 24    | URR18U       | -           |  |
| 27U                     | 24    | URR27U       | -           |  |
| 12U                     | 30    | HWC3012UTR   | HWC3012USR  |  |
| 18U                     | 30    | HWC3018UTR   | HWC3018USR  |  |
| 27U                     | 30    | HWC3027UTR   | HWC3027USR  |  |

Tags: **Sectional Wall Mount Rack, Pivoting Rack, Data Wall Cabinet, Dual Hinge, Hinged Swing Gate** *Data subject to change without notice*

© 2020. Hammond Manufacturing Ltd. All rights reserved.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [hammond](#) manufacturer:*

Other Similar products are found below :

[PCJ1084CCNLF](#) [PCJ14126CCH](#) [PCJ864CC](#) [PCJ864CCHF](#) [PCJ864CCLF](#) [PCJ864LF](#) [PCJR0705](#) [60TYHW](#) [CS1084](#) [CSKO16166](#)  
[CSKO884](#) [CSP4936LG1](#) [CSP5623LG1](#) [CSP8531LG1](#) [CST374](#) [M268-5](#) [CT800A](#) [710A](#) [712](#) [718](#) [728](#) [ESP2416](#) [ESP4824](#) [72WFWG](#)  
[72ZWFWG](#) [72ZWHW](#) [732A](#) [735](#) [FAN10A220](#) [FRCMCH128](#) [FT900TA1220BK](#) [PF6500AT12LG](#) [PHW241210](#) [PHW30208](#) [90BWHW](#)  
[90YFWG](#) [90YWFW](#) [PJ1084P9](#) [PJ1086RHW](#) [PJ14126L](#) [PJ14126RTW](#) [PJ16148TW](#) [PJ18168RLW](#) [PJ18168RW](#) [PJ242410RTW](#)  
[PJ302410RTW](#) [PJ664H](#) [PJ664HP4](#) [PJ664LW](#) [PJ664RTW](#)