



Quality Products. Service Excellence.

Economy Server Cabinet *RB-DC Series*

2,300 lbs|1,043 kg Weight Capacity



RACK BASICS®



Features

- Available in 24U, 42U, and 48U mounting heights.
- Available in 42.74" overall depth.
- Surface mounted doors allow for full mounting depth utilization and include a locking swing-handle.
- Included PDU cable trays for cable management and industry-standard vertical PDU installation.
- Top panel is easily removable for cable installation. The generous cable access panels make it easy to install top panel without affecting installed cabling.
- Ships with doors and rails fully assembled and ready for installation on-site. Side panels come packaged inside cabinet for on-site installation.
- Built in joining kit speeds up buying of multiple RB-DC cabinets within a row.

Specifications

- Constructed in 16-gauge steel.
- Square hole mounting rails are constructed in 13-gauge steel, include rack unit indicators and are powder coat finished.
 - Rails easily adjust in depth in 1/4" increments.
- Tested to 2,300 lbs (1,043 kg) of equipment load. Rated for up to 660 lbs (299 kg) rolling caster load rating.
- Grounding studs bonded to frame, side panels and doors.
- Finished in textured black powder paint.
- Meets PCI DSS (Payment Card Industry Data Security Standard) compliance requirements.
- RoHS Compliant.

Included Components


- Steel frame with factory-installed leveling feet, recessed casters and grounding studs.
- Two (2) pairs of adjustable depth EIA compliant square hole punched mounting rails.
 - Starter pack of (50) M6 screws, cage nuts and washers included.
- One (1) perforated front door (63% open area vented) with locking swing-handle.
- One (1) perforated split/barn rear door (63% open area vented) with locking swing-handle.
- Two (2) pairs of solid split, locking and removable side panels.
- One (1) removable vented top panel with hinged cable.
- Two (2) PDU cable trays mounted in rear.

Part of the Rack Basics® line of economy rack solutions.



Need a Solid Top Panel? The RB-DCST42 42 inch deep solid top is now available.

Gallery



Accessories

- Rack Panels
- Horizontal Finger Cable Manager
- Horizontal Lacing Strip
- Universal Rack Shelf
- Sliding Keyboard Shelf
- Cabinet Handles with Combination Lock
- Fan Panel Assembly
- Mounting Hardware
- Horizontal Ring Cable Manager
- Horizontal Hinged Cable Manager
- Adjustable Depth Shelf
- Four Post Mounting Sliding Shelf
- Rack Mount Locking Storage Drawer
- Rack Mount Fan Tray
- Grounding Kits
- Outlet Strips

Part No.	Overall Dimensions			Rack Units	Mounting Dimensions		
	Height	Width	Depth		Height	Width	Usable Depth
RB-DC2442	47.14	23.62	42.74	24U	42.00	19.00	37.00
RB-DC4242	78.64	23.62	42.74	42U	73.50	19.00	37.00
RB-DC4842	89.14	23.62	42.74	48U	84.00	19.00	37.00

Overall height includes leveling feet and casters. Design and information subject to slight changes without notice.

Tags: **Server Rack Enclosure Cabinet, Rack Enclosure, Network Shelter, Net Shelter**

Data subject to change without notice

© 2020. Hammond Manufacturing Ltd. All rights reserved.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Racks & Rack Cabinets](#) category:

Click to view products by [Hammond](#) manufacturer:

Other Similar products are found below :

[1440-0131-78](#) [1440-0132-78](#) [1440-0133-36](#) [AX103928](#) [5231308-07](#) [C2FSKKBK1](#) [UPS 525-17-9 PLAIN](#) [UPS 350-17-12 PLAIN](#) [UNC-3-7-5-PLAIN](#) [UNC-23/4-6-6-PLAIN](#) [SN8VCMW](#) [R4PCNWH](#) [R4P36WH](#) [NAKIT2.0G5-B](#) [SR14UBDP](#) [SR42UBDP48](#) [SR48UBDP48](#) [1440-0131-84](#) [UPS350 12-14 SEMI-GLOSS BLK](#) [UPH 350-12-14-BT](#) [UPR 525-17-14 BLU/WHT](#) [1419976](#) [RM1908BKVP](#) [RM2U19BKFP](#) [1564A2BK1](#) [895-39949](#) [5231304-07](#) [18P3317](#) [18P4545](#) [HCT302411H](#) [HCT362011H](#) [HCT363011H](#) [HCT363611H](#) [HCT482411H](#) [HCT483011H](#) [HCT483611H](#) [HCT484814H](#) [1UHD722918N4SS](#) [RM3U19BKFP](#) [RM2U1918SBK](#) [2CLD83643](#) [2CLD84843](#) [2CLT204843](#) [RB-2PA1945NF](#) [RB-2PA1945BK](#) [RB-2PA2345NF](#) [RM4U1922SBK](#) [RM4U1918SBK](#) [SDC246U31BK](#) [SDC246U24BK](#)