

Quality Products. Service Excellence.

Rack-Mounted Instrument Enclosure RMC Series

19" Rack-Mount or Desktop Use









Features

- Uses all machine screw & PEM nut construction, perfect for applications where repetitive assembly and disassembly are required.
- Light weight design all aluminum, type 5052 H32 for easy modification. Example: the 19 rack mountable enclosure (RMCS190313BK1) shown in the left photo above weighs only 5 pounds (2.3 Kg).
- Strong design construction using:
 - o 0.125" (3.2 mm) thick side panels & rack mount brackets
 - 0.064" (1.6 mm) thick front & rear panels
 - 0.062" (1.6 mm) thick top and bottom panels
- Can be used with or without rack mounting "ears" or brackets (included).
- · Enclosure is finished in rugged, satin texture, black powder paint
- Includes top, bottom, side panels, front & rear panels, rubber self adhesive feet, rack mount brackets and all hardware
- Pull handle accessory kit available
- Easy access to inside, only 4 screws need to be removed from any of the 6 panels for internal access.
- Internal aluminum chassis panel is optional (see below).
- Knockdown design ships unassembled for easy handling and shipping protection.
- Note: Panels are not grounded to frame due to powder coat finish. Grounding method to be determined by user.
- RoHS Compliant.
- Manufactured in North America.

Replacement Hardware kit: RMCHDWKIT includes:

- #10-32 X 5/8" Pan head black, qty 8
- #6-32 X 3/8" Flat head black, qty 16
- 20.5 X 20.5 X 7.6 Rubber Bumpon, qty 4

Accessories

• Mounting Hardware

Rack Panels

Part No.	Part No.	Overa	ll Dimen	sions	Usable Mounting	Dimensions	Inside Height Clearance With Chassis	Optional Pull Handle Mounting Bracket
Solid Top/Bottom	Vented Top/Bottom	Height	Width	Depth	Rack Units	Height	Installed	Kit
RMCS9018BK1	RMCV9018BK1	1.73	8.50	8.00	1U	1.75	0.81	RMCHANDLE1U
RMCS19018BK1	RMCV19018BK1	1.73	17.00	8.00	1U	1.75	0.81	RMCHANDLE1U
RMCS190113BK1	RMCV190113BK1	1.73	17.00	13.00	1U	1.75	0.81	RMCHANDLE1U
RMCS9038BK1	RMCV9038BK1	3.48	8.50	8.00	2U	3.50	2.56	RMCHANDLE2U
RMCS19038BK1	RMCV19038BK1	3.48	17.00	8.00	2U	3.50	2.56	RMCHANDLE2U
RMCS190313BK1	RMCV190313BK1	3.48	17.00	13.00	2U	3.50	2.56	RMCHANDLE2U
RMCS9058BK1	RMCV9058BK1	5.23	8.50	8.00	3U	5.25	4.18	RMCHANDLE3U

Rack-Mounted Instrument Enclosure (RMC Series) - Hammond Mfg.

Part No.	Part No.	Overa	II Dimen	sions	Usable Mounting	Dimensions	Inside Height Clearance With Chassis	Optional Pull Handle Mounting Bracket
Solid Top/Bottom	Vented Top/Bottom	Height	Width	Depth	Rack Units	Height	Installed	Kit
RMCS190513BK1	RMCV190513BK1	5.23	17.00	13.00	3U	5.25	4.18	RMCHANDLE3U
RMCS190713BK1	RMCV190713BK1	6.98	17.00	13.00	4U	7.00	6.06	RMCHANDLE4U
RMCS190813BK1	RMCV190813BK1	8.73	17.00	13.00	5U	8.75	7.81	RMCHANDLE5U
RMCS191013BK1	RMCV191013BK1	10.48	17.00	13.00	6U	10.50	9.56	RMCHANDLE6U
RMCS191015BK1	RMCV191015BK1	10.48	17.00	15.00	6U	10.50	9.56	RMCHANDLE6U

Front & Rear Replacement Panels (Full 17" Width Only)

Part No.	Part No.	Part No.	Part No. Mounting		
Textured Black	Smooth Black	Beige	Height	Rack Units	
RMCP1	RMCP1BK	RMCP1CG	1.75	1U	
RMCP3	RMCP3BK	RMCP3CG	3.5	2U	
RMCP5	RMCP5BK	RMCP5CG	5.25	3U	
RMCP7	RMCP7BK	RMCP7CG	7	4U	
RMCP8	RMCP8BK	RMCP8CG	8.75	5U	
RMCP10	RMCP10BK	RMCP10CG	10.5	6U	

Internal Aluminum Chassis Panel

	Overall	Panel Dime	nsions	For use with Enclosure Dimensions		
Part No.	Height	Width	Depth	Width	Depth	
RMP908	0.50	8.22	6.00	8.50	8.00	
RMP1908	0.50	16.72	6.00	17.00	8.00	
RMP1913	0.50	16.72	11.00	17.00	13.00	
RMP1915	0.50	16.72	13.00	17.00	15.00	

Replacement Rack Mounting Flanges (Sold in

Pairs)

Part Number (Pair)	Enclosure Height
RMCFLANGE1U	1U
RMCFLANGE2U	2U
RMCFLANGE3U	3U
RMCFLANGE4U	4U
RMCFLANGE5U	5U
RMCFLANGE6U	6U

Data subject to change without notice

© 2022. Hammond Manufacturing Ltd. All rights reserved.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Racks & Rack Cabinets category:

Click to view products by Hammond manufacturer:

Other Similar products are found below :

1440-0132-78 1440-0133-36 5231308-07 UNC-23/4-6-6-PLAIN UPR 525-17-14 BLU/WHT RM2U19BKFP DN-WD19 12U/600 RM3U19BKFP RM2U1918SBK RM4U1922SBK RM4U1918SBK RM1U1922SBK RM4U1908VBK RM1UMTGFL DN-W19 06U/450 DN-W19 12U/450 G17083UBK P32180011 P32180012 P32180021 P32180022 P32180031 P32180032 P32180122 P32180132 G17081UG G17082UG G17083UG G17081UBK APBS194UBK C2F193531BK1 C2F197031LG1 C2RR194231LG1 C4RR247731DBK1 DNRR1963LDK DNRR1970LDK DNRR1977DCK HDME20610BK HWMR1920UBK HWMR1932UBK RB-2P77 RB-AV18 RB-AV27 RB-FW6 RB-WR2 RCHV1901717LG1 RM1U0804SBK RM1U0804VBK RM1U1908SBK RM1U1908VBK