HAMMOND MANUFACTURING®

*Quality Products. Service Excellence.*

15-150 W Heater *SHG Series*

Features

- Designed to provide enclosed electronic, pneumatic, hydraulic and mechanical equipmen with protection from low temperatures, condensation and corrosion.
- The PTC (Positive Temperature Coefficient) heater unit maintains a stable temperature environment within enclosures, allowing critical components to perform with consistent reliability for longer periods.
- Push connectors for quick and easy wiring
- Used in combination with Normally Closed Thermostat or Humidistat

Accessories

- Temperature Controls and Accessories

Part No.	Watts[1]	Max. Current[2]	L
SHG14000	15W	1.1A	2.60
SHG14001	30W	1.2A	2.60
SHG14003	45W	1.8A	2.60
SHG14005	60W	2.5A	5.50
SHG14006	75W	4.5A	5.50
SHG14007	100W	5.0A	5.50
SHG14008	150W	7.5A	8.70

[1] At 68oF (20oC) ambient temperature

[2] Inrush current

Operating Voltage:	AC 110- - 250 V
Heating Element:	PTC resistor, self regulating surface temperature

Heating Body:	Anodized extruded aluminum
Connection:	Push-type terminals for stranded and solid wire 3 x AWG 20 AWG 16 (0.5 - 1.5 mm2
Mounting:	Easily installed by clip mounting on 35 mm DIN rails (included)
Protection Class:	I, test voltage 1600 V
Protection:	IP20
Approval:	UL Recognized Component, cUL Recognized Component, CE

Data subject to change without notice

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Racks & Rack Cabinet Accessories *category:*

Click to view products by Hammond *manufacturer:*

Other Similar products are found below :

M00-PLN F2424 8351-832-A-24 9104 9105 PLFF2000 H-9163-B 1427C3 HTS10 PC-79 SC10-3A SC4-28 CG3-340S/12 CP-001BK M6123-4007-SS TS170 LP40 5261304-07 CG3-160G 7112C-PLN ALUM CM10 8610-3124-S-26 TS81 7142 GP134 M6125-4007-A-24 M6127-4007-SS PBCOVER 512 AEG-4000G AEG-3000G HD99 SR2-66A2 FP10B4HP-1 FP52-2 1406-1006-01 29478 TS2535 TS169-6 CAC2 HA19-3U BR-19-10-1 TS180 CG3-ESD SC11-1 CFS-1.00/2.20 AX6145WM HEC0800PB ZC633R 140PLN