

Specification

MATERIAL:

Insulator: High Temperature Thermoplastic, UL 94V-0 LCP
 Contact: Copper Alloy T-0.15
 SHELL: SIS T-0.15

PLATING:

Contact: Plated 50u" Ni Overall
 Plated Au Selective Contact Area
 Plated 30u" - 70u" Sn Over Ni On Solder Area
 Shell: (1) Plated 30u" Ni Overall min,
 Plated 0.5u" Au Selective Contact Area
 Shell: (2) Plated 30u" Ni Overall min,
 Plated 30u" Ni Selective Contact Area



Electrical:

Current Rating : 0.5mA AC/DC max.
 Voltage Rating : 125V AC/DC
 Ambient Temperature Range : -25°C +85°C
 Storage Temperature Range : -25°C +85°C
 Ambient Humidity Range : 95% R.H. Max.
 Contact Resistance: 100m max. Ω
 Insulation Resistance: 1000W min./500V Ω
 Mating Cycles: 5,000 Insertions
 Working Temperature: 260°C
 Storage Temperature: -55°C

PART NUMBER:

0011XAXX09A

- A: 外壳表面无压片
- B: 外壳表面有压片
- C: 外壳表面有压片, 偏长0.8
- D: 外壳表面有压片, 偏长1.0
- E: 外壳表面有压片, 长外偏2.10 mm
- F: 外壳表面无压片, 无柱
- G: 卡脚部有飞毛功能, 车轴专用
- H: 外壳表面有压片, 带 LCM 字样



台湾汉博电子科技有限公司
 Taiwan Han Bo Electronic Technology Co., Ltd.

DIMENSIONS UNIT: mm
 UNLESS OTHERWISE SPECIFIED
 DIMENSION TOLERANCE
 X.X: ± 0.38
 X.XX: ± 0.25
 X.XXX: ± 0.10
 ANGLE: ± 1°

PRODUCT NAME: T-FLASH 卡座(PUSH/PUSH)
 PRODUCT NO.: **TF-015**
 DRAWING NO.:
 SCALE: 1:1

DATE:	DATE:	DATE:	DATE:
APPROVED:	APPROVED:	APPROVED:	APPROVED:
DWG. NO.:	DWG. NO.:	DWG. NO.:	DWG. NO.:
SCALE: 1:1	SCALE: 1:1	SCALE: 1:1	SCALE: 1:1
DWG. DR.:	DWG. DR.:	DWG. DR.:	DWG. DR.:
RET.:	RET.:	RET.:	RET.:
DATE:	DATE:	DATE:	DATE:
PRICE:	PRICE:	PRICE:	PRICE:
1 of 2	1 of 2	1 of 2	1 of 2

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Standard Card Edge Connectors](#) category:

Click to view products by [Hanbo Electronic](#) manufacturer:

Other Similar products are found below :

[6565204-6](#) [PKC-156](#) [1437274-4](#) [147889-1](#) [1489165-4](#) [EBT156-12B1X](#) [EBT15622B2X](#) [EBT156-22R2W](#) [1-582587-1](#) [1-582589-1](#) [2-6437275-9](#) [284-0102-12100](#) [306022901000000](#) [307-012-502-202](#) [307-024-526-201](#) [307-056-520-300](#) [307-080-526-208](#) [1926088-2](#) [245-062-520-350](#) [287-0032-12101](#) [306-010-500-112](#) [306-028-525-102](#) [306-240-318](#) [307-036-502-202](#) [307-036-521-301](#) [307-072-526-202](#) [345-060-559-303](#) [368-004-520-201](#) [392-008-559-201](#) [534671-1](#) [5-530501-5](#) [341-240-317](#) [345-029-520-300](#) [345-030-500-301](#) [345-044-500-300](#) [345-220-058](#) [346-240-318](#) [387-012-523-300](#) [395-044-520-300](#) [395-100-524-300](#) [50-12B-10](#) [50-6SN-5](#) [09-07-2032](#) [10035388-106LF](#) [10035388-802LF](#) [10115859-011LF](#) [10122859-009LF](#) [101269333204245CLF](#) [10127905-B04B24BLF](#) [530555-1](#)