



| 孔位 | A    | B    |
|----|------|------|
| 2  | 7.5  | 2.5  |
| 3  | 10.0 | 5.0  |
| 4  | 12.5 | 7.5  |
| 5  | 15.0 | 10.0 |
| 6  | 17.5 | 12.5 |
| 7  | 20.0 | 15.0 |
| 8  | 22.5 | 17.5 |
| 9  | 25.0 | 20.0 |
| 10 | 27.5 | 22.5 |
| 11 | 30.0 | 25.0 |
| 12 | 32.5 | 27.5 |
| 13 | 35.0 | 30.0 |
| 14 | 37.5 | 32.5 |
| 15 | 40.0 | 35.0 |
| 16 | 42.5 | 37.5 |

| 范围 | >0-3  | >3-18 | >18-50 | >50-100 |
|----|-------|-------|--------|---------|
| 公差 | ±0.15 | ±0.2  | ±0.3   | ±0.5    |

| 2508WV-XXP | PA66 UL94V-0 | 2508H            | 2508T             |
|------------|--------------|------------------|-------------------|
| PART NO    | Material     | Suitable Housing | Suitable Terminal |

- 使用温度范围 (Ambient temperature Range) : -25°~+85°
- 适用线规 (Applicable Wires) : AWG 28#~22#
- 适用基板厚度 (Applicable PCboard thickness) : 0.8mm~1.6mm
- 额定电压 (Voltage rating) : 250V AC,DC
- 额定电流 (Current rating) : 3A
- 额定电阻 (Contact Resistance) : <0.01Ω
- 绝缘电阻 (Insulation Resistance) : >1000MΩ
- 耐压 (Withstand Voltage) : 800V/min
- 材料 (Material)
  - 1 基座: PA66 94V-0
  - 2 插针: 黄铜

| DESIGNED |  | CHECKED |  | APPROVAL |  | DRAWING NUMBER |  | DATE         |  | REV.                                  |  | SCALE   |  |
|----------|--|---------|--|----------|--|----------------|--|--------------|--|---------------------------------------|--|---|--|
| Mikey    |  | Tom     |  | Jerry    |  | PART NAME      |  | 2508WV-XXP   |  | UNLESS OTHERWISE SPECIFIED, TOLERANCE |  | X.     ±0.25<br>X.x   ±0.20<br>X.xx  ±0.15<br>ANGULAR ±3° |  |
|          |  |         |  |          |  | MODEL NAME     |  | H-2508WV-XXP |  | HanElectricity Co., LTD.              |  | FILE NO.  |  |
|          |  |         |  |          |  | 3RD ANGLE PROJ |  |              |  |                                       |  |   |  |

瀚源

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [HanElectricity](#) manufacturer:*

Other Similar products are found below :

[0015917161](#) [0022155065](#) [57102-F02-18ULF](#) [58102-G61-06LF](#) [582553-1](#) [01.001.5753.1](#) [0050291907](#) [02.125.8002.8](#) [609-3404](#) [61062-3](#)  
[CSU011177004](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [65495-038](#) [65692-001LF](#) [65781-018](#)  
[65781-047](#) [65817-010LF](#) [65817-015LF](#) [67095-007LF](#) [67601157](#) [68631-112](#) [68645-018](#) [699319-000](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-](#)  
[4853B](#) [71.350.2428.0](#) [733-134](#) [733-162](#) [760-3052](#) [MHR-64-VUAL](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [801-43-002-10-013000](#)  
[801-43-006-10-002000](#) [803-43-024-10-001000](#) [803-93-012-10-001000](#) [8-1437020-4](#) [819-22-004-30-001101](#) [820-22-006-30-001101](#)  
[820-22-008-30-001101](#) [821-22-002-10-001101](#)