

SKV 13,5 KABELVERSCHRAUBUNG



| Part number | 09 00 000 5102 |
|--------------------|-------------------------------------|
| Specification | SKV 13,5 KABELVERSCHRAUBUNG |
| HARTING eCatalogue | https://b2b.harting.com/09000005102 |

Image is for illustration purposes only. Please refer to product description.

| Identification | |
|------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| Category | Accessories |
| Type of accessory | Cable gland |
| | |
| Technical characteristics | |
| Wrench size | 28 |
| Size | Pg 13.5 |
| Width across corners | 31.5 mm |
| | |
| Material properties | |
| Material (cable glands) | Metal |
| Colour (coccoccion) | |
| Colour (accessories) | Grey |
| RoHS | Grey compliant with exemption |
| | • |
| RoHS | compliant with exemption |
| RoHS RoHS exemptions | compliant with exemption 6(c): Copper alloy containing up to 4 % lead by weight |
| RoHS RoHS exemptions ELV status | compliant with exemption 6(c): Copper alloy containing up to 4 % lead by weight compliant with exemption |
| RoHS RoHS exemptions ELV status China RoHS | compliant with exemption6(c): Copper alloy containing up to 4 % lead by weightcompliant with exemption50 |
| RoHS RoHS exemptions ELV status China RoHS REACH Annex XVII substances | compliant with exemption6(c): Copper alloy containing up to 4 % lead by weightcompliant with exemption50No |
| RoHS RoHS exemptions ELV status China RoHS REACH Annex XVII substances REACH ANNEX XIV substances | compliant with exemption6(c): Copper alloy containing up to 4 % lead by weightcompliant with exemption50NoNo |

 California Proposition 65 substances
 Yes

 California Proposition 65 substances
 Nickel Lead

Page 1 / 2 | Creation date 2021-10-01 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electric Stiftung & Co. KG | Wilhelm-Harting-Straße 1 | 32339 Espelkamp | Germany Phone +49 5772 47-97100 | electric@HARTING.com | www.HARTING.com Product data sheet 09 00 000 5102 SKV 13,5 KABELVERSCHRAUBUNG



Commercial data

| Packaging size | 10 |
|--------------------------------|----------------------------------------|
| Net weight | 1 g |
| Country of origin | France |
| European customs tariff number | 74199990 |
| eCl@ss | 27144432 Screwed cable gland (electr.) |

Page 2 / 2 | Creation date 2021-10-01 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electric Stiftung & Co. KG | Wilhelm-Harting-Straße 1 | 32339 Espelkamp | Germany Phone +49 5772 47-97100 | electric@HARTING.com | www.HARTING.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Heavy Duty Power Connectors category:

Click to view products by HARTING manufacturer:

Other Similar products are found below :

647757-1 6643411-1 6646058-2 6646137-1 6646138-1 6646479-1 6646608-1 6646786-1 6646940-1 6651091-1 6651525-1 6651529-1 6651788-1 696475-1 73000005059 73000005642 765-15-0080A 765-16-0080B 829992-1 902-77-02113 129-1J AN0024023 E6374G1 e6389g2 157-43GW8 MS3117-14AC 1643543-1 1650540-1 1651811-2 1766260-1 1766282-1 1766966-1 1791340000 NLDFT-3-BL-L-S120-M40A NLDFT-N-W-L-C240-M40B NLS-2-R-C240-M40B NLS-N-W-C240-M40B NPS-3-BL-T6 1986615-1 2-1589900-8 2199314-1 KA8102 9300480317 SBS50BRN#6 29131 29652 1646905-1 1648320-1 1648582-1 1650195-2