

# DIN-Signal coax f, solder/crimp, 750hm



Image is for illustration purposes only. Please refer to product description.

Part number	09 03 000 6281
Specification	DIN-Signal coax f, solder/crimp, 750hm
HARTING eCatalogue	https://b2b.harting.com/09030006281

## Identification

Category	Contacts
Series	DIN 41612
Type of contact	Coaxial contact
Description of the contact	Straight
Contacts for	DIN 41612 Type M DIN 41612 Type MH 21+5 DIN 41612 Bauform M 0+2 har-modular® M module, male, angled har-modular® M module, male, straight

#### Version

Termination method	Solder/crimp termination
Gender	Female contact for male connectors
Manufacturing process	Turned contacts

#### Technical characteristics

Operating current	≤0.4 A
Rated voltage	250 V
Insulation resistance	>10 <sup>9</sup> Ω
Contact resistance	≤10 mΩ for inner contact die ≤3 mΩ for outer ferrule
Impedance	75 Ω
Limiting temperature	-55 +125 °C
Return loss	>19 dB @ 1 GHz for cables RG 179 >14 dB @ 2 GHz for cables RG 179

This product will not be orderable much longer. Contact your local distribution partner for alternatives.



## Technical characteristics

Insertion force	≤10 N
Withdrawal force	≥1 N
Performance level	1
Mating cycles	≥500
Test voltage U <sub>r.m.s.</sub>	0.75 kV
Frequency	2 GHz

# Material properties

Material (contacts)	Copper alloy
Surface (contacts)	Noble metal over Ni Mating side
Material (locking)	Copper alloy
RoHS	compliant with exemption
RoHS exemptions	6(c): Copper alloy containing up to 4 % lead by weight
ELV status	compliant with exemption
China RoHS	50
REACH Annex XVII substances	No
REACH ANNEX XIV substances	No
REACH SVHC substances	Yes
REACH SVHC substances	Lead
ECHA SCIP number	339476a1-86ba-49e9-ab4b-cd336420d72a
California Proposition 65 substances	Yes
California Proposition 65 substances	Nickel Lead
	Leau

# Specifications and approvals

Specifications	DIN 41626	
----------------	-----------	--


# Commercial data

Packaging size	40
Net weight	1.907 g
Country of origin	Czechia
European customs tariff number	85366990
eCl@ss	27440204 Contact for industrial connectors

This product will not be orderable much longer. Contact your local distribution partner for alternatives.



## Assembly instructions



# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for DIN 41612 Connectors category:

Click to view products by HARTING manufacturer:

Other Similar products are found below:

004.767 608489050008049 691327-1 74670-0732 74680-0340 75880-0015 76453-0014 86093159ALF 9732967801 QLC260R

120X10019X 120X10089X 122A10249X 122A10669X 122A11089X 122A13089X 122A10089X 122A10129X 122A10349X

122A13359X 1377391-4 DIN-048CPC-SR1-MH 1393583-2 1393726-7 140X10129X 143-1913-000 143-1908-000 1484472-1 2110070-1

2110070-2 CBC20T00-008FDS5-0-1-002VR 172699-5036 2-1393557-4 2-1437084-2 CTJ720E01B-6141 394506 419-2080-402

V42254B2202C968 419-2086-201 419-2087-002 448657-1 448847-3 5-1393755-9 02990000004 054302 043556 09062483201750

0850033067 09031646555 09061486901840