

Han D F Crimpkontakt 1,5 mm² GT/SMC

| | Specification HARTING eCatalogue | Han D F Crimpkontakt 1,5 mm ² GT/SMC https://b2b.harting.com/09150006401 |
|---|-------------------------------------|--|
| | HARTING eCatalogue | https://b2b.harting.com/09150006401 |
| €ntification | | |
| €ntification | | |
| €ntification | | |
| entification | | |
| entification | | |
| entification | | |
| | | |
| ategory Contacts | | |
| eries Han D [®] | | |
| rpe of contact Crimp contact | | |
| | | |
| ersion | | |
| ender Female | | |
| anufacturing process Turned contacts | S | |
| chnical characteristics | | |
| onductor cross-section 1.5 mm ² | | |
| onductor cross-section AWG 16 | | |
| perating current ≤10 A | | |
| $\leq 3 \text{ m}\Omega$ | | |
| ripping length 8 mm | | |
| | | |
| aterial properties | | |
| aterial (contacts) Copper alloy | | |
| urface (contacts) Han [®] -GoldTec | | |
| oHS compliant with e | exemption | |
| bHS exemptions 6(c): Copper all | oy containing up to 4 % le | ead by weight |
| V status compliant with e | exemption | |
| nina RoHS 50 | | |
| EACH Annex XVII substances No | | |
| EACH ANNEX XIV substances No | | |

Page 1 / 2 | Creation date 2021-11-20 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electric Stiftung & Co. KG | Wilhelm-Harting-Straße 1 | 32339 Espelkamp | Germany Phone +49 5772 47-97100 | electric@HARTING.com | www.HARTING.com



Material properties

| REACH SVHC substances | Yes |
|--------------------------------------|--------------------------------------|
| REACH SVHC substances | Lead |
| ECHA SCIP number | b51e5b97-eeb5-438b-8538-f1771d43c17d |
| California Proposition 65 substances | Yes |
| California Proposition 65 substances | Nickel |
| | Lead |

Specifications and approvals

| Specifications | EN 60664-1 IEC 61984 |
|--------------------------------|--|
| Commercial data | |
| Packaging size | 100 |
| Net weight | 0.67 g |
| Country of origin | Germany |
| European customs tariff number | 85366990 |
| eCl@ss | 27440204 Contact for industrial connectors |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Heavy Duty Power Connectors category:

Click to view products by HARTING manufacturer:

Other Similar products are found below :

647757-1 6643411-1 6646058-2 6646137-1 6646138-1 6646479-1 6646608-1 6646786-1 6646940-1 6651091-1 6651525-1 6651529-1 6651788-1 696475-1 73000005059 73000005642 765-15-0080A 765-16-0080B 829992-1 902-77-02113 129-1J AN0024023 E6374G1 e6389g2 157-43GW8 MS3117-14AC 1643543-1 1650540-1 1651811-2 1766260-1 1766282-1 1766966-1 1791340000 NLDFT-3-BL-L-S120-M40A NLDFT-N-W-L-C240-M40B NLS-2-R-C240-M40B NLS-N-W-C240-M40B NPS-3-BL-T6 1986615-1 2-1589900-8 2199314-1 KA8102 9300480317 SBS50BRN#6 29131 29652 1646905-1 1648320-1 1648582-1 1650195-2