

# PCB Adapter w/o Pin 2.4mm for Han MegaBi



Part number	09 16 000 9923
Specification	PCB Adapter w/o Pin 2.4mm for Han MegaBi
HARTING eCatalogue	https://b2b.harting.com/09160009923

Image is for illustration purposes only. Please refer to product description.

#### Identification

Category	Accessories
Type of accessory	PCB adapter

#### Version

Gender	Female
Details	for PCB's up to 2.4 mm

#### Technical characteristics

Rated current	7.5 A
Rated voltage	50 V
Rated impulse voltage	0.8 kV
Pollution degree	3
Limiting temperature	-40 +125 °C

# Material properties

Material (insert)	Liquid crystal polymer (LCP)
RoHS	compliant with exemption
RoHS exemptions	6(c): Copper alloy containing up to 4 % lead by weight
ELV status	compliant with exemption
China RoHS	50
REACH Annex XVII substances	Not contained
REACH ANNEX XIV substances	Not contained
REACH SVHC substances	Yes



# Material properties

REACH SVHC substances	Lead
California Proposition 65 substances	Yes
California Proposition 65 substances	Lead

# Specifications and approvals

Specifications	IEC 61984
	EN 50467

#### Commercial data

Packaging size	25
Country of origin	Romania
European customs tariff number	85366990
eCl@ss	27460201 PCB connector (board connector)

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Heavy Duty Power Connectors category:

Click to view products by HARTING manufacturer:

Other Similar products are found below:

647757-1 6643411-1 6646058-2 6646137-1 6646138-1 6646608-1 6646786-1 6646940-1 6651091-1 6651525-1 6651529-1 6651788-1 696475-1 702-32-01109 703-25-02205 73000005059 73000005642 73080254296 73080255059 73080965046 765-15-0080A 765-16-0080B 765-18-0080D 902-77-02113 PS00/A0620/6300 1221200000 129-1J 1409400 E6374G1 e6389g2 157-43GW8 MS3117-14AC 1643543-1 1650540-1 1651811-2 1766260-1 1766282-1 1766966-1 1791340000 NLDFT-3-BL-L-S120-M40A NLDFT-N-W-L-C240-M40B 1926015-1 NLS-N-W-C240-M40B 2-1589900-8 2199314-1 KA8102 9300480317 29131 294-0091-01100 296-0040-01100