


# SEK CAB FLAT STD AWG28/7 64P 30,48m



Part number	09 18 064 7001
Specification	SEK CAB FLAT STD AWG28/7 64P 30,48m
HARTING eCatalogue	https://b2b.harting.com/09180647001

Image is for illustration purposes only. Please refer to product description.

#### Identification

Category	System cabling
Element	Bulk cables
Specification	Not assembled
Type of cable	Copper cable (flat)

#### Version

Cable length	30.48 m
Number of cores	64
Core structure	AWG 28/7

#### Technical characteristics

Limiting temperature	-30 +105 °C unmoved -20 +105 °C moved
Impedance	100 Ω
Insulation resistance @ 20 °C	≥20 MΩ x km

#### Material properties

Material (cable)	PVC
Colour (cable)	Grey
RoHS	compliant
ELV status	compliant
China RoHS	е
REACH Annex XVII substances	No



## Material properties

REACH ANNEX XIV substances	No
REACH SVHC substances	No
California Proposition 65 substances	Yes
California Proposition 65 substances	Lead Antimony trioxide

### Specifications and approvals

CE Yes	
--------	--

#### Commercial data

Packaging size	1
Net weight	3,906 g
Country of origin	Germany
European customs tariff number	85444993
eCl@ss	27061801 Data and communication cable (copper)

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Flat Cables category:

Click to view products by HARTING manufacturer:

Other Similar products are found below:

F28-A25G F28-A34G F28-A36G FST-23A-15 AYT1510-US 171-37G C336514-500 902220736002000 902220736006000 28100-0614 9L28010-008-H300 9L28014-008-H300 F28-A24G F28-A60G 25WDY00002 28100-0571 28100-0602 28100-0650 28100-0664 336506-100SF 336512-300 336518 336537-CUT-LENGTH 3447/10-100 362514100MSF 40WDY00005 AYT51163 336506-300 C3302/16 C374910 3749/10-100 375630 3-971111-6 1-1437356-3 812504 20WDY00001 5-1437214-8 3355/15 40WBY00007 3609/12 5111196336 607.5689.087 607.5689.091 3801/04 8124/04 3801/12 3625/22100MSF 902220736005000 902220736004000 C3811/10-100