



## Side entry hoods with knurled screws

Identification	No. of contacts	Part number	Drawing	Dimensions in mm																																		
<b>Hood<sup>1)</sup></b> grey thermoplastic RAL 7032  grey thermoplastic with internal tin-plate screening  9-37 way for packaging density of 3 TE (15.24 mm)	9	09 67 009 0571	Upper hood part 9 contacts 	Lower hood part 																																		
	15	09 67 015 0571																																				
	25	09 67 025 0571	15 – 50 contacts 	Lower hood part 																																		
	37	09 67 037 0571																																				
	50	09 67 050 0571																																				
	9	09 67 009 0573																																				
	15	09 67 015 0573	<table border="1"> <thead> <tr> <th></th> <th>a max.</th> <th>b min.</th> <th>c</th> <th>d</th> <th>e</th> <th>f</th> </tr> </thead> <tbody> <tr> <td>15</td> <td>39.62</td> <td>28.40</td> <td>13.00</td> <td>14.00</td> <td>1.00</td> <td>7.50</td> </tr> <tr> <td>25</td> <td>53.52</td> <td>42.20</td> <td>13.00</td> <td>14.00</td> <td>1.00</td> <td>7.50</td> </tr> <tr> <td>37</td> <td>69.80</td> <td>58.65</td> <td>13.00</td> <td>14.00</td> <td>1.00</td> <td>7.50</td> </tr> <tr> <td>50</td> <td>67.41</td> <td>56.18</td> <td>16.00</td> <td>17.50</td> <td>1.50</td> <td>9.50</td> </tr> </tbody> </table>		a max.	b min.	c	d	e	f	15	39.62	28.40	13.00	14.00	1.00	7.50	25	53.52	42.20	13.00	14.00	1.00	7.50	37	69.80	58.65	13.00	14.00	1.00	7.50	50	67.41	56.18	16.00	17.50	1.50	9.50
		a max.		b min.	c	d	e	f																														
	15	39.62		28.40	13.00	14.00	1.00	7.50																														
	25	53.52		42.20	13.00	14.00	1.00	7.50																														
37	69.80	58.65	13.00	14.00	1.00	7.50																																
50	67.41	56.18	16.00	17.50	1.50	9.50																																
25	09 67 025 0573	<table border="1"> <thead> <tr> <th></th> <th>a max.</th> <th>b min.</th> <th>c</th> <th>d</th> <th>e</th> <th>f</th> </tr> </thead> <tbody> <tr> <td>15</td> <td>39.62</td> <td>28.40</td> <td>13.00</td> <td>14.00</td> <td>1.00</td> <td>7.50</td> </tr> <tr> <td>25</td> <td>53.52</td> <td>42.20</td> <td>13.00</td> <td>14.00</td> <td>1.00</td> <td>7.50</td> </tr> <tr> <td>37</td> <td>69.80</td> <td>58.65</td> <td>13.00</td> <td>14.00</td> <td>1.00</td> <td>7.50</td> </tr> <tr> <td>50</td> <td>67.41</td> <td>56.18</td> <td>16.00</td> <td>17.50</td> <td>1.50</td> <td>9.50</td> </tr> </tbody> </table>		a max.	b min.	c	d	e	f	15	39.62	28.40	13.00	14.00	1.00	7.50	25	53.52	42.20	13.00	14.00	1.00	7.50	37	69.80	58.65	13.00	14.00	1.00	7.50	50	67.41	56.18	16.00	17.50	1.50	9.50	
	a max.		b min.	c	d	e	f																															
15	39.62		28.40	13.00	14.00	1.00	7.50																															
25	53.52		42.20	13.00	14.00	1.00	7.50																															
37	69.80	58.65	13.00	14.00	1.00	7.50																																
50	67.41	56.18	16.00	17.50	1.50	9.50																																
37	09 67 037 0573	<table border="1"> <thead> <tr> <th></th> <th>a max.</th> <th>b min.</th> <th>c</th> <th>d</th> <th>e</th> <th>f</th> </tr> </thead> <tbody> <tr> <td>15</td> <td>39.62</td> <td>28.40</td> <td>13.00</td> <td>14.00</td> <td>1.00</td> <td>7.50</td> </tr> <tr> <td>25</td> <td>53.52</td> <td>42.20</td> <td>13.00</td> <td>14.00</td> <td>1.00</td> <td>7.50</td> </tr> <tr> <td>37</td> <td>69.80</td> <td>58.65</td> <td>13.00</td> <td>14.00</td> <td>1.00</td> <td>7.50</td> </tr> <tr> <td>50</td> <td>67.41</td> <td>56.18</td> <td>16.00</td> <td>17.50</td> <td>1.50</td> <td>9.50</td> </tr> </tbody> </table>		a max.	b min.	c	d	e	f	15	39.62	28.40	13.00	14.00	1.00	7.50	25	53.52	42.20	13.00	14.00	1.00	7.50	37	69.80	58.65	13.00	14.00	1.00	7.50	50	67.41	56.18	16.00	17.50	1.50	9.50	
	a max.		b min.	c	d	e	f																															
15	39.62		28.40	13.00	14.00	1.00	7.50																															
25	53.52		42.20	13.00	14.00	1.00	7.50																															
37	69.80	58.65	13.00	14.00	1.00	7.50																																
50	67.41	56.18	16.00	17.50	1.50	9.50																																
50	09 67 050 0573	<table border="1"> <thead> <tr> <th></th> <th>a max.</th> <th>b min.</th> <th>c</th> <th>d</th> <th>e</th> <th>f</th> </tr> </thead> <tbody> <tr> <td>15</td> <td>39.62</td> <td>28.40</td> <td>13.00</td> <td>14.00</td> <td>1.00</td> <td>7.50</td> </tr> <tr> <td>25</td> <td>53.52</td> <td>42.20</td> <td>13.00</td> <td>14.00</td> <td>1.00</td> <td>7.50</td> </tr> <tr> <td>37</td> <td>69.80</td> <td>58.65</td> <td>13.00</td> <td>14.00</td> <td>1.00</td> <td>7.50</td> </tr> <tr> <td>50</td> <td>67.41</td> <td>56.18</td> <td>16.00</td> <td>17.50</td> <td>1.50</td> <td>9.50</td> </tr> </tbody> </table>		a max.	b min.	c	d	e	f	15	39.62	28.40	13.00	14.00	1.00	7.50	25	53.52	42.20	13.00	14.00	1.00	7.50	37	69.80	58.65	13.00	14.00	1.00	7.50	50	67.41	56.18	16.00	17.50	1.50	9.50	
	a max.		b min.	c	d	e	f																															
15	39.62		28.40	13.00	14.00	1.00	7.50																															
25	53.52		42.20	13.00	14.00	1.00	7.50																															
37	69.80	58.65	13.00	14.00	1.00	7.50																																
50	67.41	56.18	16.00	17.50	1.50	9.50																																
<b>Knurled screw</b>  Thread UNC Thread M3  Thread UNC Thread M3	9-50	09 67 000 9971 <sup>2)</sup> 09 67 001 9965*		Grey head / Nickel plated steel																																		
		09 67 001 9978 09 67 001 9977		Full metal part																																		
<b>Tooling</b> for assembly of hoods  Top part Bottom part		09 99 000 0215* 09 99 000 0216*																																				

\* Not normally kept in stock  
 1) Order knurled screw separately  
 2) 9 way 1 per hood – 15-50 way 2 per hood

3) Screw driver type ISO PH 1 for philips screw No 1 ISO norm 4757  
 Operating temperature for all hoods on this page: -30 °C ... +100 °C

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [DIN 41612 Connectors](#) category:*

*Click to view products by [HARTING](#) manufacturer:*

Other Similar products are found below :

[09231126901](#) [PCN10F-24P-2.54DS\(72\)](#) [004.767](#) [02221602702](#) [024069](#) [602427301412000](#) [013275](#) [691327-1](#) [74670-0732](#) [74680-0340](#)  
[75880-0015](#) [76453-0014](#) [86093159ALF](#) [923454](#) [QLC260R](#) [120X10099X](#) [120X10019X](#) [120X10089X](#) [120X10129X](#) [121A10039X](#)  
[121A10309X](#) [122A10019X](#) [122A10029X](#) [122A10249X](#) [122A10669X](#) [122A11089X](#) [122A13089X](#) [121B10409X](#) [122A10089X](#)  
[122A10129X](#) [122A10349X](#) [122A13359X](#) [1377391-4](#) [DIN-048CPC-SR1-MH](#) [1393583-2](#) [1393726-7](#) [140X10059X](#) [140X10129X](#) [143-1913-](#)  
[000](#) [143-1908-000](#) [1484472-1](#) [173052](#) [2110070-1](#) [2110070-2](#) [CBC20T00-008FDS5-0-1-002VR](#) [983-0SE12-12P6](#) [17041102202](#) [172699-](#)  
[5036](#) [173051](#) [20](#) [8457096](#) [010](#) [025](#)