

## har-port USB 3.0 A-A PFT white



Part number	09 45 452 1919
Specification	har-port USB 3.0 A-A PFT white
HARTING eCatalogue	https://b2b.harting.com/09454521919

Image is for illustration purposes only. Please refer to product description.

## Identification

China RoHS

Category	Connectors
Series	har-port
Element	Service interfaces
Specification	USB 3.0
Version	
Connection type	Type A jack - type A jack
Fixing	Screwable in cover plates
Technical characteristics	25 170 °C
Ambient temperature	-25 +70 °C
Mating cycles	≥1,500
Degree of protection acc. to IEC 60529	IP20
Material properties	
Material (hood/housing)	Polyamide (PA)
Colour (hood/housing)	White
RoHS	compliant
ELV status	compliant

 REACH Annex XVII substances
 No

 REACH ANNEX XIV substances
 No

е

Page 1 / 2 | Creation date 2020-01-23 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electronics GmbH | Marienwerderstraße 3 | 32339 Espelkamp | Germany Phone +49 5772 47-97200 | electronics@HARTING.com | www.HARTING.com



Material properties	
REACH SVHC substances	No
Specifications and approvals	
Approvals	DNV GL
Commercial data	
Packaging size	1
Net weight	16 g
Country of origin	Germany
European customs tariff number	85366990
eCl@ss	27060304 Appliance cord (data cable)

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for HARTING manufacturer:

Other Similar products are found below :

09452812560333 73550400915 9120052633 9200165425 9300160306 9300165422 9300245422 11996000001 14010313110334 14010813101333 14011213102333 14110213002333 15110102601333 15210262401000 15211002601333 15221002401000 15250682601333 15150082601333 15150262601333 15220062401000 15220122601000 15220502401000 15220682401000 15250102601333 15250122601333 17051331602 19000007106 19000007109 19120080526 19200030410 19200100251 19200100295 19200320537 19300061255 19300101420 19300101430 19300101440 19300101730 19300241291 19300480449 1930060291 19302100291 19302100547 19302101250 19302101541 19302161251 19302161291 19302240448 19302240547 19360061541