

HARTING SEA CABLE S/FTP CAT 7 1000m



I	Part number	09 45 600 0524
:	Specification	HARTING SEA CABLE S/FTP CAT 7 1000m
	HARTING eCatalogue	https://b2b.harting.com/09456000524

Image is for illustration purposes only. Please refer to product description.

Identification

Category	System cabling
Element	Bulk cables
Specification	Not assembled
Type of cable	Copper cable (round)
Features	Flame retardant, halogen free and RoHS compliant Oil and UV resistant
Version	
Cable length	1,000 m
Number of cores	8
Core structure	4x 2x AWG 26/7
Technical characteristics	
Limiting temperature	-40 +80 °C
Cable diameter	7.1 mm
Minimum bending radius	10x Cable diameter (repeated bending) 5x Cable diameter (singular bending)
Test voltage U _{r.m.s.}	1 kV Wire / wire / shielding
Transmission characteristics	Cat. 7 Class F up to 600 MHz
Data rate	10 Mbit/s 100 Mbit/s 1 Gbit/s 2.5 Gbit/s

Page 1 / 2 | Creation date 2020-11-19 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Customised Solutions GmbH & Co. KG | In der Tütenbeke 22 | 32339 Espelkamp | Germany Phone +49 5772 47-0 | info@HARTING.com | www.HARTING.com



Technical characteristics

Coupling attenuation @ 20 °C / 100 MHz	10 mΩ/m
Conductor resistance @ 20 °C	≤290 Ω/km
Insulation resistance @ 20 °C	≥500 MΩ x km
Signal run time @ 20 °C	≤5.3 ns/m
Impedance @ 100 MHz	100 Ω ±5 %

Material properties

Material (cable)	FRNC (LSZH)
Colour (cable)	Black
RoHS	compliant
ELV status	compliant
China RoHS	e
REACH Annex XVII substances	No
REACH ANNEX XIV substances	No
REACH SVHC substances	No

Specifications and approvals

	IEC 60754-2 Non corrosive
Specifications	IEC 61034 Smoke density
	IEC 60811-2-1 Oil resistancy
	IEC 60332-1-2 Flame retardancy
	IEC 60332-3-22 (category A) Flame retardancy
	Directive 2011/65/EU
	Directive 2015/863/EU RoHS 3
Approvals	DNV GL

Commercial data

Packaging size	1
Net weight	1 g
Country of origin	Germany
European customs tariff number	85444290
eCl@ss	27061801 Data and communication cable (copper)

Page 2 / 2 | Creation date 2020-11-19 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Customised Solutions GmbH & Co. KG | In der Tütenbeke 22 | 32339 Espelkamp | Germany Phone +49 5772 47-0 | info@HARTING.com | www.HARTING.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for HARTING manufacturer:

Other Similar products are found below :

<u>09452451590</u> <u>09452451905</u> <u>09100123100</u> <u>09462454031</u> <u>09100123005</u> <u>09462454400</u> <u>09461454400</u> <u>61030000174</u> <u>9200165425</u> <u>9300100303</u>
<u>9300160306</u> <u>9300165422</u> <u>9300245422</u> <u>11996000001</u> <u>14010313110334</u> <u>14010813101333</u> <u>14011213102333</u> <u>14310213101160</u>
<u>15110102601333</u> <u>15110162401000</u> <u>15120082601333</u> <u>15120162401000</u> <u>15220162401000</u> <u>15221002401000</u> <u>15250062601333</u>
<u>15250682601333</u> <u>15110142601333</u> <u>15120502401000</u> <u>15120682401000</u> <u>15150082601333</u> <u>15150202601333</u> <u>15150682601333</u>
<u>15220682401000</u> <u>15250102601333</u> <u>15250122601333</u> <u>15250202601333</u> <u>17011542201</u> <u>19000007109</u> <u>19120080426</u> <u>19120080526</u>
<u>19200100546</u> <u>19200321531</u> <u>19300100231</u> <u>19300100271</u> <u>19300100547</u> <u>19300101270</u> <u>19300101730</u> <u>19300161296</u> <u>19300240438</u>
19300241271