

RJI DB Cat6a Cable Assy yellow PUR 10m



| Part number | 09 48 474 7756 100 |
|--------------------|---|
| Specification | RJI DB Cat6a Cable Assy yellow PUR 10m |
| HARTING eCatalogue | https://b2b.harting.com/09484747756100 |

Image is for illustration purposes only. Please refer to product description.

Identification

| Category | System cabling |
|------------------------------|--|
| Series | RJ45 |
| Element | Cable assemblies |
| Specification | Pre-assembled on both sides |
| Connector 1 | HARTING DualBoot RJ45 |
| Connector 2 | HARTING DualBoot RJ45 |
| Type of cable | Copper cable (round) |
| Version | |
| Cable length | 10 m |
| Number of cores | 8 |
| Core structure | 4x 2x AWG 26/7 |
| Technical characteristics | |
| Transmission characteristics | Cat. 6 _A Class E _A up to 500 MHz |
| Data rate | 10 Mbit/s 100 Mbit/s 1 Gbit/s 2.5 Gbit/s 5 Gbit/s 10 Gbit/s |
| Limiting temperature | -40 +80 °C unmoved -40 +80 °C moved |

Page 1 / 2 | Creation date 2021-08-28 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Customised Solutions GmbH & Co. KG | In der Tütenbeke 22 | 32339 Espelkamp | Germany Phone +49 5772 47-0 | info@HARTING.com | www.HARTING.com



Material properties

| Material (cable) | PUR (polyurethane) |
|--------------------------------------|--------------------|
| Colour (cable) | Yellow |
| RoHS | compliant |
| ELV status | compliant |
| China RoHS | e |
| REACH Annex XVII substances | No |
| REACH ANNEX XIV substances | No |
| REACH SVHC substances | No |
| California Proposition 65 substances | No |

Specifications and approvals

| Specifications | IEC 60332-1-2 Flame retardancy |
|----------------|--|
| | IEC 60754-1 Halogen freeness |
| | EN 60811-404 Oil resistance |
| | UN/ECE-R 118 fire protection for rolling stock |
| UL / CSA | UL 1863 DUXR.E470046 |

Commercial data

| Packaging size | 1 |
|--------------------------------|---|
| Net weight | 1 g |
| Country of origin | Czechia |
| European customs tariff number | 85444290 |
| eCl@ss | 27060308 Patch cord copper (data cable) |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Ethernet Cables / Networking Cables category:

Click to view products by HARTING manufacturer:

Other Similar products are found below :

 73-6670-7
 73-6680-15
 73-7797-25
 MCJB2-10P6Q7-120
 84909-0204
 1200700174
 1200860368
 E16A06002M030
 E200102-009-S1

 AX105346-EW
 MT14-187L
 17-103530
 ERWPAB3002M005
 190-038045-01
 NK5EPC18RDY
 NK5EPC18VLY
 NK5EPC18YLY

 NK5EPC1GRY
 NK5EPC4Y
 NK5EPC6YLY
 NK5EPC8BLY
 NK5EPC9YLY
 1969343-6
 C501100010
 C501106002
 C501106007

 C501106015
 C501106025
 C601102010
 C601104010
 C601106007
 C601106015
 2142758-2
 2168427-2
 CAT1106007
 SR02P0-26E5-15.0

 SR02S0-26E5-15.0
 21949-1
 2J1866A
 RJF SFTP 5E 0500
 AX100351
 MN14CEC/ST
 C501106004
 C501106010
 C571106007

 C601104004
 C601106004
 CA21106010
 C421106010
 C501106010
 C501106004
 C501106010
 C571108007