

# VB RJ45 UaD - DB RJ45 Cat.6A PUR 0.5m



Part number	09 48 844 7745 005
Specification	VB RJ45 UaD - DB RJ45 Cat.6A PUR 0.5m
HARTING eCatalogue	https://b2b.harting.com/09488447745005

#### Identification

Category	Cable
Series	RJ45
Specification	Pre-assembled on both sides
Connector 1	HARTING VarioBoot RJ45 Preferred directions up/down
Connector 2	HARTING DualBoot RJ45
Type of cable	Copper cable (round)
Description of the cable	Wiring 1:1 Halogen-free oil resistant

### Version

Number of cores	8
Core structure	4x 2 Twisted Pair

### Technical characteristics

Limiting temperature	-30 +75 °C unmoved -5 +50 °C moved
Degree of protection acc. to IEC 60529	IP20
Cable length	0.5 m
Transmission characteristics	Cat. 6 <sub>A</sub> Class E <sub>A</sub> up to 500 MHz
Data rate	10 Mbit/s 100 Mbit/s 1 Gbit/s 10 Gbit/s

## Material properties

Material (cable)	PUR (polyurethane)
Colour (cable)	Yellow



## Specifications and approvals

Specifications	IEC 11801
	IEC 61156-6

## Commercial data

Packaging size	1
Net weight	35 g
Country of origin	Czechia
European customs tariff number	85444290

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Sensor Cables / Actuator Cables category:

Click to view products by Amphenol manufacturer:

Other Similar products are found below:

1300070444 43-10984 M83513/19-F01CP 704000D02F120 MDM15SH001K MDM25PH003BF222 802027107404-1 885030A09M010 885030A09M020 1200650174 1200651332 1200651713 1200660171 1200660208 1200660343 1200660804 1200660845 1200660926 1200660977 1200661173 1200661354 120066-1712 1200720053 1200720099 1200720153 1200720172 1200720217 1200720226 1200720251 1200720285 1200720296 1200720404 1200730148 1200730378 1200800231 1200860112 1200860121 1200860125 1200860337 1200860365 1200860420 1200870046 1200870123 1200870248 1200980102 1200660181 1200660183 1200660827 1200660849 12006601170