

## VB RJ45 UaD -VB RJ45 LaR Cat.6A PUR 15m



Part number	09 48 848 5745 150
Specification	VB RJ45 UaD -VB RJ45 LaR Cat.6A PUR 15m
HARTING eCatalogue	https://b2b.harting.com/09488485745150

### Identification

Category	Cable
Series	RJ45
Specification	Pre-assembled on both sides
Connector 1	HARTING VarioBoot RJ45 Preferred directions up/down
Connector 2	HARTING VarioBoot RJ45 Preferred directions left/right
Type of cable	Copper cable (round)
Description of the cable	Wiring 1:1 Halogen-free oil resistant

## Version

Number of cores	8
Core structure	4x 2 Twisted Pair

### Technical characteristics

Limiting temperature	-30 +75 °C unmoved -5 +50 °C moved
Degree of protection acc. to IEC 60529	IP20
Cable length	15 m
Transmission characteristics	Cat. 6 <sub>A</sub> Class E <sub>A</sub> up to 500 MHz
Data rate	10 Mbit/s 100 Mbit/s 1 Gbit/s 10 Gbit/s

## Material properties

Material (cable)	PUR (polyurethane)
Colour (cable)	Yellow



## Specifications and approvals

Specifications	IEC 11801
	IEC 61156-6

### Commercial data

Packaging size	1
Country of origin	Czechia
European customs tariff number	85444290

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Audio Cables / Video Cables / RCA Cables category:

Click to view products by HARTING manufacturer:

Other Similar products are found below:

59384500100E 73-6310-10 73-6311-10 73-6313-3 73-6313-6 PCX-60-50 RCA10RCA 1-3737-600-3216 15AK25X 25FK25 LF3BLX 301511-10 30AR30 30AK30 30AN30 RCA05RCA RCA05RCAB RCA05TS RCA10RCAB 420001400-3 426058900-3 TT6RX TT7BKX

TT93602 426058300-3 LF1BKX LF3RX 0887418300 73-6312-6 73-6314-3 73-6352-3 VMP3YX VMP2YX 68767-0003 TT746 TT744

CN13B LF4GNX LF2GYX 426494200-3 LF1RX VMPBNCF LF10GNX 427492100-3 LF4BLX TT747N2 TT864 LF2YX 426491500-3 426523700-3