

# D SUB FE turned contact\_AWG 18-22\_PL1



Part number	09 67 000 3476
Specification	D SUB FE turned contact_AWG 18-22_PL1
HARTING eCatalogue	https://b2b.harting.com/09670003476

Image is for illustration purposes only. Please refer to product description.

#### Identification

Category	Contacts
Series	D-Sub
Identification	Standard
Type of contact	Crimp contact

#### Version

Gender	Female
Manufacturing process	Turned contacts

#### Technical characteristics

Conductor cross-section	0.33 0.82 mm²
Conductor cross-section	AWG 22 AWG 18
Contact resistance	≤10 mΩ
Stripping length	4 mm
Performance level	1 acc. to CECC 75301-802

#### Material properties

Material (contacts)	Copper alloy
Surface (contacts)	Noble metal over Ni
RoHS	compliant with exemption
RoHS exemptions	6(c): Copper alloy containing up to 4 % lead by weight
ELV status	compliant with exemption



### Material properties

China RoHS	50
REACH Annex XVII substances	Not contained
REACH ANNEX XIV substances	Not contained
REACH SVHC substances	Yes
REACH SVHC substances	Lead
ECHA SCIP number	339476a1-86ba-49e9-ab4b-cd336420d72a
California Proposition 65 substances	Yes
California Proposition 65 substances	Nickel Lead

#### Commercial data

Packaging size	100
Net weight	0.227 g
Country of origin	Switzerland
European customs tariff number	85366990
eCl@ss	27440204 Contact for industrial connectors

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for D-Sub Contacts category:

Click to view products by HARTING manufacturer:

Other Similar products are found below:

D02-22-26S-10000 8656352067LF 131A15029X 132J22039X 132A11029X 132A11049X 132A12059X 1757912-1 188582-000
162A11889X 1757913-1 212558-1 030-1955-000 053744-0098 053744-0099 053745-0105 053745-0111 601098N003 D-610-10CS2962
86303057NLF 131A11019X 162A11819X 40-9854MP 1-208778-5 FC120N2 MC7526D/AA MC8122D/AA FC4010D-15 FC4006D
121A05329A 164C16669X 86566620064LF 131A13019X DLS3XS5AK40X 09692825723 030-1954-000 L17DM53744207
L17RRD1M11400 030-1952-000 030-1953-000 030-1953-030 132C11039X 132J15019X 132C15019X 131A10029X 8638PSC2006LF
8656453067LF 86566520064LF L17DM537441 L17DM537425001