

D-Sub, FE AWG 20-24 crimp cont



Part number	09 67 000 8476
Specification	D-Sub, FE AWG 20-24 crimp cont
HARTING eCatalogue	https://b2b.harting.com/09670008476

Image is for illustration purposes only. Please refer to product description.

Identification

Category	Contacts
Series	D-Sub
Identification	Standard
Type of contact	Crimp contact

Version

Gender	Female
Manufacturing process	Turned contacts

Technical characteristics

Conductor cross-section	0.25 0.52 mm²
Conductor cross-section	AWG 24 AWG 20
Contact resistance	≤10 mΩ
Stripping length	4 mm
Performance level	1 acc. to CECC 75301-802

Material properties

Material (contacts)	Copper alloy
Surface (contacts)	Noble metal over Ni
RoHS	compliant with exemption
RoHS exemptions	6(c): Copper alloy containing up to 4 % lead by weight
ELV status	compliant with exemption



Material properties

China RoHS	50
REACH Annex XVII substances	No
REACH ANNEX XIV substances	No
REACH SVHC substances	Yes
REACH SVHC substances	Lead
ECHA SCIP number	339476a1-86ba-49e9-ab4b-cd336420d72a
California Proposition 65 substances	Yes
California Proposition 65 substances	Nickel Lead

Commercial data

Packaging size	100
Net weight	0.2 g
Country of origin	Switzerland
European customs tariff number	85366990
eCl@ss	27440204 Contact for industrial connectors

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for D-Sub Contacts category:

Click to view products by HARTING manufacturer:

Other Similar products are found below:

D02-22-26S-10000 8656352067LF 131A15029X 132J22039X 132A11029X 132A11049X 132A12059X 1757912-1 188582-000
162A11889X 1757913-1 212558-1 030-1955-000 053744-0098 053744-0099 053745-0105 053745-0111 601098N003 D-610-10CS2962
86303057NLF 131A11019X 162A11819X 40-9854MP 1-208778-5 FC120N2 MC7526D/AA MC8122D/AA FC4010D-15 FC4006D
121A05329A 164C16669X 86566620064LF 131A13019X DLS3XS5AK40X 09692825723 030-1954-000 L17DM53744207
L17RRD1M11400 030-1952-000 030-1953-000 030-1953-030 132C11039X 132J15019X 132C15019X 131A10029X 8638PSC2006LF
8656453067LF 86566520064LF L17DM537441 L17DM537425001